THE UNIVERSITY OF ALBERTA

A Study of the Structure and Organization of Intestinal Helminth Communities in Ten Species of Waterfowl (Anatinae)

by

© Eric Wynn Butterworth

A THESIS

SUBMITTED TO THE FACULTY OF GRADUATE STUDIES AND RESEARCH

IN PARTIAL FULFILMENT OF THE REQUIREMENTS FOR THE DEGREE

OF DOCTOR OF PHILOSOPHY

DEPARTMENT OF

ZOOLOGY

EDMONTON, ALBERTA

FALL/1982

THE UNIVERSITY OF ALBERTA

RELEASE FORM

NAME OF AUTHOR Eric Wynn Butterworth

TITLE OF THESIS A Study of the Structure and Organization of Intestinal Helminth Communities in Ten Species of Waterfowl (Anatinae)

DEGREE FOR WHICH THESIS WAS PRESENTED DOCTOR OF PHILOSOPHY

YEAR THIS DEGREE GRANTED 1982

Permission is hereby granted to THE UNIVERSITY OF ALBERTA LIBRARY to reproduce single copies of this thesis and to lend or sell such copies for private, scholarly or scientific research purposes only.

The author reserves other publication rights, and neither the thesis nor extensive extracts from it may be printed or otherwise reproduced without the author's written permission.

(SIGNED)

PERMANENT ADDRESS:

Department of Zoology

UNIVERSITY OF ALBERTA

EDMONTON

DATED July 29 1982

THE UNIVERSITY OF ALBERTA

FACULTY OF GRADUATE STUDIES AND RESEARCH

The undersigned certify that they have read, and recommend to the Faculty of Graduate Studies and Research, for acceptance, a thesis entitled A Study of the Structure and Organization of Intestinal Helminth Communities in Ten Species of Waterfowl (Anatinae) submitted by Eric Wynn Butterworth in partial fulfilment of the requirements for the degree of DOCTOR OF PHILOSOPHY.

J. C. Holmes

Supervisor

W. M. Samuel

....

....

....

Armand M. Kuris

External Examiner

Date. February 9, 1982

ABSTRACT

The intestinal helminth communities of 97 birds representing 10 species of ducks (widgeon, *Anas americana*, gadwall, *Anas strepera*, mallard, *Anas platyrhynchos*, blue-winged teal, *Anas discors*, ruddy, *Oxyura jamaicensis*, canvasback, *Aythya valisineria*, ring-necked duck, *Aythya collaris*, lesser scaup, *Aythya affinis*, bufflehead, *Bucephala albeola*, white-winged scoter, *Melanitta fusca*) were compared along two resource axes: host (habitat) and intestine (microhabitat).

Parasite communities in duck species (i.e., widgeon) which eat a small proportion of animal foods had few species and individuals and showed little similarity between communities of birds of the same duck species. Parasite communities in duck species (i.e., scoter) which eat a high proportion of animal foods had a large number of species and individuals and showed high similarity between communities in birds of the same duck species. The parasite communities of the latter group are composed of three components (or groups of parasites). Characteristic species are frequent, usually abundant and mature exclusively or primarily in one host species. Other common species were either host generalists or specialists in other hosts. The characteristic and common parasite species provide most of the similarity and predictability between birds of the same duck species. The third group of parasites were infrequent in occurrence and are random elements in the parasite

communities.

For parasite communities in hosts with characteristic species cluster analyses indicated that the host species was the most important level of habitat. For parasite communities without characteristic species the multispecies host populations were the important habitat level.

The structure of the parasite communities along the second resource axis was investigated using the linear distributional features of the parasite species within the intestines of individual birds. Most parasite species occupied predictable and restricted locations within the intestine. Parasite species which occurred in more than one duck species generally occupied similar locations. In addition to the predictable locations occupied by the parasites, their sequence of occurrence along the gut was highly predictable. The arrangement of these locations was more uniform than expected by chance. Some parasite species were observed to occupy the entire intestine within individual birds while the average range occupied across all hosts infected was usually much less.

Realized niches were measured by distributions of helminth species in individual birds. Fundamental niches were estimated by distributions of helminth species in all individuals birds summed. For several pairs of parasite species realized niche overlaps (average overlaps) were reduced from the fundamental overlaps (summed overlaps). These significant reductions in realized niche overlap are

interpreted as evidence for interactions. The characteristic parasite species overlapped each other significantly less than the average overlap between other parasite species. This reduced overlap occurred despite the fact that characteristic species had significantly larger ranges than the other species. The characteristic species showed evidence for interactions when they overlapped. These parasites appeared to form a coadapted unit in their respective host species.

Infrequent parasite species occurred rarely in host species and can be considered a random component within the parasite communities. Parasite communities in host species with few parasites were mainly composed of infrequent species.

In summary, the low number of parasites and lack of a characteristic species group in some hosts suggests these parasite communities are primarily chance aggregations of helminth species. In other host species the presence of a group of characteristic parasite species, with reduced niche overlap between these species, suggests a highly predictable coadapted complex of parasite species co-occurring in association with less predictable complex of parasite species.

ACKNOWLEDGEMENTS

I thank all members of all my supervisory committees, each provided encouragement, advice and help through all phases of my programme, no matter how brief their tenure. Members of my final committee provided generously of their time and experience. Dr. Boag never allowed the biology of the waterfowl to slip in its importance and at the end compensated for my ability to push deadlines past their limit. John Addicott always provided challenging ideas for discussion and his expertise at integrating computing facilities with data was invaluable. Bill Samuel, who was always enthusiastic, provided me with the opportunity to teach in his courses and has forever instilled in my memory the importance of providing basic information for those who follow us.

I am grateful to all of the parasitology and zoology graduate students with whom I interacted. They provided a source of information, discussion and friendship throughout the years. In particular, I thank John Aho, Al Bush, Tom Herman and Mike Stock all of whom contributed to my programme in time, effort and knowledge as friends. I am extremely grateful to all individuals including John, John, Lorna, Mike, Judy and others who provided time and effort at the very end when time was so very short.

I extend my thanks to my field assistants Bob Holmes,

Dave Holmes, Mike Stock, Al Shostak, Al Bush (the rainmaker), John Holmes, Tom Herman, Karen Nielsen, Dennis Pfeffer, and Mark Steinhilber. All provided assistance during various conditions on various projects.

Financial support for my research was provided by a grant from the Boreal Institute for Northern Studies to the author and by a Natural Sciences and Engineering Research Council of Canada operating grant (A-1464) to John Holmes. Support to attend meetings was provided by the Department of Zoology through the help of Dr. Fu-Shiang Chia and my supervisor, John Holmes.

I extend my appreciation to Chuck Gordon and Bruce Turner of the Canadian Wildlife Service who were extremely helpful in providing information and in issuing CWS permits to collect waterfowl.

I believe the acknowledgement section of a thesis allows a reader to gain an insight into the author and the environment in which the individual has worked. John Holmes, my supervisor, more than anyone reflected and provided the environment in which I was able to develop my own ideas and who at all times was a source of encouragement and challenge to my own abilities as a scientist and a human being. I extend my heartfelt thanks to John for the open exchange of his ideas of teaching and research and his ability to allow one to explore their own potential.

I extend a final very personal thank you to John and Kathleen Holmes, Mary Butterworth and Karen Nielsen who

provided encouragement and support during those times in life and graduate school when one fails to see an end to the paths one chooses to follow.

TABLE OF CONTENTS

Chapter Page

I Introduction 1

II Structure and Organization of Intestinal Helminth Communities Across Individual Birds 8

  Introduction 8

  Methods and Material 21

  Results 26

    Species Composition and Distribution 26

    Composition and Similarity of the Helminth Communities Within Duck Species 26

    Faunal Similarity between Duck Species 45

    Cluster Analysis of Individual Birds 50

    Niche Breadth of Helminth Species 58

    Similarity in Occurrence of Helminth Species (Inverse Analysis) 62

    Common and Characteristic Species 68

    Species Exchange 83

III Structure and Organization of Intestinal Helminth Communities Within Individual Birds 100

  Introduction 100

Chapter Page

Methods 105

Results 108

Linear Distributions 108

Organization and Maintenance of Infracommunity Structure 155

Discussion 174

IV Organization of Intestinal Helminth Communities in Waterfowl Along Two Resource Axes 178

Generalist and Specialist Species on Two Resource Axes. 178

Interactive and Noninteractive Community Structure 184

Literature Sited 188

Appendices 195

LIST OF TABLES

Tables Page

1. Percent (by volume) of animal matter in the diet of ten duck species 15

2. The number of birds infected and intensity of infection of seventy-five helminth taxa in ten species of ducks 27

3. Number of helminth species, individuals, evenness, mature species, and common species in each duck species 34

4. Proportion of similarity values between pairs of individual birds of each duck species and mean similarity of each duck species 41

5. Mean number and range of helminth species and individuals within each duck group as derived by cluster analysis using Euclidean distance 57

6. Mean breadth in helminth groups derived by the Jaccard and Euclidean cluster analyses 65

7. Comparison of helminth species groups characterizing the duck groups and duck species as derived by cluster analysis using Jaccard's Coefficient of similarity 74

8. Comparison of helminth species groups characterizing the duck groups and duck species as derived by cluster analysis using Euclidean distance 81

9. Number of birds infected and abundance of mature individuals of nine parasite species occurring in eight or more host species 85

Tables Page

10. Number of birds infected and abundance of mature individuals of twenty helminth species for which primary hosts can be determined 87

11. Linear distribution of helminth species within the intestines of Widgeon and correlation of these measures with numbers of individuals of helminths of each parasite species 109

12. Linear distribution of helminth species within the intestines of Gadwall and correlation of these measures with numbers of individuals of helminths of each parasite species 110

13. Linear distribution of helminth species within the intestines of Blue-winged teal and correlation of these measures with numbers of individuals of helminths of each parasite species 112

14. Linear distribution of helminth species within the intestines of Mallard and correlation of these measures with numbers of individuals of helminths of each parasite species 114

15. Linear distribution of helminth species within the intestines of Ruddy and correlation of these measures with numbers of individuals of helminths of each parasite species 117

16. Linear distribution of helminth species within the intestines of Canvasback and correlation of these measures with numbers of individuals of helminths of each parasite species 118

Tables Page

17. Linear distribution of helminth species within the intestines of Ring-necked duck and correlation of these measures with numbers of individuals of helminths of each parasite species 121

18. Linear distribution of helminth species within the intestines of Lesser scaup and correlation of these measures with numbers of individuals of helminths of each parasite species 122

19. Linear distribution of helminth species within the intestines of Bufflehead and correlation of these measures with numbers of individuals of helminths of each parasite species 126

20. Linear distribution of helminth species within the intestines of White-winged scoter and correlation of these measures with numbers of individuals of helminths of each parasite species 127

21. Variation around the mean median location of frequent and infrequent helminth species 131

22. Rank correlation of order of the median locations of helminth species in ten species of ducks 133

23. Comparison of the distribution of median positions of helminths in ten duck species 134

24. Mean number of unoccupied sections in each species of duck 156

25. Niche breadth measures along two resource axes of generalist and specialist helminth species from ten species of ducks 180

LIST OF FIGURES

Figure Page

1 Phylogenetic relationships of ten species of waterfowl as proposed by Johnsgard (1961) and Woolfenden (1961) 12

2. Cluster analysis comparing nine species of waterfowl with respect to the kind and percent of animal matter consumed by each species 18

3. Cumulative number of intestinal helminth species in the number of birds examined of each duck species 37

4. Cumulative number of intestinal helminth species in the number of birds examined of each duck species 39

5. Significant intercorrelations between seven measures of community structure 44

6. Arrangement of ten species of waterfowl along three measures of helminth community structure 47

7. Numbers of helminth species shared and similarity values between duck species 49

8. Cluster analysis (normal) of similarity values of occurrence of seventy-five parasite taxa in individual birds of ten species 52

9. Cluster analysis (normal) of similarity values of numbers of individuals of seventy-five parasite taxa in individual birds of ten duck species 56

Figure Page

10. Relationship between helminth niche breadth and the number of hosts infected with mature helminth species individuals 60

11. Cluster analysis (inverse) of seventy-five parasite taxa using similarity values of their occurrences in ninety-seven birds of ten duck species 64

12. Cluster analysis (inverse) of seventy-five parasite taxa using similarity values of their occurrences of numbers of individuals in ninety-seven birds of ten duck species 67

13. Concentration of helminth species groups across duck groups and importance of helminth species groups within duck groups derived by cluster analysis using Jaccard's Coefficient of similarity 70

14. Concentration of helminth species groups derived by cluster analysis using Jaccard's Coefficient of similarity across duck species and the importance of helminth species within duck species 73

15. Concentration of helminth species groups across duck groups and the importance of helminth species groups within duck groups derived by cluster analysis using Euclidean distance 77

16. Concentration of helminth species groups derived by cluster analysis using Euclidean distance across duck species and importance of helminth species groups within duck species 79

Figure Page

17. Number of helminth species exchanged from primary hosts to other duck species 91

18. The distribution of the mean ranges of seventy-five helminth taxa across ten duck species 138

19. Linear distribution of four host generalists across ten duck species 142

20. Linear distribution of *Echinoparyphium recurvatum* across nine duck species 144

21. Linear distributions of the characteristic species of Ring-necked duck across duck species 146

22. Linear distribution of the characteristic species of Gadwall across duck species 148

23. Linear distribution of the characteristic species of Canvasback across duck species 150

24. Linear distributions of the characteristic species of Ruddy 152

25. Linear distribution of a characteristic helminth species of White-winged scoter across host species 154

26. Average overlap values between the common helminth species of Mallard 159

27. Average overlap values between common helminth species and characteristic helminth species of Ring-necked duck 161

28. Average overlap values between common helminth species and characteristic helminth species of Ruddy 163

Figure Page

29. Average overlap values between common helminth species and characteristic helminth species of Gadwall 165

30. Average overlap values between common helminth species and characteristic helminth species of Blue-winged teal 167

31. Average overlap values between common helminth species and characteristic helminth species of Canvasback 169

32. Average overlap values between common helminth species and characteristic helminth species of White-winged scoter 171

33. Comparison of the number of helminth species along two resource axes 182

I.

INTRODUCTION

In a recent review of parasite evolutionary biology Price (1980) emphasized the following points (among others): 1) "Parasites represent the extreme in specialized resource exploitation." and 2) "Parasites exist in non-equilibrium conditions", in unsaturated communities in which interactions are unimportant.

Price's first point was based largely, but not exclusively, on an analysis of host specificity. He compared the number of host species used by parasites to the number of prey species used by predators and concluded that parasites are much more specialized in their resource exploitation. He also called attention to the large number of parasite species which use only one species of host. Rohde (1978) analyzed the host specificity of marine Monogenea and Digenea. The host specificity of the former group agreed with Price's hypothesis; the latter did not. Furthermore, Holmes and Price (1980) analyzed data from a checklist of parasites of fishes of Canada (Margolis and Arthur, 1979) and concluded that generalist parasites were common in all parasite groups except the Monogenea. These contrasting patterns indicate that in any study, the degree of host specificity of parasites must be ascertained directly and not assumed.

Further support for Price's first point (specialized resource exploitation by parasites) is provided by data on microhabitat specificity of parasite species within host individuals. The evidence for microhabitat specificity for helminths is based primarily on data in reviews by Crompton (1973) and Holmes (1973). More recently, Hair and Holmes (1975), Hair (1975) and Bush (1980) have all demonstrated that the common helminth species within the intestine of lesser scaup (*Aythya affinis*) occupy predictable, restricted loacations. Avery (1969) has shown a similar situation for helminth species within the intestine of mallards (*Anas platyrhynchos*). In contrast, some parasites such as *Hymenolepis diminuta* in rodents (Cannon and Mettrick, 1970) and *Schizorchis caballeroi* in pika (Hobbs, 1980) are capable of occupying most of the small intestine. In addition, some species (eg., *Schistocephalus solidus*) are known to occupy different locations in different host species (McCaig and Hopkins, 1963). Shifts in location in response to the presence of other parasites have been noted for some species. *H. diminuta* has been shown to shift locaton in the presence of *Moniliformis dubius* (Holmes, 1961, 1962) and *Trichinella spiralis* (Silver et al. 1981). *Tetrabothrius procerus* has been shown to occupy a more posterior location when a related species *T. minor* extends its distribution posteriorly with increased population sizes within the intestine of fulmar (*Fulmarus glacialis*) (Riley and Owen, 1975). This latter group of examples suggests that parasite species may not be obligate microhabitat specialists, and may be capable of occupying more extensive ranges within the host individual than they normally occupy.

In an examination of the literature, Price (1980) concluded such examples of interactions were rare. Because individual hosts are distributed in a patchy and discontinuous fashion, Price (1980) considered that the chance of colonization would be low for any single parasite species. Therefore, the potential for co-occurrence of several species would be low and the communities should be existing under non-equilibrium conditions in which interactions should be unimportant. Price (1980) suggested that the restricted microhabitat distributions are a result of pressures other than competition but did not indicate what pressures might be responsible. Rohde (1979) has suggested a noninteractive mechanism by which microhabitats are restricted as a result of selective pressures on individuals to mate in sparse populations. Individuals have a higher probability of making contact with other indivduals in sparse populations if they restrict their microhabitat on or within a host. In contrast to the ideas of Price (1980) and Rohde (1979), Holmes (1973) proposed that microhabitat specificity in parasite communities was a response to past competition (interaction) with other parasite species. Another interactive explanation has been proposed by Sogandares-Bernal (1959) and Martin (1969) whereby parasites are restricted in their microhabitat distributions as a mechanism to prevent hybridization. A critical feature to distinguish between the noninteractive and interactive views of parasite community organization is whether the host is a patchy and ephemeral resource for parasites as suggested by Price (1980). For interactions between parasite species to be important in determining community structure, parasite species must co-occur regularly.

Kuris et al. (1980) have suggested three levels at which hosts may be regarded as habitats (or patches) for parasites. The first and most important is the host individual. Interactions between parasite species can occur only within the host individual. The second level of habitat is that of the local host population. The importance of interactions at the host individual level can only be measured by their regularity of occurrence in host populations. For parasites which are able to use different host species all potential host species populations in a community may be regarded as a single multispecies population. The third level of habitat is that of the host species. The importance of interactions in the evolutionary development of the parasite community can be closely related to the evolutionary relationships of the host species within a community. The latter two boundaries of habitats can only be defined by the distribution of the parasites, not the study. Individual hosts are the only unequivocal habitats for parasite species (Kuris et al. 1980). In part, the co-occurrence of parasite species will depend on at what level different species recognize habitat boundaries.

The importance of both noninteractive and interactive forces in organizing communities of freeliving organisms has long been recognized (Whittaker, 1975). Wilson (1969) has integrated the two concepts, and their importance in his theory of community development. The initial phase is noninteractive, in which species are rapidly colonizing a new community, resources are plentiful and interactions are unimportant. The second phase is interactive, in which populations of individual species are large enough that species interactions are important. The third assortative phase is also interactive, in which colonization and extinction are still occurring but some species are able to persist longer by either being better adapted to the local environment or by being able to coexist with specific groups of other species. The final evolutionary phase is noninteractive, in which species have adapted to coexist with other species and the environment.

In a discussion of the importance of noninteractive and interactive forces in structuring parasite communities Holmes and Price (1980) have aligned their contrasting views with the first and last of Wilson's phases. Price's (1980) proposal that parasite communities are young is equated to the initial noninterative phase, whereas Holmes's (1973) suggestion that parasite communities are mature is equated to the final evolutionary phase. Holmes and Price (1980) have proposed a set of predictions for parasite communities in the initial noninteractive phase, in which interactions are unimportant, or the evolutionary phase, in which interactions are reduced after having been through the interactive and assortative phases of community development.

Bush (1980) has examined these two opposing views with reference to the intestinal helminth communities of lesser scaup. He demonstrated there were two components within the intestinal communities of scaup: a deterministic component consisting of common or frequently co-occurring species and a stochastic component consisting of infrequent or rare species. Comparison of realized niche overlap based on the observed distributions within individual birds with fundamental niche overlap based on the summed distributions across all individual birds indicated that interactions may be important in maintaining the structure of the deterministic component but not the stochastic. Bush (1980) concluded that both of the opposing views (noninteractive and interactive) were applicable, but to the different components in the intestinal helminth community of scaup.

Studies by Cornwell and Cowan (1963), Graham (1966), Hair (1975) and Bush (1980) suggest that the waterfowl host-parasite system is an excellent one for studies of parasite community organization. Individual birds provide discrete, recognizable boundaries separating communities of parasites in one individual host from another. In addition, host species and multispecies waterfowl communities provide other recognizable boundaries. The ease of identification of boundaries for the parasite communities within individual hosts is a situation not often encountered in freeliving communities. Twenty-four of North America's 45 species of waterfowl (Anseriformes) reproduce in the three major biomes of northwestern North America. This large number of waterfowl species provides a diverse and abundant source of hosts in which to compare parasite community structure. Waterfowl species are seasonal residents on the breeding grounds in western Canada during which assemblages of several waterfowl species co-occur together locally on single waterbodies.

Reviews by LaPage (1961) and MacDonald (1969), plus the studies cited above indicate waterfowl have a large number of individuals and species of parasites. The combination of different and abundant species of both waterfowl (hosts) and parasites allows one to examine the community structure in replicate habitats. The replicate habitats enables one to examine the potential importance of interactions in organizing community structure.

It is my intention in this study to examine the structure of parasite communities in ten waterfowl species, first examining structure across individual birds (Part II), then within individual birds (Part III). Finally in Part IV, I will examine the hypothesis that parasites of waterfowl are specialists, then compare the community structures to the two opposing views proposed by Price (1980) and Holmes (1973), using the set of predictions outlined in their joint paper (Holmes and Price, 1981).

II.

STRUCTURE AND ORGANIZATION OF INTESTINAL HELMINTH COMMUNITIES ACROSS INDIVIDUAL BIRDS

INTRODUCTION

Price (1980) proposed that most parasite species show a high degree of host specificity and are therefore, host specialists. In contrast, studies on parasite composition in more than one duck species indicate a high degree of overlap in parasite species between hosts (Beverley-Burton, 1972; McLaughlin and Burt, 1979; Shaw and Kocan, 1980). These studies indicate host generalists are not uncommon on the waterfowl-host parasite system. In a study on a single host species, lesser scaup, Bush (1980) concluded that the intestinal helminth community of scaup had two components. The first was a regularly co-occurring (recurrent) group of both host specialists (in lesser scaup) and host generalists (in waterfowl). He found that the recurrent group of helminth species contributed most of the similarity between host individuals. In addition, all of the recurrent group have been reported in all three studies of the helminth fauna of lesser scaup over a 16 year period in Alberta (Graham, 1966; Hair, 1975; Bush, 1980). Bush (1980) has suggested these species represent a highly coevolved unit. The second was a stochastic component, made up of parasites which were specialists in other host species. Thus, there appear to be three components in scaup: host specialists in scaup, host generalists and specialists from other host species. The latter two components may be providing the overlap in faunal composition seen in most host surveys. The first group provides a distinct component.

The presence of these three components in the helminth fauna of waterfowl raises the question as to what level(s) of habitat above the individual host (i.e., host species; host populations; multispecies populations (Kuris et al. 1980)) reflects the structure of the parasite communities. If each host has a distinct parasite composition made up of host specialists, (as suggested by Bush, 1980) these host specialists will provide a high degree of similarity between individuals of the same duck species. Individual birds of that host species will, therefore, be more similar to each other than to individuals of other species. Under these conditions, the host species will be the habitat level best reflecting the parasite community.

If host species do not have a distinct parasite composition, but one consisting of host generalists and parasite species exchanged with other hosts, then individuals of one species may be just as similar to individuals of other species as to other individuals of the same species. Under these conditions, the host populations or multispecies populations will be the habitat level best reflecting the parasite community. Two factors become important at the host or multispecies population level: 1) phylogenetic relationships of host species and 2) ecological relationships (in terms of diet or numerical abundance)between host species.

Three hypotheses have been proposed to explain patterns in helminth communities above the host species level:

1. Host specificity, or the phylogenetic hypothesis (Kotecki, 1970; Brooks, 1979)
2. Diet, or the food hypothesis (Dogiel, 1964)
3. Density and composition of host populations, or the numerical dominance hypothesis (Sulgostoska, 1963; Neraasen and Holmes, 1975)

The phylogenetic hypothesis, as proposed for the Anseriformes by Kotecki (1970), states that the parasite fauna is specific at the host tribe level (i.e., Anatini, Aythyini). Johnsgard (1960, 1961, 1964) (Fig. 1) has proposed that the Mergini are more closely related to the Aythyini than to the Anatini. The Oxyurini are considered to have separated prior to the Aythyini and Mergini (Delacour and Mayr, 1945; Woolfenden, 1961). Thus, one could predict that the Oxyurini (represented in this study by ruddy duck, Oxyura jamaicensis) would show the least similarity to the other tribes. The greatest similarity should be between the Mergini (represented by white-winged scoter, Melanitta fusca, and the bufflehead, Bucephala albeola) and the Aythyini (represented by canvasback, Aythya valisineria,

Figure 1. Phylogenetic relationships of ten species of waterfowl as proposed by Johnsgard (1961) and Woolfenden (1961). (WID - Widgeon, GAD - Gadwall, MAL - Mallard, BWT - Blue-winged teal, CAN - Canvasback, RIN - Ring-necked duck, SCA - Scaup, WWS - White-winged scoter, BUF - Bufflehead, RUD - Ruddy.)


ANATINI
WID
GAD
MAL
BWT
AYTHYINI
CAN
RIN
SCA
MERGINI
WWS
BUF
OXYURINI
RUD

ring-necked duck, *Aythya collaris* and lesser scaup, *Aythya affinis*). All of the duck species (within the above three tribes) are referred to as 'divers'.

Within the tribes with multiple representatives (Anatini, Aythyini) the relationship between individual species (Johnsgard, 1961) can be used to predict the similarity in their parasites. Within the Anatini, gadwall, *Anas strepera*, mallard, *Anas platyrhynchos*, and blue-winged teal, *Anas discors*, should be similar to each other, whereas widgeon, *Anas americana*, should be more distinct (Fig. 1). The duck species within the Anatini are referred to as 'dabblers'. Within the Aythyini, Johnsgard's evolutionary relationships would predict the canvasback and ring-necked duck would be more similar to one another than either is to lesser scaup.

The food hypothesis proposes that species with similar food habits should have similar parasites. Since the majority of parasites are transmitted by intermediate hosts it is possible to predict the type of faunal similarity one might expect to see if diet was the major influencing factor of helminth community structure. Unfortunately, most studies on food habits and dietary overlap in waterfowl have been done on different species combinations or on single species at different times in different locations (see summary in Swanson and Meyer, 1973). In addition, dietary differences have been noted between male and female birds for canvasback, blue-winged teal, gadwall, and scaup. In other studies, data from male and female birds have not been separated. Since sample sizes are small (n=6) for most species in this study comparisons of helminths between sexes is not possible. Therefore, data on food habits of the two sexes are combined. In addition, some studies classify food items to a "finer" taxonomic level than do others. The importance of this is minor since parasites tend to be non-specific at the intermediate host level. Few detailed studies of life cycles in western North America are available, most of the life cycles have to be extrapolated from information on life cycle studies from Eurasia or eastern North America, often involving related species of parasites. Therefore, only the general groups of invertebrates will be considered (Table 1). All of the studies on food habits used in the following analysis were done in western North America, except for that on ring-necked duck (eastern North America; Mendall, 1958). Ring-necked ducks were collected only on Cow Lake, which occurs in the boreal forest biome of Alberta, a similar type of habitat to that studied by Mendall (1958). Most studies on the food habits of waterfowl from the western breeding grounds were conducted on sloughs and ponds rather than lakes. However, while the resource availability may differ,

Table 1. Percent (by volume) of animal matter in the diet of ten duck species.

Duck Species	% Animal Matter	% Crustacea	(Amphipoda)*	% Insecta	(Chironimidae)**	% Gastropoda
Ring-necked duck[1]	14	0	(0)	2	(1)	6
Widgeon[2]	31	7	(7)	25	(22)	0
Gadwall[3]	46	30	(1)	16	(9)	1
Canvasback[4]	46	1	(1)	16	(2)	33
Mallard[5]	50	1	(1)	52	(1)	1
Blue-winged teal[3]	74	4	(4)	6	(1)	33
Bufflehead[6]	84	6	(3)	72	(8)	1
Scaup[7]	91	60	(52)	23	(10)	1
Ruddy[8]	94	5	(2)	75	(72)	21

*(Amphipoda) - Percent by volume of animal matter consisting of Amphipoda.

**(Chironimidae) - Percent by volume of animal matter consisting of Chironimidae.

[1] Mendall (1958)

[2] Bartonek (1972)

[3] Swanson and Meter (1973)

[4] Bartonek and Hickey (1969)

[5] Perret (1962)

[6] Erskine (1972)

[7] Rogers and Korschgen (1966)

[8] Siegfried (1973)

the types of organisms in sloughs and lakes, particularly, the known major intermediate hosts (Amphipoda, Copepoda, Ostracoda), will overlap. I am unaware of any study on the food habits of white-winged scoter from freshwater habitats therefore, they are omitted from the diet analysis. Personal observation indicates scoter eat amphipods, insects (Chironimidae) and sphaerids most frequently.

There are major differences in the food habits between waterfowl species, both in the proportion of plant and animal matter consumed and in the proportion of major invertebrate classes consumed (Table 1). Widgeon and ring-necked ducks consumed the smallest proportions of animal matter followed by gadwall, canvasbacks and mallards. Blue-winged teal, bufflehead, scaup and ruddy all consumed a high proportion of animal matter. Gadwall and scaup consumed a higher proportion of crustaceans than the other species, while mallard, ruddy and bufflehead all consumed a high proportion of insects. Blue-winged teal and canvasback consumed a high proportion of gastropods. The species are listed in Table 1 on the basis of the proportion of animal matter consumed. Cluster analysis (see below for discussion of cluster analysis) using Euclidean distance and minimum variance algorithm was applied to the four variables (%animal matter, %Crustacea, %Insecta, %Gastropoda) (Fig. 2).

Figure 2. Cluster analysis comparing nine species of waterfowl with respect to the kind and percent of animal matter (percent of animal matter, percent of Crustacea, percent of Insecta, and percent of Gastropoda,) consumed by each species. Vertical axis represents Euclidian distance as a measure of similarity. (MAL - Mallard, RUD - Ruddy, BUF - Bufflehead, SCA - Scaup, WID - Widgeon, GAD - Gadwall, RIN - Ring-necked duck, BWT - Blue-winged teal, CAN - Canvasback.)


MAL
RUD
BUF
SCA
WID
GAD
RIN
BWT
CAN
0
14950
DISTANCE

Two patterns of similarity in helminth communities between the nine duck species (scoter not included) can be predicted. The first is based entirely on the percent of animal matter consumed; blue-winged teal, bufflehead, scaup, and ruddy should have larger and more complex parasite communities. The second is based on the similarity illustrated by the cluster analysis of the four variables. That analysis would predict similar parasites in ruddy and bufflehead, widgeon and gadwall, and blue-winged teal and canvasback.

The information used to predict the pattern of parasite community organization under the phylogenetic and diet hypotheses overlap. Anatomy is used to distinguish and classify species and is related to the mode of feeding behaviour in waterfowl. It is important therefore to indicate whether or not they can be distinguished. The major difference between the two hypotheses is the separation of the three species of Aythyini in the diet hypothesis compared to their similarity in the phylogenetic hypothesis. All three species of Aythyini are more similar to species of different tribes than to each other under the diet hypothesis (Figs. 1 and 2).

The numerical dominance hypothesis was proposed by Sulgostowska (1963) who found that the trematode fauna in a group of waterfowl species on a single lake was primarily determined by the fauna of the numerically dominant host species. Leong and Holmes (1981) showed that within groups of related fish species the parasites of the most abundant hosts spread to the less abundant hosts. The present study was originally designed to test this hypothesis by examining helminth communities on three lakes with very different waterfowl assemblages. However, censuses of the birds on these lakes indicated that the relative numbers of different species of birds changed throughout the breeding season and between years. As a result the data obtained are inadequate to test this hypothesis directly. In a few instances the hypothesis can be examined indirectly from the point of species exchange (spreading of parasites from one host to another).

METHODS AND MATERIALS

Field Methods

Prior to any collecting of birds at each lake, the waterfowl populations were censused. Techniques of the censuses are presented in Bush (1980). Initially, in 1979 three lakes were selected on the basis of a different composition of waterfowl (based on bird censuses from 1977 and 1978; see Bush, 1980). Once it was realized the waterfowl assemblages on the lakes had changed from previous years and continued to change throughout the summer, birds were chosen from an additional nine lakes to increase sample sizes of birds from the initial three lakes (Appendix 1). During 1977 and 1978 the six numerically dominant waterfowl species at each lake were collected. During 1979 the ten numerically dominant bird species were collected. During 1980, the five numerically dominant waterfowl were collected. Immediately after each bird was collected, it was weighed, the intestine tied off, removed and placed in an enamel pan. Absolute alcohol cooled to -70 C with dry ice was poured over the gut completely freezing it in a few seconds. The gut was then labelled, placed in a plastic bag and stored in a cooler of dry ice . The intestine remained frozen until examination in the laboratory. The rapid freezing prevents the chance of postmortem movement by the parasites and enhances ease of identification of specimens.

Laboratory Methods

A total of 97 birds have been examined from the collections of 1977-1980. Fifteen of the 16 scaup were examined by A.Bush (1980) and 11 of the 16 mallards and 2 of the 11 widgeon were examined by K.M.Nielsen.

In the laboratory the intestines were partially thawed, straightened and the small intestine cut into twenty equal sections. The large intestine was examined as one unit. The caeca were thawed, straightened and divided into 4 equal sections. Each section was stored in a separate vial in the freezer until examined . At the time of examination, the section was placed in a petri dish with saline and allowed to thaw. The section was cut longitudinally and flooded gently with saline. This washed any loose parasites into the dish. The gut section was then turned over and the serosal side scraped. This technique removed those parasites which had remained in contact with the intestinal wall with little damage to the specimens. The intestinal wall was then examined for any remaining parasites.

All parasites were then counted. Large numbers of helminths in scoter and scaup necessitated the use of a dilution technique. When more than 500 helminths were located in a section all large or heavy bodied worms were removed and the remaining specimens placed in a 100 ml graduated cylinder. The contents were mixed thoroughly, two ten ml aliquots were poured off, the worms identified and counted. Counts were summed (if within 10%, otherwise a third count was made) and multiplied by 5 to estimate the total number of worms present.

Helminths were identified in temporary water mounts. Where the numbers of worms permitted, representative specimens were stained and mounted using standard techniques. Nematodes and acanthocephalans were identified in temporary mounts after being cleared in a 1:1 solution of lactophenol and beechwood creosote.

Analytical Methods

In general, the parasites from each individual bird were treated as comprising a separate community (infracommunity). Where more inclusive community levels were considered individual birds were used as replicates, and means and standard deviations were used to quantify the species of parasites. The data were transformed, using a ln (x+1) transformation, but not standardized. All statistical analyses were done using the programs in Midas (Fox and Guire, 1976).

Evenness was calculated using the common measure 'J', which is the Shannon Weaver diversity index divided by the natural logarithm of the total number of species in each sample (Pielou, 1975). The values range from 0.0 (only one species abundant, others represented by single individuals) to 1.0 (equal abundances of all species).

Qualitative similarity of parasite species between host individuals was measured by Jaccard's coefficent of similarity (formula 11 of Janson and Vegelius, 1981). The value of the coefficent ranges from 0.0 to 1.0 (low to high similarity) such that a 0.5 value indicates 50% of the total number of species are shared between the paired samples. Jaccard's coefficent is considered to be one of the most reliable and interpretable coefficents of species association (Janson and Vegelius, 1981). Jaccard's coefficent of similarity uses presence or absence data only, measures co-occurrence of parasite species between pairs of host individuals, and does not use cases in which parasite species are absent from both individuals.

Quantitative similarity between pairs of host individuals was measured by Euclidean distance. This measure is based on differences between numbers of individuals of each species found in at least one of the pairs of hosts (Clifford and Stephenson, 1975). Euclidean distance tends to weight the dominant species more heavily (Whittaker, 1975).

Cluster analysis was used to examine patterns of similarity (see Wishart, 1978 for discussion of clustering techniques). Jaccard's coefficent was used with the average distance algorithm (Wishart, 1978). Euclidean distance was used with the minimum variance algorithm (Wishart, 1978). Two methods of examining patterns of similarity in communities are clustering of helminth species groupings (or 'inverse' classification) and duck groups (or 'normal' analysis). The former method groups parasite species by the similarity of their sites of occurrences (i.e., the birds they are found in) the latter groups birds by the similarity of the parasite species occurring in them (Clifford and Stephenson, 1975). Clusters from the inverse analysis were compared to the clusters of the normal analysis by the following matrix method developed by Stephenson et al. (1972). Host groups were used as columns, parasite groups as rows. The cells were the number of occurrences (Jaccard analysis) or the number of individuals (Euclidean distance analysis) of the appropriate species group in the given host group standardized by dividing by by the number of hosts in each duck group. These standardized cell values were then analyzed in two ways. Each value was divided by the appropriate row sum to give a measure of the concentration of the parasite group in that host group, then by the appropriate column sum to give a measure of the importance of that parasite group in that host group. A value of 20 percent was considered to be a significant proportion of individuals in one cell. All values above 20 percent were chosen as the level of concentration or importance.

RESULTS

Species Composition and Distribution

I examined 97 birds belonging to 10 species of waterfowl. The number, sex and weight of each bird and the lake and date of its collection are listed in Appendix 1.

One hundred and eighteen taxa of parasites (species or if the material was unidentifiable to species, recognizable types of immature worms) were found (Appendix 2). These included 100 taxa of cestodes, 11 of trematodes, 4 acanthocephalans and 3 nematodes. Fifty-one taxa were types of immature worms which could not be positively identified to species (characteristics of these taxa are given in Appendix 3). Forty-three taxa occurred in only one or two individual birds; all of these taxa were found in small numbers, except for one (Parvula?-mean=209). These taxa were eliminated from most analyses, leaving a data set of 75 species (Table 2). Sixty-three of the 118 taxa were represented by mature individuals (with shelled eggs). These were treated separately in some analyses.

Composition and Similarity of the Helminth Communities within Duck Species

Several summary indices were used to compare community structure between host species (Table 3).

Table 2. The number of birds infected and intensity of infection of seventy-five helminth taxa in ten species of ducks.

Parasite Species	Widgeon	Gadwall	Mallard	Blue-winged teal	Ruddy	Canvasback	Ring-necked duck	Scaup	Bufflehead	White-winged scoter	B'a	B'a (mat)
TREMATODA												
Echinoparyphium recurvatum	2/11*[A] 2±1.4[B]	1/7 25	8/16* 59±113.1	7/10* 20±2.9	1/6 27	5/6* 376±507.4	4/6* 15±18.0	2/16* 20±23.3	2/6* 23±31.8		.06	.10
Echinostoma revolutum	4/11* 4±21.7		3/16* 5±5.2		1/6* 2		1/6 5		1/6 11		.35	.22
Echino?		2/7 1±0.0	3/16 28±44.5	3/10 1±00		2/6 4±4.9	1/6 2		1/6 4		.20	-
Hypoderaeum conoideum			1/16 1	1/10* 1		1/6* 3					.09	0.06
Apatemon gracilis	5/11* 11±14.4	4/7 4±2.1	11/16* 59±127.6	6/10* 18±23.8	5/6* 39±22.1	4/6* 27±29.4	4/6* 69±108.3	11/16* 29±25.0	1/6* 1	7/13 37±87.4	.66	.57
Cotylurus flabelliformes			6/16* 6±3.3				2/6* 2±0.7			1/13* 1	.15	.18
Cotylurus hebraicus	1/11* 4			1/10* 2	4/6* 10±13.0	1/6* 4		7/16* 11±9.5		1/13* 3	.22	.21
PP			2/16 109±153.4	2/10 1.5±0.7	3/6 2±0.6	3/6 5±3.6	3/6 77±50.8		2/6 178±181.0	1/13 1	.16	-
Notocotylus attenuatus	1/11* 57	3/7 17±13.0	5/16* 5±7.5	3/10 2±1.5	2/6* 2±0.7			1/16 1	3/6* 4±4.4	3/13* 6±4.6	.36	.34

POOR COPY
COPIE DE QUALITEE INFERIEURE

	Widgeon	Gadwall	Mallard	Blue-winged teal	Ruddy	Canvasback	Ring-necked duck	Scaup	Bufflehead	White-winged scoter	B'a	B'a (mat)
Zygocotyle lunata	3/11* 2±1.0	3/7 4±4.9	3/16* 2±2.3			4/6* 10±15.5	1/6 1	2/16* 3±1.4	1/6 1		.14	.35
Microphallus sp.										3/13* 150±256.6	.08	-
CESTODA												
Unciunia n.sp		1/7* 37	1/16 1	3/10 8±3.5		3/6* 181±302.8	2/6 6±6.4	4/16* 136±191.3	3/6* 1.0±0.6		.15	,01
Lateriporus clerci										4/13 7±10.8		
Lateriporus mathevossianae										12/13* 111±205.9	.08	.11
Lateriporus skrjabini				2/10 1±0.0				9/16* 16±25.5	2/6 5±4.2	9/13 307±151.6	.09	.11
Fimbraria fasciolaris	5/11 2±1.7	3/17* 11±10.8	8/16* 23±21.2	3/10 3±2.1	6/6 16±13.0	6/6 26±26.1	3/6* 1±0.6	15/16* 45±47.3		13/13 214±354.2	.21	0.36
Aploparaksis fucigera	3/11* 1±0.6										,05	.05
?										9/13 12±13.4	.07	-
Diorchis danutae	5/11* 4±4.7	3/7* 4±2.6				2/6 1±0.0					.15	.09

POOR COPY
COPIE DE QUALITEE INFERIEURE

	Widgeon	Gadwall	Mallard	Blue-winged teal	Ruddy	Canvasback	Ring-necked duck	Scaup	Bufflehead	White-winged scoter	B's	B's (nat)
Diorchis elisae			1/16 1	3/10* 17±14.0		2/6 1±0.0	1/6 1	2/16 87±119.5			.22	.04
Diorchis excentricus					6/6 150±217.6	1/16 1		1/16 13 1			.01	.00
Diorchis spinata	2/11* 9±1.4	6/7* 19±24.2		1/10 1							.04	.02
Diorchis n. sp. TT						6/6* 24±22.0	3/6 2±1.2	3/16 105±122.3			.17	.00
Diorchis AD			2/16 6±7.8	1/10 3	2/6 16±17.7			1/16 1			.08	-
Dicranotaenia coronula			10/16* 5±5.6			4/6 3±1.0		10/16* 16±9.5			.25	.24
Retinometra cyrtoides					6/6* 1460±867.3	2/6* 37±33.5		4/16 86±119.6			.07	.001
Retinometra pittalugi						3/6 8±6.0		12/16* 50±63.2			.12	.11
Retinometra macroacanthos		1/7 1	7/16 17±14.7			5/6 25±10.0	1/6 3	1/16 5	2/6 28±17.7	1/13 6	.28	-
X			1/16 9			2/6 36±7.1	1/6 3		5/6 106±162.6	2/13 49±46.7	.05	-

POOR COPY
COPIE DE QUALITEE INFERIEURE

	Widgeon	Gadwall	Mallard	Blue-winged teal	Ruddy	Canvasback	Ring-necked duck	Scaup	Bufflehead	White-winged scoter	B'a	B'a (mat)
Sobolevicanthus gracilis			3/16 3±0.6			1/6 1		2/16 28±32.5				
Sobolevicanthus kenaiensis						2/6 21±27.5		2/16* 46±57.2			.17	.11
Sobolevicanthus octacantha				6/10 37±36.9							.04	-
TTT	1/11 1	1/7 1		2/10 1±0.0							.21	-
Hymenolepis AR		1/7 3		3/16* 5±2.5	6/10* 684±849.7	1/6 2	1/6 1			11/13* 7498±9551.4	0.09	
AB?					3/10 33±51.1	1/6 2				8/13* 302±383.5	.09	.10
Hymenolepis abortiva			1/16 1			2/6* 22±6.4		15/16* 9712±13332.5		7/13 109±165.7	.11	-
Abort?				4/10 7±5.7				1/16 965		10/13 1526±1968.1	.09	-
Hymenolepis arcuata						1/6 1		3/16 61±98.4			.11	-
Hymenopelis albertensis										13/13* 5449±5110.4	.07	.03
Hymenolepis compressa			3/16* 5±6.1			1/6* 57					.04	.01
RR			3/16 2±1.0			1/6 5		4/16 14±2.2			.26	-

POOR COPY
COPIE DE QUALITEE INFERIEURE

	Widgeon	Gadwall	Mallard	Blue-winged teal	Ruddy	Canvasback	Ring-necked duck	Scaup	Bufflehead	White-winged scoter	B'a	B'a (wat)
Hymenolepis fausti			11/16 34±30.9	1/10 6		4/6* 96±104.3		3/16* 33±16.9			.17	.21
Hymenolepis formosoides								4/16 136±191.3		7/13 58±91.1	.07	.07
Hymenolepis hopkinsi	5/11* 11±5.0	3/7* 4±2.9	12/16* 63±72.5	2/10 21±26.1	1/6 2	3/6* 5±5.9	2/6* 3±2.1	2/16 5±5.6	1/6 3	11/13* 31±21.6	.29	.16
Hymenolepis microskrjabini			2/16* 10±4.9			1/6 1	4/16* 111±170.9			5/13* 13.55±1250.6	.11	.10
Micro?			1/16 1						1/6 1	2/13* 701±722.6	.08	-
Hymenolepis melanittae										10/13* 670±753.8	.07	.08
Hymenolepis CCC			2/16 10+12.0			1/6* 12					.16	.00
Hymenolepis paracompressa			1/16* 40 40			2/6* 40±50.2		2/16* 4±4.2			.09	.02
Hymenolepis parvula			2/16* 91±103.2				4/6* 43±78.3				.13	.01
Hymenolepis pusilla						3/6* 56±90.4		15/16* 5044±6742.9		4/13 38±66.3	.11	.11
Pusilla?										3/13 123±130.4	.08	-
Hymenolepis recurvata						1/6* 79		9/16* 172±332.5	1/6 2		.13	.11

POOR COPY
COPIE DE QUALITEE INFERIEURE

	Widgeon	Gadwall	Mallard	Blue-winged teal	Ruddy	Canvasback	Ring-necked duck	Scaup	Bufflehead	White-winged scoter	B'a	B'a (mat)
Hymenolepis spinocirrosa			2/16 22±29.7			4/6* 253±129.5		15/16* 8228±10553.0		6/13* 18585±31357.2	.25	.14
Spino?			1/6 6	2/10 10±11.3		1/6 1		1/16 999	1/6 2	11/13 4162±7869.8	.08	-
Hymenolepis spiralibursata			1/6 2					1/16* 3		13/13* 562±943.3	.08	.08
Hymenolepis tuvensis						2/6* 4±3.5		15/16* 1010±1286.1		2/13 13±42	.11	.11
Hymenolepis tuv?								7/16 687±737.2		2/13 143±173.2	.12	-
Hymenolepis tuvAB?										4/13 157±128.9	.07	-
D								3/16 4±3.5			.11	-
Hymenolepis WWW		7/7* 32±33.3									.01	.01
Hymenolepis XXX		3/7 3±2.0									.01	-
Anatinella spinulosa			1/16 1			4/6* 6±5.7					.01	.00
Echinocotyle rosseteri				10/10* 359±940.1							.04	.04
Echinocotyle QQQ	2/11* 5±1.4	6/7* 4±4.1		4/10* 1±0.5							.11	.07

POOR COPY
COPIE DE QUALITEE INFERIEURE

	Widgeon	Gadwall	Mallard	Blue-winged teal	Ruddy	Canvasback	Ring-necked duck	Scaup	Bufflehead	White-winged scoter	B'a	B'a (mat)
Echinocotyle NNN		7/7. 32±33.3		7/10* 8±8.2							.04	.04
Diploposthe laevis						5/6* 3±5.4	6/6* 2±0.4				.06	.01
Oligorchis n.sp.								3/16 20±15.5			.11	-
Acanthocephala												
Polymorphus contortus	8/11* 55±89.2	7/7* 16±31.8	8/16* 26±25.1		2/6* 3±2.1	3/6* 27±15.0	1/6 1		2/6 2±2.1	5/13* 3±3.6	.25	.32
Polymorphus marilis	1/11* 2		2/16* 4±4.2	1/10 2	2/6* 3±2.8	4/6* 16±16.7		15/16* 26±56.0	4/16* 10±11.1	11/13* 50±54.8	.30	.16
Polymorphus paradoxus			4/16* 28±31.4	2/10 2.0±0.7					1/6 2 2	8/13* 8±8.5	.25	.23
Corynosoma constrictum	5/11* 4±1.6	3/7* 2±1.5	10/16* 8±11.3	10/10* 8±6.5	3/6* 2±1.5	4/6 4±3.2		4/16* 2±1.0	2/6 2±1.4	9/13* 6±10.2	.52	.35
Nematoda												
Capillaria anatis	4/11* 1±0.5	1/7 1	5/16* 1±0.5	1/10* 2	1/6 1		2/6* 3±1.4	3/16* 2±2.3	3/6* 5±6.9		.33	.34
Capillaria obsignata						2/6* 1±0.0	2/6* 3±2.1	4/16* 3±2.4		7/13 58±91.2	.22	.20
Capillaria nyrocinarium										6/13* 6±7.4	.08	.08

* - Hosts in which the helminth species matured as indicated by the presence of shelled eggs.
A - Number of birds infected / number of birds examined.
B - Mean number of parasites per infected bird ± one standard deviation.
B'- Niche breadth values.
B' (mat) - Niche breadth values for hosts in which the parasite matured (mat).

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 3. Number of helminth species, individuals, evenness, mature species and common species in each duck species.

	N	N_{TOT}	S	I	E	M	C(n)
Widgeon	11	17	5 ± 3.3*	85 ± 92.8	.347 ± .217	15	6 (1)
Ruddy	6	19	9 ± 1.9	1680 ± 1001.0	.257 ± .020	11	26 (5)
Ring-necked duck	6	20	7 ± 3.6	134 ± 148.6	.219 ± .170	10	20 (4)
Bufflehead	6	22	7 ± 3.3	180 ± 171.8	.296 ± .130	6	4 (1)
Gadwall	7	24	10 ± 4.5	197 ± 168.3	.136 ± .060	13	25 (6)
Blue-winged teal	10	31	10 ± 4.5	854 ± 1467.0	.210 ± .110	11	23 (7)
White-winged scoter	13	43	19 ± 6.2	28087 ± 33574.0	.131 ± .060	21	42 (18)
Mallard	16	47	10 ± 5.1	266 ± 301.0	.155 ± .090	22	13 (6)
Canvasback	6	48	20 ± 9.7	917 ± 613.9	.092 ± .050	27	23 (11)
Lesser Scaup	16	48	14 ± 4.8	23076 ± 29227.0	.108 ± .040	23	23 (11)

N = sample size

N_{TOT} = cumulative total number of species

S = mean number of Species

I = mean number of individuals

E = mean evenness

M = number of mature species

C(n) = percent of common species(number of common species)

*mean ± 1 standard deviation

POOR COPY
COPIE DE QUALITEE INFERIEURE

Total number of helminth species in each bird species varied from 17 (widgeon) to 48 (canvasback, scaup). The mean number of species varied from 5 (widgeon; range=1-10) to 20 (canvasbacks; range=9-30). Although all birds were infected one mallard and one widgeon had only one helminth species each. The proportion of common helminths (>50% of the birds infected) in each host species varied from 4% (bufflehead) to 42% (scoter) in each duck species (Table 3).

Widgeon had the lowest number of individuals (85; range=3-304), white-winged scoter had the highest (28,087; range=1,082-128,660). The effect of the number of birds sampled on the total number of parasite species within each host was examined by plotting the cumulative number of species recovered with increasing numbers of individuals sampled. Birds were arranged randomly (random numbers table). Mallard, gadwall, bufflehead, canvasback and scaup all appear to continue to increase numbers of parasite species with increased number of hosts examined (Fig. 3). Blue-winged teal, ring-necked duck, scoter and possibly widgeon and ruddy, all appear to reach an asymptote in species accumulation (Fig. 4). Most species had accumulated 50% of the final total species number by the third bird. The only exception was scaup which required 5 birds to accumulate 50%. Mallard, widgeon, gadwall and bufflehead required more than 50% of the birds sampled to accumulate 75% of the helminth species. Blue-winged teal and ruddy required

Figure 3. Cumulative number of intestinal helminth species in the number of birds examined of each duck species. (GAD - Gadwall, BUF - Bufflehead, CAN - Canvasback, SCA - Scaup, MAL - Mallard.)


GAD
BUF
CAN
SCA
MAL
NUMBER OF HELMINTH SPECIES
NUMBER OF BIRDS
10
20
30
40
50
1
2
3
4
5
6
7
2
4
6
8
10
12
14
16

Figure 4. Cumulative number of intestinal helminth species in the number of birds examined of each duck species. (RUD - Ruddy, RIN - Ring-necked duck, WWS - White-winged scoter, WID - Widgeon, BWT - Blue-winged teal.)


RUD
RIN
WWS
WID
BWT
NUMBER OF HELMINTH SPECIES
NUMBER OF BIRDS
10
20
30
40
50
1
2
3
4
5
6
8
10
12

half of their samples to accumulate 75%, while canvasback, ring-necked duck, scoter and scaup required less than 50%

The number of lakes from which birds were examined may have an important effect upon the total number of parasite species found in each host species. For example, the number of helminth species in widgeon from three lakes (Rattlesnake, Charron, Bellshill) was 4, 11 and 13, respectively. Each lake had species not found in birds from the other lakes (Rattlesnake-1, Charron-3, Bellshill-4). Rank correlation (Spearman's) was used to examine the effects of sample size of birds and number of lakes examined on the number of parasite species, in each species of host. Neither the number of helminth species nor the mean number of helminth species in each host species was correlated with either number of birds or number of lakes sampled (Rho=0.38;0.33;0.44;0.35, respectively). The number of mature parasite species per duck species was correlated with both total numbers and mean numbers of helminth species (Rho=0.73;0.70, respectively).

Similarity between individuals of the same duck species were compared using the Jaccard coefficent of similarity. Mallards, widgeon, buffleheads and ring-necked ducks all had low similarity between individuals (Table 4).

Table 4. Proportion of similarity values (Jaccard's Coefficient) of helminth species between pairs of individual birds of each duck species and mean similarity of each duck species.

Range of Similarity (%) Values	Proportion of pairs with given similarity values									
	BUF*	RIN	MAL	WID	CAN	BWT	GAD	RUD	SCA	WWS
0 - 25	93	60	58	71	40	29	14	0	13	14
26 - 50	7	40	42	22	53	69	76	87	63	44
51 - 75				7	7	2	10	13	24	41
76 - 100										1
Mean	.14	.25	.22	.20	.29	.32	.38	.40	.41	.46
± 1 S.D.**	±.07	±.08	±.12	±.17	±.11	±.10	±.12	±.10	±.14	±.16

*BUP - Bufflehead; RIN - Ring-necked duck; MAL - Mallard; WID - Widgeon; CAN - Canvasback; BWT - Blue-winged teal; GAD - Gadwall; RUD - Ruddy; SCA - Scaup; WWS - White-winged scoter.

**± 1 standard deviation.

Approximately 50% of the pairs within this group had 0 to 25% similarity. Gadwall, blue-winged teal, ruddy, canvasback, scoter and scaup all had the majority (>50%) of individuals with 26 to 50% similarity. Only scoter and scaup had a large proportion of pairs with similarity values greater than 50%. Mean similarity varied from a low of 14% in bufflehead to a high of 46% in scoter.

Several of the measures of community structure were significantly correlated (Fig. 5). Of special interest were the positive intercorrelations between the proportion of common species, the mean similarity, and the mean number of individuals. Duck species with a large number of individuals have a high number of common species and a high similarity.

Similarly, the total number of species, the mean number of species and the number of mature species were positively intercorrelated. Each of these three measures was negatively correlated with evenness (J). This pattern differs markedly from that normally reported in the literature on freeliving communities, in which the number of species and evenness are either unrelated, or commonly, positively correlated (McNaughton and Wolf, 1979). In this study the opposite occurred, as species numbers increased the equitability in species abundances decreased (approached 0.0).

The only significant correlation between these two groups of measures (mature species, evenness, mean number of species and mean number of individuals, number of common species, similarity)

Figure 5. Significant intercorrelations between seven measures of community structure (S- total number of species; S_m- total number of mature species; E- evenness; $\bar{S}$- mean number of species; $\bar{I}$- mean number of individual worms; N_c- number of common species; SIM- mean similarity within each duck species (Jaccard's Coefficient)).

	S	S_m	E	$\overline{S}$	I	N_c	SIM
S		+	-	+			
S_m			-	+			
E				-			
$\overline{S}$					+		
I						+	+
N_c							+
SIM							

was a positive correlation between the mean number of species and the number of individuals. These patterns of intercorrelation suggest that differences in the community structure of the parasites of the different duck species can be measured by three variables: mean number of species (complexity), mean number of individuals (size) and mean similarity. Plotting these three values on a graph indicates a loosely structured cline of duck species from low complexity, small size, and low similarity to high complexity, large size and high similarity (widgeon to scoter) (Fig. 6). Gadwall and ruddy both had high similarity but low or moderate levels of complexity and size, and therefore contribute to the loose structure of the cline.

Faunal Similarity between Duck Species

The number of parasite species shared by different pairs of host species is presented in Fig. 7. Similarity between pairs of host species was also compared using the Jaccard coefficent, calculated on all parasite species occurring within each duck species. No species pairs had high similarity (>50%). Canvasback had a relatively high degree of similarity (>40%) with mallard and scaup; widgeon with gadwall and ruddy; and buffleheads with ring-necked ducks.

Figure 6. Arrangement of ten species of waterfowl along three measures of helminth community structure: Size (A) (mean number of individuals), Complexity (B) (mean number of species), and Similarity (C) (Jaccard's Coefficient).


○ – Anatini
● – Aythyini
■ – Mergini
□ – Oxyurini
COMPLEXITY B
0
5
10
15
20
SIZE A
4
6
8
10
0
SIMILARITY C
.1
.2
.3
.4
.5
SIMILARITY C
.1
.2
.3
.4
.5
WWS
SCA
RUD
CAN
BWT
GAD
MAL
RIN
BUF
WID

Figure 7. Number of helminth species shared (lower left triangle) and similarity values (upper right triangle) (Jaccard's Coefficient) between duck species. (GAD - Gadwall, WID - Widgeon, RUD - Ruddy, BWT - Blue-winged teal, BUF - Bufflehead, RIN - Ring-necked duck, MAL - Mallard, CAN - Canvasback, SCA - Scaup, WWS - White-winged scoter.)

Jaccard Similarity

		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
1.	GAD		47	27	32	32	30	23	20	16	14
2.	WID	9		44	34	34	28	21	19	19	15
3.	RUD	6	8		33	32	26	25	24	24	19
4.	BWT	11	9	10		34	22	31	23	24	28
5.	BUF	6	6	7	10		40	35	25	23	25
6.	RIN	6	7	5	6	9		32	31	19	15
7.	MAL	10	7	10	15	12	12		40	34	27
8.	CAN	10	7	12	15	12	12	24		46	23
9.	SCA	5	5	10	14	9	7	17	23		25
10.	WWS	8	6	8	12	11	6	16	16	13	

Number of Species

Cluster Analysis of Individual Birds

Initially all cluster analyses were done using all 118 taxa. Little difference was noted between the analyses on 118 and 75 taxa (43 rare species removed). Because of their infrequent occurrence and low numbers, the 43 species contributed little to the similarity between individual birds; they were not be used in the subsequent analyses.

Analysis of qualitative similarities of the 75 taxa formed 9 distinct clusters (I-IX) and 1 cluster (X) (Fig. 8) of individuals with little similarity. All individuals of the three duck species (ruddy, scoter, blue-winged teal) formed separate single species clusters (Fig. 8). In addition, all scaup (16/16) cluster with 3 (of 6) canvasbacks, all gadwall (7/7) clustered with 2 (of 11) widgeon and most of the ring-necked ducks (5/6) clustered with 1 (of 6) canvasback and 1 (of 16) mallard. In addition, smaller single species clusters may be determined within some of the larger clusters (e.g., cluster I-mallards 2, 3, 8, 9;widgeons 1 to 4). In general, individuals of one species did tend to cluster with other individuals of the same species; for six of the ten species of ducks, this cluster involved almost all of the birds. However, individual widgeon, mallards, canvasbacks and buffleheads either did not cluster together, or formed small clusters, unrelated to others of the same species.

Figure 8. Cluster analysis (normal) of similarity values of occurrence of seventy-five parasite taxa in individual birds of ten species. Vertical axis represents similarity values of Jaccards Coefficient. Vertical arrow with solid circle indicates groups with 50 percent of greater sinilarity. (WID - Widgeon, GAD - Gadwall, MAL - Mallard, BWT - Blue-winged teal, RUD - Ruddy, CAN - Canvasback, RIN - Ring-necked duck, WWS - White-winged scoter, SCA - Scaup.)


STEP 14
I
II
III
IV
V
VI
VII
VIII
IX
X
MAL01
MAL08
CAN05
MAL02
MAL03
MAL09
MAL06
MAL04
MAL05
MAL07
WID01
WID03
WID04
WID02
CAN06
WID05
WID06
GAD01
GAD07
GAD05
GAD03
GAD04
GAD02
GAD06
RUD01
RUD02
RUD04
RUD06
RUD03
RUD05
MAL10
MAL13
MAL14
MAL15
BUF05
BWT01
BWT02
BWT03
BWT08
BWT04
BWT05
BWT07
BWT06
BWT09
BWT10
CAN01
CAN02
CAN04
SCA08
SCA10
SCA01
SCA02
SCA03
SCA04
SCA07
SCA11
SCA09
SCA14
SCA15
SCA16
SCA05
SCA12
SCA06
SCA13
WWS01
WWS02
WWS07
WWS08
WWS10
WWS05
WWS09
WWS03
WWS04
WWS06
WWS13
WWS11
WWS12
MAL11
WID 11
MAL 12
RIN04
BUF04
MAL16
RIN01
RIN06
RIN02
RIN03
RIN05
CAN03
WID07
WID08
WID09
WID10
BUF01
BUF02
BUF03
BUF06
1.0
.5
0
SIMILARITY

Considering the large number of species, similarity at the 50% level is considered to be high. Seventeen clusters are apparent at this level: 10 were pairs of individuals (of which 9 were of the same duck species), 2 were triplets of single species (widgeon and ruddy), one is a group of four individuals (3 gadwall and 1 widgeon), and the other two were single species groups of nine scaup and 10 scoter.

The splitting of four species of ducks into two or more groups of individuals indicates a more complex pattern of similarity. For example, in cluster VI, three canvasbacks clustered with a group of scaup; in cluster I, 2 canvasbacks clustered with mallards and widgeon; in cluster VIII, the remaining canvasback clustered with the ring-necked ducks. The first 3 canvasbacks had high species numbers (>20), the last 3, low species numbers (<16). In part, the patterns were associated with differences between lakes. Three of the four mallards in cluster IV were collected from Rattlesnake Lake. Widgeon were split into 4 groups (clusters I, II, IX and X). Widgeon in cluster I were all from Charron Lake. Individuals in cluster II (with gadwalls) were a mated pair collected from Bellshill Lake, where gadwalls were common, and both contained a parasite, otherwise restricted to gadwalls. A second pair of widgeon collected from Bellshill Lake clustered in group X along with other birds with few parasites. The differences between these two pairs from the same lake suggests variation in parasite availability within lakes as well as between lakes.

An analysis of quantitative similarities (using the Euclidean distance analysis) distinguished a number of major clusters similar to those of the Jaccard analysis (Fig. 9). Ruddy formed a single species cluster of all individuals in group 11; scoter formed two separate single species groups, 7 (2 birds) and 13 (all the rest); blue-winged teal formed two single species groups, 5 (6 birds) and 8 (3 of remaining 4). Eleven (of 16) scaup formed a single species group while 3 scaup, all collected from Fleeinghorse Lake, clustered with 4 (of 6) canvasbacks. The three canvasback were the same individuals clustering with the scaup in the Jaccard analysis. Five (of 7) gadwall grouped with the same widgeon as in the Jaccard analysis. The most obvious difference between the analyses of the qualitative and quantitative data was the tendency to separate what were single species groups in the former into different groups in the latter. Blue-winged teal were separated into a group with high numbers of species and individuals (group 8, 3 of 10 birds, all collected from Bellshill Lake in 1979) and one (group 5) with low numbers. The two (of 13) scoter in duck group 7 had fewer species and lower numbers of individuals compared to the remaining scoter (Table 5). The group of 3 ring-necked ducks in cluster 6 were all collected in 1977. The ring-necked ducks collected in 1979 entered individually into clusters 2 and 3.

Figure 9. Cluster analysis (normal) of similarity values of numbers individuals of seventy-five parasite taxa in individual birds of ten duck species. Vertical axis represents similarity values of Euclidian distance. (WID - Widgeon, GAD - Gadwall, MAL - Mallard, BWT - Blue-winged teal, RUD - Ruddy, CAN - Canvasback, RIN - Ring-neck duck, WWS - White-winged scoter, SCA - Scaup.)


STEP 14
1
2
3
4
5
6
7
8
9
10
11
12
13
14
MAL01
MAL06
MAL07
MAL13
MAL14
SCA13
MAL10
MAL15
BUF05
BWT03
RIN05
CAN05
MAL11
WID11
MAL12
RIN04
WID07
WID08
WID09
WID10
BUF01
RIN06
GAD02
GAD06
WID05
BUF04
BUF06
CAN03
BWT01
BWT02
BWT04
BWT06
BWT05
BWT07
MAL16
BUP02
BUF03
RIN01
RIN03
RIN02
WWS11
WWS12
BWT08
BWT09
BWT10
MAL02
MAL03
MAL05
MAL04
MAL08
MAL09
WID01
WID03
WID04
WID02
WID06
GAD01
GAD03
GAD05
GAD07
GAD04
RUD01
RUD03
RUD02
RUD04
RUD05
RUD06
CAN01
CAN02
CAN06
CAN04
SCA11
SCA12
SCA14
WWS01
WWS07
WWS08
WWS09
WWS10
WWS05
WWS02
WWS13
WWS03
WWS04
WWS06
SCA01
SCA02
SCA06
SCA07
SCA03
SCA04
SCA05
SCA16
SCA09
SCA08
SCA10
SCA15
25.9
264
6400
DISTANCE

Table 5. Mean number and range of helminth species and individuals within each duck group as derived by cluster analysis using Euclidean distance.

Duck Groups	N*	Mean Number of Species	Mean Number of Individuals
1	6	8 (5-10)	133 (18-319)
2	6	10 (4-15)	368 (23-1,453)
3	13	4 (1-9)	27 (3-123)
4	3	7 (5-9)	232 (109-399)
5	6	8 (3-16)	147 (16-274)
6	6	10 (3-19)	392 (66-1,151)
7	2	7 (6-8)	1,803 (1,082-2,525)
8	3	13 (10-16)	2,534 (840-4,586)
9	10	11 (7-20)	263 (60-660)
10	6	11 (8-18)	238 (77-461)
11	6	8 (5-10)	1,680 (304-2,627)
12	8	20 (8-31)	1,110 (81-1,784)
13	11	21 (16-27)	32,866 (5,727-128,660)
14	11	14 (10-23)	33,031 (3,130-83,548)

---

*N - number of ducks in each duck group

Host species, lake, and to a lesser extent, year or regions within a lake may all affect the similarity in the community structure of parasites of waterfowl.

Niche Breadth of Helminth Species

Niche breadth (B′a, using equation 31 of Hurlbert, 1978) was calculated for those parasite species for which mature individuals were found (Table 2). The index (B′a) requires a measure of resource abundance in its calculation. I used the sample size of each host species as a measure of resource abundance. Values of B′a can range from 0.0 for a parasite found in only one host species to 1.0 for an extreme generalist, found in equal abundances in all host species. Calculated values of B′a ranged from 0 to 0.66 (Table 2). Twenty-one parasites (of 63 which matured) could be classified as specialists (B′a<.10). Echinoparyphium recurvatum was included in this group, even though this species occurred in 9 of the 10 host species. Most individuals of this species occurred in one host species (canvasback) with one of the smaller sample sizes (6). Two of the parasites, Apatemon gracilis and Corynosoma constrictum had B′a values of greater than 0.5, indicating they are relatively broad generalists. The relation between niche breadth (B′a) and the number of hosts in which a species occurs is illustrated in Figure 10.

Figure 10. Relationship between helminth niche breadth (B'a) and the number of hosts infected with mature helminth species individuals. (Species numerical codes are peesented as listed in Appendix 2.)


Niche Breadth (B'a)
0·7
0·6
0·5
0·4
0·3
0·2
0·1
0·05
Number of Hosts
1
2
3
4
5
6
7
8
9
10
2
3
4
1
7
14
15
5
6
51
19
22
12
41
37
8,27
16
9,31
13
10
47
26
38,46
35
11,17,34
58,67
21
29
45
48
65
74
55
24
64
36
61
59
33,53,72
30,40,49
68
39,50
52

Niche breadth of mature individuals indicated a similar range from extreme host specialists (0.0) to one species (A. gracilis) with a value greater than 0.5 (Table 2). Six species, including C. constrictum, had calculated values of greater than 0.25.

Habitat specialist and generalist are relative terms which can be defined in different ways. The simplest definition of a specialist is a species which occurs in only one habitat. A generalist is a species which occurs in all habitats. This definition however, does not take into account relative abundances of the organisms or the availability of different habitats. Thus, the terms can be defined by using a measure of niche breadth that takes into account relative abundances and relative resource availabiltiy. Another definition of specialist and generalist involves the fitness of the species. A specialist has maximum fitness in one habitat, a generalist has equal fitness across all habitats (Rosenzwieg, 1981). Unfortunately, most studies do not have all information necessary to apply the last two definitons. In the above analyses (B'a and B'a (mature)) I have examined the latter two definitions. For those species which occur frequently in a host species B'a (mature) is a good measure of niche breadth as related to relative fitness.

Similarity in Occurrence of Helminth Species (Inverse Analysis)

Jaccard's coefficent of similarities among parasite species indicated 12 major parasite species groups (Fig. 11; A-L; see Appendix 4 for species names). Cluster A contains eight of the fifteen most widespread species in the entire data set (Table 2). Mean niche breadth (B'a) was highest for group A (Table 6). Five groups had mean niche breadth (B'a) of less than 0.1 indicating they are composed primarily of relative host specialists.

Seven groups of interest were noted at the 50% similarity level (Fig. 11; solid arrows): one pair of widely distributed species; and one pair of parasites found in scaup, three triplets, one group of five species and another group of nine species found primarily in a single host species each.

The Euclidean distance dendrogram included seventeen major species groupings (Fig.12; AA-QQ; see Appendix 5 for species names). Cluster AA contains 4 of the most prevalent species. Mean niche breadth was highest for this group (Table 6). Five groups had mean niche breadth values of less than 0.1.

Figure 11. Cluster analysis (inverse) of seventy-five parasite taxa using similarity values of their occurrences in ninety-seven birds of ten duck species. Vertical axis represents similarity values of Jaccard's Coefficient. (Species codes for each parasite group A-L are listed in Appendix 4.)


STEP 14
1
2
3
4
6
7
28
19
10
16
25
14
20
26
36
37
51
5
8
9
11
17
24
35
43
13
47
22
29
48
56
54
58
61
66
44
59
65
15
46
55
74
64
73
75
12
18
23
32
21
30
33
40
42
49
27
63
53
69
71
72
31
62
34
45
52
70
38
39
50
57
60
41
67
68
A
B
C
D
E
F
G
H
I
J
K
L
1.0
.5
0
SIMILARITY

Table 6. Mean breadth (B'a) in helminth groups derived by the Jaccard and Euclidean cluster analyses.

Jaccard Helminth Groups	B'a*	Euclidean Helminth Groups	B'a
A	.29 ± .16	AA	.35 ± .21
B	.15 ± .06	BB	.14 ± .10
C	.16 ± .07	CC	.17 ± .21
D	.09 ± .09	DD	.13 ± .14
E	.14 ± .10	EE	.26 ± .10
F	.08 ± .08	FF	.12 ± .08
G	.20 ± .11	GG	.13 ± .04
H	.11 ± .00	HH	.05 ± .06
I	.09 ± .04	II	.05
J	.06 ± .06	JJ	.14 ± .02
K	.08 ± .08	KK	.11 ± .08
L	.16 ± .16	LL	.07 ± .00
		MM	.17 ± .11
		NN	.15 ± .06
		OO	.04 ± .04
		PP	.08 ± .01
		QQ	.14 ± .07

*B'a - mean niche breadth

Figure 12. Cluster analysis (inverse) of seventy-five parasite taxa using similarity values of their occurrences of numbers of individuals in ninety-seven birds of ten duck species. Vertical axis represents similarity values of Jaccard's Coefficient. (Species codes for each parasite group AA-QQ are listed in Appendix 5.)


STEP 14
1
2
4
6
5
13
33
31
3
37
50
57
39
14
34
45
38
52
15
46
28
41
19
64
36
47
60
68
67
70
66
59
74
56
65
54
73
75
58
61
44
20
55
27
42
63
53
49
62
69
71
72
7
16
25
10
35
22
24
21
51
43
29
48
12
18
23
32
40
21
30
8
9
11
17
AA
BB
CC
DD
EE
FF
GG
HH
II
JJ
KK
LL
MM
NN
OO
PP
QQ
5
397
5657
DISTANCE

Common and Characteristic Species

Stephenson et al. (1972) have developed a method to compare these groupings of 'normal' and 'inverse' analyses by constructing a summary coincidence table.

Comparison of the parasite and duck groups selected from the Jaccard analysis (Fig. 13; values in Appendix 6) indicated parasite group A did not concentrate (>20% of the individuals of a parasite species) in any one duck group but was important within all groups. This group also had the highest mean niche breadth value (Table 6). Each of the other groups was concentrated in one or two duck groups. In duck group I and IV, parasite group A appeard to be the only important (>20%) group. All other duck groups had at least one other important parasite group.

Where a parasite group was concentrated in a given duck group and also was important in that duck group the parasite group can be regarded as characterizing that duck group. Six of the duck groups were characterized by one of the parasite groups (Fig. 13). All of these duck groups were dominated by a single duck species. Several of these parasite groups had mean niche breadth values of less than 1.0 (D, I, J, K). The remaining 4 duck groups were not characterized by parasite groups. All of these duck groups were a composite of host species. No parasite group characterized more than one duck group, and no duck group was characterized by more than one parasite group.

Figure 13. Concentration of helminth species groups across (+) duck groups and importance of helminth species groups within (0) duck groups derived by cluster analysis using Jaccard's Coefficient of similarity. (⊕) - helminth species groups characterizing duck groups). (See text for further explanation).

HELMINTH SPECIES GROUPS	DUCK GROUPS									
	I	II	III	IV	V	VI	VII	VIII	IX	X
A	0	0	0	0	0	0	0	0	0	0
B									⊕	
C						⊕	+			0
D			⊕							
E				+		+				
F									+	
G								0	+	
H						+				
I							⊕			
J		⊕								
K					⊕					
L	+			+						

The same procedure was repeated using duck species instead of duck groups (Fig. 14). It is not surprising that that parasite species groups which characterized duck groups dominated by single duck species, also characterized the same duck species (Table 7).

The same analyses were run on data from the Euclidean cluster analysis (Figs. 15 and 16). The group of generalists (AA) was smaller and not as important in all duck groups. Some parasite groups often characterized two duck groups. Usually (e.g., BB,CC), but not always (e.g., QQ), the two groups comprised the same duck species. Some duck groups (11, 13, 14) were also characterized by two parasite groups. These features illustrate the greater differentiating power of the Euclidean analysis.

In the analysis using duck species, six duck species were characterized by 7 of the same parasite groups which had characterized the duck groups. Five of these duck species were the same as those characterized by parasite groups in the Jaccard analysis. Ring-necked duck, characterized by a Jaccard parasite group, was replaced by the mallard, characterized by a Euclidean helminth group. Widgeon, bufflehead and canvasback could not be characterized by any species group from either the Jaccard or Euclidean distance cluster analyses.

Figure 14. Concentration of helminth species groups derived by cluster analysis using Jaccard's Coefficient of similarity across (+) duck species and the importance of helminth species within (O) duck species. The notation ⊕ indicates the helminth species group which characterizes the duck species. (See text for further details and explanation).

HELMINTH SPECIES GROUPS	DUCK SPECIES									
	WID	BUF	RIN	MAL	RUD	BWT	GAD	CAN	SCA	WWS
A	0	0	0	0	0	0	0	0	0	0
B			⊕					+		
C								+	⊕	
D					⊕					
E				+				+		
F		+						+		
G			+	+						
H								+	+	
I										⊕
J							⊕			
K						⊕				
L	+									

Table 7. Comparison of helminth species groups characterizing the duck groups and duck species as derived by cluster analysis using Jaccard's Coefficient of similarity.

Helminth Species Group	B	C	D	I
Duck Group	9-1/16 Mallard* 1/6 Canvasback 5/6 Ring-necked duck	6-3/6 Canvasback 16/16 Scaup	3-6/6 Ruddy	7-13/13 Scoter
Duck Species	Ring-necked duck	Scaup	Ruddy	Scoter
Helminth Species	D. laevis**	P. marilis** H. spinocirrosa** H. abortiva** H. pusilla** H. tuvensis** R. pittalugi** H. recurvata L. skrjabini**	C. hebraicus R. cyrtoides** D. excentricus**	H. albertensis** H. spiralibursata** L. mathevossianae** H. melanittae** H. AB** H. formosoides**

Table 7 (continued).

Helminth Species Group	J	K	
Duck Group *	2-7/7 Gadwall 2/11 Widgeon	5-10/10 Blue-winged teal	Not characterized by cluster analysis using Jaccard coefficient (see text)
Duck Species	Gadwall	Blue-winged teal	Canvasback
Helminth Species	H. WWW** E. QQQ** D. spinata**	E. rosseteri** E. NNN**	D. n.sp. TT** A. spinulosa**

* Duck group number - number of individual birds / total number of birds for each duck species (see Figure 8).

** Denotes characteristic species of helminths.

Figure 15. Concentration of helminth species groups across (+) duck groups and the importance of helminth species groups within (O) duck groups derived by cluster analysis using Euclidean distance. (⊕ - helminth species groups characterizing duck groups). (See text for further explanation).

HELMINTH SPECIES GROUPS	DUCK GROUPS													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14
AA	0		0						0	0	0			
BB							⊕						⊕	
CC					⊕			⊕						
DD			0							⊕				
EE		+				+								
FF														
GG												+		
HH		+										+		
II				⊕										
JJ						⊕								
KK							+						+	
LL													+	
MM	0	⊕												
NN												⊕		⊕
OO											⊕			
PP							0	0					⊕	
QQ												⊕		⊕

Figure 16. Concentration of helminth species groups derived by cluster analysis using Euclidean distance across (+) duck species and importance of helminth species groups within (O) duck species. (⊕ - helminth species groups characterizing duck species). (See text for further explanation).

HELMINTH SPECIES GROUPS	DUCK SPECIES									
	WID	BUF	RIN	MAL	RUD	BWT	GAD	CAN	SCA	WWS
AA	0		0	0	0		0			
BB									+	+
CC						⊕				
DD							⊕			
EE		+		+						
FF								+		
GG										
HH				+				+		
II		+						+		
JJ		+	+							
KK										+
LL										+
MM				⊕				+		
NN								+	⊕	
OO					⊕					
PP						0				⊕
QQ									⊕	

The above analyses were done to determine if duck species (or groups) have distinct parasite groups. Because the analyses included species which occurred infrequently (<3 birds) some of the parasite species groups include species which were found in less than 50% of a duck species sample. In addition, some of the helminth species did not mature in any of the duck species. Only those parasite species, within parasite groups which characterized duck species, which occurred in more than 50% of any duck species sample and matured will be considered a characteristic species. Species of parasites which characterized the above host species in the Jaccard and Euclidean analysis overlapped extensively (Tables 7 and 8). Only one species, *Polymorphus marilis*, characterized two different duck species, scaup in the Jaccard analysis and white-winged scoter in the Euclidean analysis. However, *P. marilis* rarely matured in scoter; I consider it to be a characteristic parasite of scaup.

Table 8. Comparison of helminth species groups characterizing the duck groups and duck species as derived by cluster analysis using Euclidean distance.

Helminth Species Group	BB	CC	DD	II	JJ
Duck Group	7-2/13 White-winged scoter*	5-6/10 Blue-winged teal	10-5/7 Gadwall	4-2/6 Bufflehead	6-3/6 Ring-necked duck
	13-11/13 White-winged scoter	8-3/10 Blue-winged teal	1/11 Widgeon	1/6 Canvasback	2/6 Bufflehead
					1/16 Mallard
Duck Species		Blue-winged teal	Gadwall		
Helminth Species	*P. marilis* *L. mathevossianae***	*E. rosseteri*** *E.* NNN**	*H.* WWW** *E.* QQQ** *D. spinata***		*H. parvula*

Table 8 (continued).

Helminth Species Group	MM	NN	OO	PP	QQ
Duck Group	1-2/16 Mallard 1/10 Blue-winged teal 1/6 Bufflehead 1/6 Ring-necked duck	12-4/6 Canvasback 3/16 Scaup 14-11/16 Scaup	11-6/6 Ruddy	13-11/13 White-winged scoter	12-4/6 Canvasback 4/16 Scaup 14-11/16 Scaup
Duck Species	Mallard	Scaup	Ruddy	White-winged scoter	Scaup
Helminth Species	*H. fausti*	*H. recurvatum*** *R. pittalugi*** *H. tuvensis*** *D. coronula*	*R. cyrtoides*** *D. excentricus***	*H.* AB** *H. melanittae*** *H. spiralibursata*** *H. albertensis***	*H. spinocirrosa*** *H. abortiva*** *H. pusilla*** *H. tuvensis***

* Duck group number - number of individual birds / total number of birds for each duck species (see Figure 9).

** Denotes characteristic species of helminths.

Species Exchange

The majority of parasite species which matured in the waterfowl occurred in 2 or more duck species. Only seven species occurred exclusively in one duck species. In contrast, 15 of the parasites which matured occurred in 5 or more duck species and nine of these matured in 5 or more host species. Thus, ducks are not isolated habitat units, at the host species level but allow considerable parasite exchange (the spreading of a parasite species from a primary host to another, via an infective pool of intermediate hosts). A primary host is defined by Holmes et al. (1979) as the species which maintains the greatest proportion of mature individuals in the system, and depends in part on host population sizes, data which I do not have. For purposes of this study the potential primary host will be that duck species with the highest abundance (prevalence x mean number of individuals in infected hosts) of mature individuals of a parasite species. That parasite must also occur in >50% of the individuals of that duck species (because of small sample sizes).

Because populations sizes of host species are an important factor in determining primary hosts, the greater the number of host species in which a parasite species matures the more important the relative host population sizes become in assessing in which host that parasite species has the greatest reproductive potential, and contribution to the infective pool. Therefore, regional population sizes of waterfowl (Turner and Weaver, 1977) were also considered when assigning a host species as the potential primary host. For this reason I considered eight parasite species which occurred in eight or more host species separately. (A ninth species, Polymorphus marilis, has already been identified as a characteristic species of scaup despite its wide host range). Two of these species, Echinoparyphium recurvatum and Hymenolepis hopkinsi had mature individuals concentrated in one host species (Table 9). Large numbers of mature H. hopkinsi were found in gadwall, with lesser numbers in mallard. However, since mallard are the dominant waterfowl in this region it cannot be determined which is the primary host. The mature individuals of H. hopkinsi in mallard could be contributing more to the infective pool than those in gadwall. It is clear however, that the dabblers are the primary hosts. Both the prevalence (dabblers-36% vs divers-15%; G-test) and intensity (number of worms in each individual) (dabblers-54 ± 58.9 vs divers-9 ± 127.3; Mann Whitney U-test) were significantly different between the groups. Mature E. recurvatum were concentrated in canvasback. Canvasback populations are relatively sparse (10th in abundance; Turner and Weaver, 1977) in this region and cannot be considered as the primary host. Mature Polymorphus contortus and Corynosoma constrictum had the greater majority of their mature individuals in dabblers. For P. contortus both prevalence and intensity were

Table 9. Number of birds infected and abundance of mature individuals of 9 parasite species occurring in 8 or more host species.

	Widgeon		Bufflehead		Ring-necked duck		Mallard		Ruddy		Blue-winged teal		Gadwall		Canvasback		Scaup		White-winged scoter	
	N*	A**	N	A	N	A	N	A	N	A	N	A	N	A	N	A	N	A	N	A
1. *F. fasciolaris*	5/11	--	1/6	--	2/6	0.2	7/16	1.0	6/6	--	3/10	--	3/7	0.4	6/6	--	15/16	0.8	13/13	--
2. *A. gracilis*	5/11	2.0	1/6	0.2	4/6	3.5	12/16	24.0	5/6	26.0	6/10	3.0	4/7	--	4/6	43.0	11/16	18.0	7/13	19.0
3. *C. constrictum*	5/11	8.0	2/6	--	--	--	10/16	3.0	3/6	0.3	10/10	4.00	3/7	0.7	4/6	0.6	4/16	0.4	9/13	0.2
4. *H. hopkinsi*	5/11	2.0	1/6	--	2/6	0.2	12/16	22.0	1/6	--	2/10	--	5/7	69.0	3/6	11.0	2/16	--	11/13	5.2
5. *P. marilis*	1/11	0.2	4/6	2.0	--	--	2/16	0.1	2/6	0.8	1/10	--	--	--	4/6	3.2	15/16	21.0	11/13	0.6
6. *P. contortus*	8/11	24.0	2/6	--	1/6	--	8/16	11.0	2/6	0.2	--	--	7/7	14.0	3/6	9.0	--	--	5/13	0.1
7. *E. recurvatum*	2/11	0.4	2/6	2.0	2/6	5.0	8/16	17.0	1/6	4.5	7/10	1.0	1/7	2.0	5/6	101.0	2/16	0.7	--	--
14. *N. attenuatus*	1/11	0.2	3/6	2.0	--	--	5/16	0.9	2/6	0.1	3/10	--	3/7	--	--	--	1/16	--	3/13	0.7
15. *C. anatis*	4/11	0.5	3/6	2.0	2/6	1.0	5/16	0.3	1/6	--	1/10	0.2	1/7	--	--	--	3/16	0.4	--	--

*N - number of hosts infected / number of birds examined.

**A - abundance of mature individuals (with shelled eggs).

significantly higher than in divers (prevalence: dabblers-48% vs divers 9%; intensity: dabblers-25 ± 32.8 vs divers-11 ± 11.2). For C. constrictum prevalence was significantly different but not intensity (prevalence: dabblers-52% vs divers-11%; intensity: dabblers-8 ± 18.5 vs divers-2 ± 1.1). Greater numbers of mature individuals of Apatemon gracilis were found in divers (prevalence: dabblers-39% vs divers-57%; intensity: dabblers-26 ± 83.8 vs divers-32 ± 59.5). The intensity was significantly different but prevalence was not. Notocotylus attenuatus, Capillaria anatis and Fimbriaria fasciolaris could not be associated with any host species or group. These eight parasite species are considered to be host generalists.

Of the other 55 parasite species which matured in one or more hosts, 28 did not occur in more than 50% of any one host species sample. It is unlikely that such hosts would be the primary hosts in the system. Instead, it is possible the potential primary hosts of these species are other waterbirds not examined in this study. All but two of the remaining parasite species (Table 10) were identified as characteristic parasite species by either the Jaccard analysis or the Euclidean analysis. Two exceptions, Diorchis n.sp. TT and Anatinella spinulosa, were present in 6/6 and 4/6 individuals respectively, and matured only in canvasbacks. On that basis I consider them to be characteristic species of canvasbacks.

Table 10. Number of birds infected and abundances of mature individuals of 20 helminth species for which primary hosts can be determined.

HELMINTH SPECIES	WIDGEON		BUFFLEHEAD		RING-NECKED DUCK		MALLARD		RUDDY		BLUE-WINGED TEAL		GADWALL		CANVASBACK		SCAUP		SCOTER	
	N*	A**	N	A	N	A	N	A	N	A	N*	A**	N	A	N	A	N	A	N	A
8. *M. spinocirrosa*	--	--	--	--	--	--	2/16	--	--	--	--	--	--	--	4/6	50.5	15/16	4183.9	6/13	350.8
9. *M. abortiva*	--	--	--	--	--	--	1/16	--	--	--	--	--	--	--	2/6	3.7	15/16	4084.4	7/13	--
10. *D. coronula*	--	--	--	--	--	--	10/16	1.7	--	--	--	--	--	--	4/6	--	10/16	1.6	--	--
11. *M. pusilla*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3/6	13.2	15/16	2068.4	4/13	--
12. *M.* AB	--	--	--	--	--	--	3/16	0.1	1/6	--	6/10	221.5	1/7	--	1/6	--	--	--	11/13	2181.6
13. *L. skrjabini*	--	--	2/6	--	--	--	--	--	--	--	2/10	--	--	--	--	--	9/16	0.4	--	--
14. *M. fausti*	--	--	--	--	--	--	11/16	2.5	--	--	1/10	--	--	--	4/6	5.7	3/16	0.7	--	--
17. *M. tuvensis*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2/6	0.3	15/16	49.8	2/13	--
21. *M. spiraliburssata*	--	--	--	--	--	--	1/16	--	--	--	--	--	--	--	--	--	1/16	0.2	13/13	202.9
22. *C. hebraicus*	--	--	--	--	--	--	--	--	4/6	6.2	1/10	0.2	--	--	2/6	0.2	7/16	3.9	1/13	0.9
24. *R. pittalugi*	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3/6	--	13/16	5.4	--	--
26. *D.* n.sp. TT	--	--	--	--	3/6	--	--	--	--	--	--	--	--	--	6/6	3.7	3/16	--	--	--
29. *B. cyrtoides*	--	--	--	--	--	--	--	--	6/6	551.6	--	--	--	--	2/6	6.2	4/16	--	--	--
34. *E.* OOO	2/11	0.5	--	--	--	--	--	--	--	--	4/10	0.1	6/7	2.6	--	--	--	--	--	--
35. *H. recurvatum*	--	--	1/6	--	--	--	--	--	--	--	--	--	--	--	1/6	0.2	9/16	60.1	--	--
36. *D. laevis*	--	--	--	--	6/6	1.8	--	--	--	--	--	--	--	--	5/6	0.2	--	--	--	--
45. *D. spinata*	2/11	0.1	--	--	--	--	--	--	--	--	2/10	--	6/7	4.2	--	--	--	--	--	--
48. *D. excentricus*	--	--	--	--	--	--	--	--	6/6	0.2	--	--	--	--	1/6	--	2/16	--	--	--
55. *M. parvula*	--	--	--	--	4/6	18.7	2/16	0.7	--	--	--	--	--	--	--	--	--	--	--	--
59. *A. spinulosa*	--	--	--	--	--	--	--	--	2/6	--	--	--	--	--	4/6	1.2	--	--	--	--

* Number of infected hosts / number of birds examined.

** Abundance of mature helminth individuals.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Hymenolepis fausti, was selected as a characteristic species of mallards by the Euclidean distance analysis but mature individuals were abundant in canvasback. Mallards are abundant in this region, while canvasback are sparse, thus a primary host for H. fausti cannot be determined (nor can it be considered a characteristic species of mallard). The same arguments hold for two other species, Cotylurus hebraicus, a characteristic species of ruddy according to the Jaccard analysis but with mature individuals common in scaup, and Dicranotaenia coronula a characteristic species of scaup by the Euclidean analysis, but with mature individuals common in mallards. Primary hosts of these three species cannot be determined; they will be omitted from some of the subsequent analyses. In general, comparison of the characteristic parasite species with the primary hosts and their parasite species agrees with the Jaccard analysis. The Euclidean analysis may be more useful in partitioning parasite species within host groups (i.e., parasite species which may characterize host individuals collected from one lake and not another). Therefore, I regard those species selected by the Jaccard analysis (with the exceptions noted above), and those species for which single primary host species can be determined, as characteristic species (specialists) of that host. These species are indicated in Tables 7 and 8. All of these species had low B′a (mature) values indicating specialization in resource use (Table 2).

The characteristic species which occurred in more than one duck species were examined for exchange to other host species (Fig. 17). Most of the exchange occurred between divers, or from divers to dabblers, which had well established characteristic species. Very little exchange occurred between the dabblers. The greatest amount of exchange involved the spread of characteristic species of scaup to other ducks.

Figure 17. Number of helminth species exchanged from primary hosts to other duck species. (MAL - Mallard, WID - Widgeon, GAD - Gadwall, BWT - Blue-winged teal, SCA - Scaup, WWS - White-winged scoter, RUD - Ruddy, CAN - Canvasback, RIN - Ring-necked duck, BUF - Bufflehead). Numbers refer to parasite species from primary host to other duck species.


DABBLERS
DIVERS
BWT
GAD
WID
MAL
WWS
SCA
CAN
RIN
RUD
BUF
1
2
3
6
8
NO CHARACTERISTIC SPECIES
CHARACTERISTIC SPECIES
NO CHARACTERISTIC SPECIES

DISCUSSION

Price (1980) supported his conclusion that parasites are specialists primarily by comparing the number of host taxa used by parasites to the number of prey items used by predators. Holmes and Price (1980) conducted a similar analysis of the range of host taxa used on a list of parasites of fishes of Canada (Margolis and Arthur, 1979); they concluded that generalists are not uncommon. Using the same analysis on my data, nine of the 75 parasite species found in three or more birds were found in eight or more species of hosts, and only 18 were found in only one species of host.

However, it is clear that the presence or absence of a species in a host is not a good measure of specialization. Quantitative methods (cluster analyses, B′a measures) revealed a wide range of degrees of specialization, again spanning the complete range from total generalists to those concentrating their individuals in only a single host species. The best measure of whether a parasite species is a specialist or generalist involves an assessment of its reproductive fitness across host species (i.e., B′a(mature) or primary host analysis). Within this study, only seven parasite species were host specific, occurring and maturing in only one duck species. Seventeen others occurred in several hosts but maintained most of their reproductive populations in one host (primary host). These specialist parasites characterized the parasite communities in their host species.

Another large group of parasites occurred in only one host but occurred so infrequently (or did not mature) that referring to these parasites as specialists may be misleading. They may be specialists in other hosts not examined in this study. Three parasite species could be identified as broad generalists, and four others as relative generalists which maintain most of their reproductive potential in either dabblers or divers. Another parasite species had significant worm populations of mature individuals in one host species, with sparse bird populations, and occurred in eight others and is considered a broad generalist. In addition, three species had large populations of mature individuals in two or more unrelated host species. Clearly, the data indicate considerable exchange of parasites, which does not support Price's conclusion that parasites are specialists at the host species level.

Two critical features of the waterfowl-intestinal helminth system are: 1) parasites are ingested with the food items of the final host and 2) once ingested by a host they cannot actively transfer to another host. As a consequence those parasites ingested by a host other than the primary host (common, since most diets of the duck species overlap), would be selected for their ability to mature (if possible) in these "secondary hosts" (Holmes, 1976), particularly when these hosts are more abundant than the primary host.

These patterns of host specificity give rise to the pattern of community structure described by Bush (1980) for the helminth community of scaup. He recognized two components: a deterministic component (specialists in scaup and generalists in waterfowl) and a stochastic component of rare species (specialists in other hosts). The parasite communities in all of the duck species examined in this study had such a structure, with a deterministic component ranging from 1 to 23 parasite species. However, my analyses suggest that it is more useful to recognize three components: characteristic parasites (relative specialists in that host), common parasites (relative generalists in waterfowl plus some commonly occurring characteristic species of other hosts), and the stochastic, uncommon specialists of other hosts. The relative numbers of the three components indicate what habitat (above the individual bird) is recognized by the parasites. Where the proportion of characteristic species is high, there was relatively high similarity between host individuals, and those individuals formed relatively tight single species clusters in both the cluster analyses. Such a pattern was seen in five of these host species: ruddy, gadwall, blue-winged teal, scaup and scoter. In these host species the parasites appear to recognize the host species as a distinct habitat level. In the remaining five duck species, the proportion of generalists, or of specialists for other hosts, was high. There was low similarity between individuals within each duck species, and cluster analyses formed mixed (related species) clusters of individuals, in some cases, related to lake, or year of collection. In these cases, parasites may recognize multispecies populations as distinct habitats.

Three hypotheses have been proposed for helminth community structure at the host multispecies population level. The phylogenetic hypothesis predicted that helminth communities in duck species should be most similar between phylogentically related hosts. The diet hypothesis predicted that species with similar food habits should have similar parasites. The numerical dominance hypothesis predicted that the most numerous host should determine the fauna of the other duck species which I have examined from the standpoint of species exchange.

The specific predictions of the phylogenetic hypothesis were: 1) the parasite fauna is specific at the tribe level, 2) the parasite fauna should show greater similarity within tribes rather than between tribes, 3) the similarity within tribes should be related to phylogenetic affinity between species, and 4) the Mergini should be more similar to the Aythyini than the Anatini and that the Oxyurini should be least similar to any other tribe. The first prediction was not supported, the relative generalists (within a host group) were rare. The second prediction was supported in part within the Anatini, with high similarity between parasite communities in widgeon and gadwall and within the Aythyini with high similarity between parasite communities in canvasback and scaup. However, comparison of other duck species did not support this prediction and therefore I do not regard it as the principal determinant of the overall pattern of helminth community structure in waterfowl. The third prediction was not supported by any of the patterns of similarity between communities. Parasite communities of duck species within tribes did not show similarity patterns comparable to their phylogenetic relationships. The last prediction of similarity between tribes was supported in part by the parasite communities in the Oxyurini (ruddy) which formed a distinct group of individuals of one species. In summary, the parasite communities were most similar at the host species level, but in most cases, the patterns of similarity were not determined by the phylogenetic relationships between host species.

The specific predictions of the diet hypothesis are: 1) duck species consuming a high proportion of animal matter should have larger amd more complex parasite faunas and 2) species consuming high proportions of similar taxonomic groups of animal matter should have similar parasite faunas. The first prediction was supported in part by the relationship of the size (mean number of individuals) of the parasite communities and the percent animal matter consumed ($rho= 0.73$, $n=9$, $P<0.05$) in the nine duck species. Those duck species consuming a low proportion of animal matter had few parasite individuals (small size component) those species consuming a high proportion of animal matter had larger sized parasite communites. Complexity was not correlated with percent of animal matter consumed. The second prediction was supported only by the similarity between widgeon and gadwall. However, the lack of support for this prediction may indicate a need to examine the data at a more detailed level relating to the taxonomic differences of the major parasite groups and the type of intermediate hosts involved in their life cycles.

The numerical dominance hypothesis is somewhat more difficult to analyze. If based on regional population sizes (Turner and Weaver, 1977), the expected pattern of species exchange should be from mallards, blue-winged teal and scaup to other birds. The analysis of exchange showed, however, that mallards and blue-winged teal contributed little, whereas scaup contributed most of the parasites. However, the primary breeding habitats for dabblers are ponds and sloughs, not lakes. The pattern of exchange may be entirely different on sloughs. For the divers, lakes constitute the primary breeding habitat. Census counts indicated scaup ranked higher in abundance than either mallard or blue-winged teal on 8 of 14 lakes in 1977 and 1978, intermediate between the others on 3 lakes and below both on only 3 lakes (Bush 1980). On this local population basis, the pattern of exchange, with most of the exchange occurring among the divers, particularly from scaup to others or from the divers (especially scaup) to the dabblers, agrees with the prediction of the numerical dominance hypothesis. In a specific instance, Hymenolepis AB was found only in blue-winged teal collected where scoter were common. Blue-winged teal collected from lakes where scoter were rare or absent did not have this parasite. The exchange of species from high complexity helminth communities to low complexity communities is not surprising as in most cases the high complexity communities also had large size (large abundances of worms). The failure of the specialists (characteristic species) of the dabblers (gadwall and blue-winged teal) to colonize the high complexity helminth communities suggests that these latter communities are saturated.

In conclusion, the helminth communities of waterfowl are organized on a nested or heirarchical basis with the host individual being the only unequivocal level of habitat; the host species and multispecies populations are also recognized as distinct levels of habitat. The relative influence each level has in influencing the parasite communities varies between host species. In scaup and scoter, the parasite community is composed primarily of a group of specialists (characteristic species), which recognize the host species as their unit of habitat. At the other end of the scale in widgeon and mallard the parasite community is composed of relative generalists and specialists from other hosts which recognize a multispecies population, as their unit of habitat. How these features affect the organization of infracommunities will be examined in the next section.

III.

STRUCTURE AND ORGANIZATION OF INTESTINAL HELMINTH COMMUNITIES WITHIN INDIVIDUAL BIRDS

INTRODUCTION

Price's (1980) proposal that parasite species are specialists was partially supported by the microhabitat specificity reported for many parasite species (Crompton, 1973; Holmes, 1973). Four studies, three examining the intestinal helminth communities in scaup (Hair and Holmes, 1975; Hair, 1975; Bush, 1980) and one examining intestinal communities in mallard (Avery, 1969), have demonstrated that helminth species occupy predictable, restricted locations within the intestine of waterfowl. In contrast to the restricted microhabitat specificity exhibited by parasites in the above studies, _H. diminuta_ and _Trichinella spiralis_ have both been shown to be capable of occupying most of the intestine in rodents (rats and mice respectively) (Cannon and Mettrick, 1970; Sukhdeo and Croll, 1981). Two species of cestodes (_Tetrabothrius minor_ and _T. procerus_) are reported to have the potential to occupy most of the small intestine in fulmar (_Fulmar glacialis_) (Riley and Owen, 1975). However, Riley and Owen (1975) have demonstrated that the distribution of the two species in individual birds very rarely involved the entire intestine and was related to population size of the species which occupied the anterior end. Thus, the spatial distribution of each parasite must be examined specifically in each host individual to determine the degree of microhabitat specificity.

Holmes (1973) has proposed that microhabitat specificity in parasite communities reflects the importance of past interactions between parasite species. Community structure is interpretated as evidence for organization between species. Organization is regarded as the maintenance of structure by some mechanism(s) within the community. In contrast Price (1980) has suggested that parasite communities are unsaturated, exist under nonequilibrium conditions and that the microhabitat specificity demonstrated in parasite communities is not a result of organization between helminth species. In general, the interpretation of community structure as evidence for organization between species has been challenged by the view that communities are chance aggregations of individual species (Caswell, 1976; Conner and Simberloff, 1979).

Bush (1980) demonstrated that the distributions of the helminth species in the 'recurrent group' were predictable in their sequence of occurrence and that these exhibited low niche overlap with adjacent helminth species along the intestine of lesser scaup. The ordered sequence suggests either interactions between parasite species or independent differential adaptation to locations within the intestine. In addition to showing low niche overlap, Bush demonstrated that there was a significant difference between the realized niche overlap (average overlap across individual birds) and the fundamental niche overlap (overlap calculated on the basis of summed distribution across all birds) of adjacent 'recurrent' helminth species. He considered these significant differences to indicate that interactions were important in organizing the spatial distributions of the common helminth species. Bush (1980) also compared the overlap between the infrequent helminth species and adjacent helminth species within the intestine and found the realized and fundamental overlaps showed no significant difference. He concluded that the two opposing views of community organization (noninteractive and interactive) could be applied to the two components he recognized in the intestinal helminth communities, infrequent (stochastic) and common or recurrent (deterministic) parasite species. Interactions appear important in organizing the basic community structure provided by the recurrent helminth species but not important for the infrequent helminth species in scaup.

Interactions can only occur within the host individual. However, the importance of interactions in parasite community structure is a function of how frequent such interactions may be (Holmes and Price, 1980), and can only be assessed by examining parasite communities in several host individuals. The intestinal helminth community in waterfowl is an excellent system in which to study the importance of interactions in determining community structure.

The intestinal tract in waterfowl consists of the small intestine, the large intestine and two caeca. In the small intestine changes in chemical constituents, such as amino acids, carbohydrates and proteins, and changes in the physical substrate, such as changes in the mucosal morphology and density of villi, are correlated with position along the intestine (Crompton and Nesheim, 1968). The large intestine is similar in structure to the distal small intestine but tends to be more homogenous in morphology and function (water absorption) (Ziswiler and Farner,1972). The combined small and large intestines therefore represent a single complex resource gradient or axis along which helminth species can locate (Hair,1975; Bush,1980). The caeca also vary in physical and chemical characteristics along their length, but represent a second and largely independent gradient or resource axis (Calhoun, 1954).

The first section of this study demonstrated three components within the intestinal helminth communities in the 10 species of waterfowl: host generalists, characteristic helminth species and helminth species which are specialists within other hosts. The first two make up Bush's deterministic component. In this section I will compare the distribution of the helminth species along the length of the intestine within individual birds of each of the duck species. I intend to examine the importance of the interactive and noninteractive views of community structure to the first two components of the different parasite communities.

METHODS

For field and laboratory methods see Chapter II.

Analytical Methods

Four parameters were used to measure helminth species distribution along the intestines: location (section number) of the median individual in each helminth species population (median location), anterior location, posterior location and range of each helminth species. The minimum range a helminth species occupied was one section, or 5% of the small intestine. Some helminths extended their distribution into the large intestine and I have equated the large intestine to a 5% section of the small intestine, making the total length of the intestinal axis 105%. All locations are expressed as percent of small intestine length.

Because the caeca represent a distinctly different microhabitat, helminth species occupying this region were not included in the analyses of linear distributions. Helminth species occurring in this region were simply recorded as occupying the caeca.

The distributional measures were averaged across all birds infected for each parasite species in each duck species. Within each duck species only those parasite species which occurred in three or more host individuals will be compared. Because sample sizes were small for some parasite species, comparison of variances around mean values, such as those for the median points (see below) are not comparable between duck species. Therefore, variation in these measures was compared using the range of values or the average difference (in % of gut) between the individual values and their mean. Relationships between population sizes and distributional measures were analyzed with Spearman's rank correlation. All analyses were done using programs in APL.

Agreement in the sequential distribution of median positions along the intestine was tested, using Spearman's rank correlation. For each pair of individual birds, ranks were assigned only to those parasite species occurring in both birds. The number of pairs showing significant correlations, and the mean rho values, were calculated. (The test of concordance (Pielou, 1977), usually applied to such data, was inappropriate because of differences in helminth species composition between individual birds.)

Determination of the pattern of distribution of median locations of helminth species within the intestines of individual birds was examined using a model derived by Pielou and Routledge (1976). The model calculates the probability of finding a specified number of median positions within a fixed number of sections. This value is compared to the number of sections occupied by the median points at a 50% probability level. The model was applied to individual birds with five or more helminth species. A sign test was used to compare the number of birds in which the median locations were found in fewer versus more sections than the calculated value (Pielou and Routledge, 1976). If a significantly large excess of values fall below the calculated value the overall distributions were considered to be clustered; if a significant excess of values were above the calculated value, the overall distributions were considered to be regular. For small numbers of species the model is biased in favour of a clustered pattern.

Percent similarity (equation 1 of Hurlbert, 1978) was used to calculate overlap between the ranges of pairs of parasite species. This measure calculates the proportion of the individuals of two species which have identical distributions. Overlap was calculated for each species pair in individual birds. Average overlap was calculated for each pair of parasite species. Summed overlap values were calculated by adding the distributions of parasite species across all individuals of one host species. Percent similarity was then calculated for all pairs of parasite species within this matrix of of summed distributions. A t-test was used to compare differences between summed and average overlap values.

RESULTS

Linear Distributions

Data on the linear distributions of helminth species which occurred in 3 or more birds are given in Tables 11 to 20. The variability around the mean of the median points, as measured by the average difference from that mean, was generally less than 10%. There was no difference in this measure between the frequent species (those occurring in over half of the individual birds of one duck species) and those encountered less frequently (Table 21). In addition, for most helminth species, the median location for an infrapopulation was independent of the number of worms in that infrapopulation (significant rho values are indicated in Tables 11-20). There were only three exceptions: the median position of Hymenolepis spinocirrosa in scaup and H. WWW in gadwall were negatively correlated with total number of worms (i.e., median points were further anterior in larger infrapopulations), and the median position of Corynosoma constrictum in blue-winged teal was positively correlated with total numbers of worms (i.e., median points were further posterior in larger infrapopulations). These basic patterns of relatively constant median points, independent of infrapopulation size, indicate that the median position is a good measure of the site occupied.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 11. Linear distribution of helminth species within the intestines of Widgeon (expressed as a percentage) and correlation of these measures with numbers of individuals of helminths of each parasite species.

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum range
					Anterior	Rho	Posterior	Rho			
1 -*F. fasciolaris*	5/11	2± 1.7[a]	25±18.4[b] 5- 50(14)	0	21±20.4[a]	0	28±17.5[a]	0	12±13.0[a]	+	35
2 -*A. gracilis*	5/11	11±14.4	21± 2.2 20- 25(1)	0	16± 6.5	0	29± 5.5	0	18± 9.7	0	30
3 -*C. constrictum*	5/11	4± 1.6	71± 7.4 60- 80(5)	0	67± 4.5	0	80±15.4	0	18±12.0	0	35
6 -*P. contortus*	8/11	55±89.2	104± 2.3 100-105(1)	0	96±15.3	0	104± 1.8	0	13±15.6	0	45
38-*D. danutae*	5/11	4± 4.7	68± 2.7 65- 70(2)	0	61± 9.6	0	72± 6.7	0	16±14.8	0	40
15-*C. anatis*	4/11	1± 0.5	Caeca								
19-*Z. lunata*	3/11	2± 1.0	Caeca								
4 -*H. hopkinsi*	5/11	11± 5.0	Caeca								

* - Number of hosts infected / number of birds examined.

** - Mean number of individual helminths per infected bird ± 1 S.D.

*** - Spearman rank correlation of number of individuals and distributional measure (i.e. range) (+ - significant ($P < .05$) positive correlation; 0 - no significant correlation; — - negative significant correlation; blank - sample size too small to test).

a - All values expressed as the mean position ± 1 S.D.

b - Mean of median location ± 1 S.D. / range of median location (average difference from median location).
All values expressed as a percentage of the intestine.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 12. Linear distribution of helminth species within the intestines of Gadwall (expressed as a percentage) and correlation of these measures with numbers of individuals of helminths of each parasite species.

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
1 -*F. fasciolaris*	3/7	11±10.8[a]	22±17.6[b] 5- 40(12)		8± 2.9[a]		50±18.0[a]		47±16.1[a]		65
2 -*A. gracilis*	4/7	4± 2.1	16± 4.8 10- 40(5)		16± 4.8		18± 2.9		6± 2.5		10
3 -*C. constrictum*	3/7	2± 1.5	63± 2.9 60- 65(2)		63± 2.9		70± 8.7		12± 5.8		15
4 -*H. hopkinsi*	3/7	4± 2.9	102± 2.9 100-105(2)		102± 2.9		103± 2.9		7± 2.9		10
6 -*P. contortus*	7/7	16±31.8	104± 1.9 100-105(1)	0	104± 2.4	0	104± 1.9	0	6± 1.9	0	10
34-*E.* QQQ	6/7	4± 4.1	17± 4.1 10- 20(3)	0	13± 4.1	0	21± 5.8	0	13± 6.1	0	20
38-*D. danutae*	3/7	4± 2.6	65± 5.0 60- 70(3)		62± 7.6		70± 5.0		13± 7.6		20

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 12. (Continued)

Helminth species	n*	N**	Median	Rho***	End points in distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
45-D. spinata	6/7	19±24.2[a]	84±22.4[b] 45-100(18)	0	76±24.4[a]	0	92±16.9[a]	0	21±15.3[a]	0	40
52-H. WWW	7/7	32±33.3	6± 2.4 5- 10(1)	-	5± 0.0	0	11± 1.9	0	11± 1.9	0	15
70-H. XXX	3/7	3± 2.0	5± 0.0 5 (0)		5± 0.0		5± 0.0		5± 0.0		5
4 -H. hopkinsi	3/7	4± 2.9	Caeca								
14-X. attenuatus	3/7	17±13.0	Caeca								
19-Z. lunata	3/7	2± 2.3	Caeca								

* - Number of hosts infected / number of birds examined.
** - Mean number of individual helminths per infected bird ± 1 S.D.
*** - Spearman rank correlation of number of individuals and distributional measure (i.e. range) (+ - significant ($P < .05$) positive correlation; 0 - no significant correlation; — - negative significant correlation; blank - sample size too small to test).
a - All values expressed as the mean position ± 1 S.D.
b - Mean of median location ± 1 S.D. / range of median location (average difference from median location).
All values expressed as a percentage of the intestine.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 13. Linear distribution of helminth species within the intestines of Blue-winged teal (expressed as a percentage and correlation of these measures with numbers of individuals of helminths of each parasite species.

Helminth species	n[*]	N[**]	Median	Rho[***]	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
1 -*F. fasciolaris*	3/10	3± 2.1[a]	17± 7.6[b] 10- 25(5)		13±10.4[a]		23±12.6[a]		15±17.3[a]		35
2 -*A. gracilis*	6/10	18± 23.8	21± 5.8 15- 30(5)	0	16± 5.8	0	33± 9.4	0	22± 8.2	0	30
3 -*C. constrictum*	10/10	8± 6.5	87± 11.6 70-105(10)	+	75± 8.3	0	98±12.3	+	28±14.6	0	50
7 -*E. recurvatum*	7/10	20± 2.9	11± 8.9 5- 30(5)	0	6± 1.9	0	21±21.0	0	21±21.5	+	60
12-*H*. AB	6/10	684±849.7	23± 9.3 15- 40(7)	0	9± 6.7	0	56±26.3	+	52±31.8	+	85
23-Abort?	4/10	7± 5.7	51±39.7 5-100(29)		49±37.3		56±42.3		13±11.9		30
32-AB?	3/10	33± 51.1	45±35.0 10- 80(23)		43±35.1		68±50.6		30±27.9		60

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 13. (Continued)

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
34-*E*. QQQ	4/10	1± 0.5^{a}	16±16.5^{b} 5- 40(11)		16±16.5^{a}		16±16.5^{a}		5± 0.0^{a}		5
37-*D*. *elisae*	3/10	17± 14.0	90± 5.0 85- 95(3)		78± 2.9		98± 7.6		25± 8.7		30
39-*E*. *rosseteri*	10/10	359±940.1	12± 5.3 5- 20(4)	0	7± 4.8	-	29±15.2	+	27±17.5	+	55
50-*E*. XXX	7/10	8± 8.2	5± 0.0 5 (0)	0	5± 0.0	0	10± 9.1	0	10± 9.1	0	30
51-*Unciunia* n. sp.	3/10	8± 3.5	15± 5.0 10- 20(3)		10± 5.8		25± 0.0		20± 0.0		20
57-*S*. *octacantha*	6/10	37± 36.9	59± 8.0 45- 65(6)	0	48± 8.3	0	70±13.8	+	27±17.5	+	45
14-*N*. *attenuatus*	3/10	2± 1.5	Caeca								

* - Number of hosts infected / number of birds examined.

** - Mean number of individual helminths per infected bird ± 1 S.D.

*** - Spearman rank correlation of number of individuals and distributional measure (i.e. range) (+ - significant ($P < .05$) positive correlation; 0 - no significant correlation; — - negative significant correlation; blank - sample size too small to test).

a - All values expressed as the mean position ± 1 S.D.

b - Mean of median location ± 1 S.D. / range of median location (average difference from median location). All values expressed as a percentage of the intestine.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 14. Linear distribution of helminth species within the intestines of Mallard (expressed as a percentage) and correlation of these measures with numbers of individuals of helminths of each parasite species.

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
1 -_F_. _fasciolaris_	8/16	23± 21.2[a]	14± 7.4[b] 5- 30(5)	0	6± 1.8[a]	0	33±15.6[a]	0	32±15.3[a]	0	55
2 -_A_. _gracilis_	11/16	59±127.6	24± 6.6 15- 35(6)	0	19± 8.9	-	36±14.0	+	22±15.2	+	45
3 -_C_. _constrictum_	10/16	8± 11.3	79±12.2 50- 90(8)	0	70±12.9	0	87±16.5	+	22±15.3	+	45
6 -_P_. _contortus_	8/16	26± 25.1	105± 0.0 105 (0)	0	101± 8.2	0	105± 0.0	0	9± 8.2	0	25
7 -_E_. _recurvatum_	8/16	59±113.1	18± 8.5 10- 35(5)	0	11± 5.8	-	34±13.6	0	28±17.3	+	60
10-_D_. _coronula_	10/16	5± 5.6	95± 9.0 8-105(7)	0	91± 9.3	0	96± 9.0	+	10± 9.4	0	35
12-_H_. AB	3/16	5± 2.5	37±10.4 25- 45(7)		30±15.0		50± 0.0		25±15.0		40

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 14. (Continued)

Helminth species	n[*]	N[**]	Median	Rho[***]	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
16-_H_. _fausti_	11/16	34± 30.9[a]	23± 4.0[b] 15- 30(3)	0	11± 5.5[a]	0	34± 6.0[a]	+	27± 9.0[a]	+	40
25-_R_. _macroacanthus_	7/16	17± 14.7	46± 8.0 30- 55(6)	0	38± 9.1	0	53± 9.5	0	20± 8.1	+	30
27-_P_. _paradoxus_	4/16	28± 31.4	78± 6.5 70- 85(6)		66± 6.3		95± 7.1		34± 8.5		45
28-Echino?	3/16	28± 44.5	75±22.9 50- 95(17)		68±16.1		85±13.2		22±14.4		30
41-_E_. _revolutum_	3/16	5± 5.2	97±14.1 80-105(12)		97±14.4		98±11.5		7± 2.9		10
46-_C_. _flabelliformis_	6/16	6± 3.3	72±24.4 30- 95(20)	0	66±25.6	0	77±25.8	0	16±10.2	0	30
54-_S_. _gracilis_	3/16	3± 0.6	65± 5.0 60- 75(3)		60± 5.0		67± 2.9		12± 2.9		15

POOR COPY
COPIE ~~DE~~ QUALITEE INFERIEURE

Table 14. (Continued)

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
61-*H*. *compressa*	3/16	5± 6.1[a]	52±10.4[b] 40- 60(6)		50± 8.7[a]		57±15.3[a]		12± 7.6[a]		20
66-RR	3/16	2± 1.0	58±12.6 45- 70(8)		58±12.6		60±15.0		7± 2.9		10
4 -*H*. *hopkinsi*	12/16	63± 72.5	Caeca								
14-*N*. *attenuatus*	3/16	5± 7.5	Caeca								
15-*C*. *anatis*	5/16	1± 0.5	Caeca								
19-*Z*. *lunata*	3/16	2± 2.3	Caeca								

* - Number of hosts infected / number of birds examined.

** - Mean number of individual helminths per infected bird ± 1 S.D.

*** - Spearman rank correlation of number of individuals and distributional measure (i.e. range) (+ - significant ($P < .05$) positive correlation; 0 - no significant correlation; — - negative significant correlation; blank - sample size too small to test).

a - All values expressed as the mean position ± 1 S.D.

b - Mean of median location ± 1 S.D. / range of median location (average difference from median location). All values expressed as a percentage of the intestine.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 15. Linear distribution of helminth species within the intestines of Ruddy (expressed as a percentage) and correlation of these measures with numbers of individuals of helminths of each parasite species.

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
1 -F. fasciolaris	6/6	16± 13.0[a]	10± 8.4[b] 5- 25(6)	0	8± 8.2[a]	0	23±14.4[a]	0	20±14.8[a]	0	45
2 -A. gracilis	5/6	39± 22.1	25± 7.1 20- 35(1)	0	11± 8.9	0	48±10.4	0	42±11.5	0	55
3 -C. constrictum	3/6	2± 1.5	105± 0.0 105 (0)		105± 0.0		105± 0.0		5± 0.0		5
20-PP	3/6	2± 0.6	60±27.8 35- 90(23)		60±27.8		83±16.1		28±20.8		45
22-C. hebraicus	4/6	10±13.0	73± 2.9 70- 75(5)		68± 6.5		83±11.9		20±17.3		35
29-R. cyrtoides	6/6	1460±867.3	32± 6.1 25- 40(5)	0	5± 0.0	0	74± 8.0	0	74± 8.0	0	85
48-D. excentricus	6/6	150±217.6	79± 7.4 70- 90(6)	0	62± 2.6	0	96± 5.8	0	39± 3.8	0	45

* - Number of hosts infected / number of birds examined.
** - Mean number of individual helminths per infected bird ± 1 S.D.
*** - Spearman rank correlation of number of individuals and distributional measure (i.e. range) (+ - significant (P< .05) positive correlation; 0 - no significant correlation; — - negative significant correlation; blank - sample size too small to test).
a - All values expressed as the mean position ± 1 S.D.
b - Mean of median location ± 1 S.D. / range of median location (average difference from median location). All values expressed as a percentage of the intestine.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 16. Linear distribution of helminth species within the intestines of Canvasback (expressed as a percentage) and correlation of these measures with numbers of individuals of helminths of each parasite species.

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
1 -*F. fasciolaris*	6/6	26± 26.1[a]	19±13.6[b] 5- 40(13)	0	11±12.0[a]	0	33± 6.8[a]	0	28±10.4[a]	0	40
2 -*A. gracilis*	4/6	27± 29.4	20±12.9 5- 35(10)		14± 8.5		34±18.0		25±18.7		50
3 -*C. constrictum*	4/6	4± 3.2	63+_16.6 40- 80(10)		60±16.3		65±17.3		10± 5.3		15
5 -*P. marilis*	4/6	16± 16.7	53±11.9 40- 65(10)		45±15.8		65±17.8		25±16.3		45
6 -*P. contortus*	3/6	27± 15.0	105± 0.0 105 (0)		97±10.4		105± 0.0		13±10.4		25
7 -*E. recurvatum*	5/6	376±507.4	15±11.8 5- 35(8)	0	6± 2.2	0	25±16.6	0	24±17.8	+	40
8 -*H. spinocirrosa*	4/6	253±129.5	40± 8.2 30- 50(5)		25±20.4		51±10.3		31±14.9		50

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 16. (Continued)

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
10-*D*. *coronula*	4/6	3± 1.0[a]	61±11.1[b] 50-75(8)		60±10.8[a]		69± 9.5[a]		14± 7.5[a]		20
11-*H*. *pusilla*	3/6	56± 90.4	85±15.0 70-100(10)		82±20.2		93± 5.7		17±16.1		35
16-*H*. *fausti*	4/6	96±104.3	20± 8.2 10- 30(5)		9± 2.5		31±11.8		28±13.2		40
20-PP	3/6	5± 3.6	27±15.3 10- 40(12)		25±18.0		28±12.6		8± 5.7		15
24-*R*. *pittalugi*	3/6	8± 6.0	52± 7.6 45- 60(5)		48±12.6		58± 7.6		15± 8.7		20
25-*R*. *macroscanthus*	5/6	25± 10.0	40±11.7 20- 50(8)	0	19±15.2	0	47± 8.4	0	33±16.0	0	55
26-*Diorchis* n. sp. TT	6/6	24± 22.0	73±15.7 55- 95(12)	0	63±12.9	0	87± 9.8	0	29± 8.6	0	40

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 16. (Continued)

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
36-*D. laevis*	5/6	3± 5.4^a	49± 5.5^b 45- 55(5)	0	48± 6.7^a	0	51± 5.5^a	0	8± 6.7^a	0	20
51-*Unciunia* n. sp.	3/6	181±302.8	18± 5.8 15- 25(5)		12± 7.6		28± 2.9		22±10.4		30
59-*A. spinulosa*	4/6	6± 5.7	19± 4.8 15- 25(4)		16± 6.3		21± 4.8		10± 7.1		20
4 -*H. hopkinsi*	3/6	5± 5.9	Caeca								
19-*Z. lunata*	4/6	10± 15.5	Caeca								

* - Number of hosts infected / number of birds examined.
** - Mean number of individual helminths per infected bird ± 1 S.D.
*** - Spearman rank correlation of number of individuals and distributional measure (i.e. range) (+ - significant ($P < .05$) positive correlation; 0 - no significant correlation; — - negative significant correlation; blank - sample size too small to test).
a - All values expressed as the mean position ± 1 S.D.
b - Mean of median location ± 1 S.D. / range of median location (average difference from median location).
All values expressed as a percentage of the intestine.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 17. Linear distribution of helminth species within the intestines of Ring-necked duck (expressed as a percentage) and correlation of these measures with numbers of individuals of helminths of each parasite species.

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
1 -F. fasciolaris	3/6	1± 0.6[a]	20±18.0[b] 5- 40(13)		20±18.0[a]		22±16.1[a]		7± 2.9[a]		10
2 -A. gracilis	4/6	69±108.3	15±13.5 5- 35(10)		5± 0.0		23±21.8		23±21.8		55
7 -E. recurvatum	4/6	15± 18.0	8± 2.9 5- 10(3)		6± 2.5		18±18.5		16±19.3		45
20-PP	3/6	77± 50.8	50±17.3 40- 70(13)		32±20.8		70±32.8		43±12.6		55
26-Diorchis n. sp. TT	3/6	2± 1.2	83± 5.8 80- 90(3)		83± 5.8		83± 5.8		5± 0.0		5
36-D. laevis	6/6	2± 0.4	43±14.4 15- 55(11)	0	43±14.4	0	45±12.7	0	8± 2.7	0	10
55-H. parvula	4/6	43± 78.3	13± 5.0 5- 15(3)		8± 5.0		24± 6.3		21± 7.5		30

* - Number of hosts infected / number of birds examined.
** - Mean number of individual helminths per infected bird ± 1 S.D.
*** - Spearman rank correlation of number of individuals and distributional measure (i.e. range) (+ - significant ($P < .05$) positive correlation; 0 - no significant correlation; — - negative significant correlation; blank - sample size too small to test).
a - All values expressed as the mean position ± 1 S.D.
b - Mean of median location ± 1 S.D. / range of median location (average difference from median location). All values expressed as a percentage of the intestine.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 18. Linear distribution of helminth species within the intestines of Lesser Scaup (expressed as a percentage) and correlation of these measures with numbers of individuals of helminths of each parasite species.

Helminth species	n*	K**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rhp	Posterior	Rho			
1 -F. fasciolaris	15/16	45± 47.3[a]	11± 3.9[b] 5- 20(2)	0	5± 1.3[a]	0	23± 8.6[a]	0	23± 9.0[a]	0	40
2 -A. gracilis	11/16	29± 25.0	26±13.9 10- 50(11)	0	10± 7.4	-	46±16.7	+	41±20.8	+	75
3 -C. constrictum	4/16	2± 1.0	69± 6.3 60- 75(4)		66± 7.5		69± 6.3		8± 5.0		15
5 -P. marilis	15/16	26± 56.0	68± 5.9 60- 80(6)	0	61± 5.1	0	78± 8.6	+	78± 8.6	+	35
8 -H. spinocirrosa	15/16	8228±10553.0	48± 5.2 35- 55(3)	-	22±15.7	-	57± 4.1	0	40±15.4	+	60
9 -H. abortiva	15/16	9712±13332.5	65± 9.3 50- 90(6)	0	55± 6.9	-	80±10.1	+	31±11.6	+	50
10-D. coronula	10/16	16± 9.5	78±20.2 40-100(15)	0	67±31.6	0	93± 8.6	0	31±27.8	0	90

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 18. (Continued)

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
11-*H. pusilla*	15/16	5044± 6742.9[a]	90± 4.6[b] 80-100(3)	0	77± 7.8[a]	0	101± 3.4[a]	+	29± 9.3[a]	+	45
13-*L. skrjabini*	9/16	16± 25.5	29± 7.7 20- 45(6)	0	24± 7.8	0	34± 8.6	+	15±11.7	+	35
16-*H. fausti*	3/16	33± 16.9	12± 5.8 5- 15(%0		7± 2.9		25±15.0		23±12.6		35
17-*H. tuvensis*	15/16	1010± 1286.1	57± 9.6 40- 75(8)	0	42±11.6	0	72±14.6	+	35±20.1	+	80
22-*C. hebraicus*	7/16	11± 9.5	68±10.4 50- 80(7)	0	64± 8.0	0	77±16.8	+	19±14.6	+	40
24-*R. pittalugi*	12/16	50± 63.2	43±11.9 25- 60(8)	0	32±10.3	-	50±10.8	0	23±15.3	+	60
26-*Diorchis* n. sp. TT	3/16	105±122.3	75±10.0 65- 85(7)		67±16.1		87±12.6		25±20.0		45

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 18. (Continued)

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum range
					Anterior	Rho	Posterior	Rho			
29-*R*. *cyrtoides*	4/16	86± 119.0[a]	41± 4.8[b] 35- 45(4)		29± 9.5[a]		49±11.1[a]		25±16.8[a]		45
31-*H*. *microskrjabini*	4/16	111± 170.9	34±10.3 20- 45(6)		23±13.2		39±16.5		21±11.1		35
35-*H*. *recurvata*	9/16	172± 332.5	27± 7.9 20- 45(5)	0	16±10.4	-	48±21.4	0	37±24.9	+	95
43-*H*. tuv?	7/16	687± 737.2	74± 7.3 60- 80(5)	0	65±11.2	0	87± 7.0	0	27± 8.1	+	35
47-*C*. *obsignata*	4/16	3± 2.4	48±18.9 20- 60(13)		40±21.6		59± 6.3		24±26.0		60
51-*Unciunia* n. sp.	4/16	136± 191.3	19± 2.5 15- 20(1)		8± 2.9		36± 4.8		34± 6.3		40
64-*H*. *arcuata*	3/16	61± 98.4	65±10.0 55- 75(4)		58± 2.9		75± 8.7		22± 7.6		30

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 18. (Continued)

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum range
					Anterior	Rho	Posterior	Rho			
66-RR	4/16	14± 12.2^a	64±19.3^b 35- 75(8)		60±16.8^a		79±16.5^a		24± 6.3^a		30
15-C. anatis	3/16	2± 2.3	Caeca								

* - Number of hosts infected / number of birds examined.

** - Mean number of individual helminths per infected bird ± 1 S.D.

*** - Spearman rank correlation of number of individuals and distributional measure (i.e. range) (+ - significant ($P \leq .05$) positive correlation; 0 - no significant correlation; — - negative significant correlation; blank - sample size too small to test).

a - All values expressed as the mean position ± 1 S.D.

b - Mean of median location ± 1 S.D. / range of median location (average difference from median location).
All values expressed as a percentage of the intestine.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 19. Linear distribution of helminth species within the intestines of Bufflehead (expressed as a percentage) and correlation of these measures with numbers of individuals of helminths of each parasite species.

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum Range
					Anterior	Rho	Posterior	Rho			
5 -P. marilis	4/6	10± 11.1^a	71± 6.3^b 65- 80(4)		68± 8.7^a		91±18.9^a		29±18.4^a		50
44-X	5/6	106±162.6	48± 9.1 35- 60(6)	0	48± 9.1	-	67±10.4	0	57±14.4	+	75
51-Unciunia n. sp.	3/6	1± 0.6	12± 2.9 10- 15(2)		12± 2.9		12± 2.9		5± 0.0		5
14-N. attenuatus	3/6	4± 4.4	Caeca								
15-C. anatis	3/6	5± 6.9	Caeca								

* - Number of hosts infected / number of birds examined.

** - Mean number of individual helminths per infected bird ± 1 S.D.

*** - Spearman rank correlation of number of individuals and distributional measure (i.e. range) (+ - significant ($P < .05$) positive correlation; 0 - no significant correlation; — - negative significant correlation; blank - sample size too small to test).

a - All values expressed as the mean position ± 1 S.D.

b - Mean of median location ± 1 S.D. / range of median location (average difference from median location).
All values expressed as a percentage of the intestine.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 20. Linear distribution of helminth species within the intestines of White-winged Scoter (expressed as a percentage) and correlation of these measures with numbers of individuals of helminths of each parasite species.

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum range
					Anterior	Rho	Posterior	Rho			
1 -*F*. *fasciolaris*	13/13	214± 354.2[a]	17± 9.7[b] 5- 35(3)	0	9± 7.7[a]	0	37±17.0[a]	+	33±19.2[a]	+	65
2 -*A*. *gracilis*	7/13	37± 87.4	51± 7.4 40- 60(6)	0	37±15.2	0	61±13.0	0	29±23.8	+	65
3 -*C*. *constrictum*	9/13	6± 10.2	76±17.8 45-105(12)	0	72±17.7	0	85±19.5	0	18±14.8	+	50
5 -*P*. *marilis*	11/13	50± 54.8	89± 8.1 80-105(6)	0	69±13.9	0	101± 5.0	0	37±14.4	0	55
6 -*P*. *contortus*	5/13	3± 3.6	101± 8.9 85-105(4)	0	93±16.8	-	104± 2.2	0	16±16.0	+	40
8 -*H*. *spinocirrosa*	6/13	18585±31357.2	52±12.1 35- 65(10)	0	21±25.0	0	82±14.0	0	66±34.1	0	95
9 -*H*. *abortiva*	7/13	109± 165.7	75±15.3 55- 95(13)	0	69±13.1	0	86±14.8	0	22±17.5	+	50

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 20. (Continued)

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum range
					Anterior	Rho	Posterior	Rho			
11-*H. pusilla*	4/13	38± 66.3[a]	99± 2.5[b] 95-100(1)		98± 2.9[a]		100± 4.0[a]		8± 5.0[a]		15
12-*H.* AB	11/13	7498± 9551.4	63±20.5 10- 85(14)	0	29±24.4	0	88±18.7	+	65±32.8	+	105
13-*L. skrjabini*	9/13	307± 757.6	38±12.5 15- 55(10)	0	25±15.4	0	67±27.5	+	47±34.5	+	105
18-Spino?	11/13	4162± 7869.8	46±15.3 25- 80(11)	0	13±13.8	0	76±15.9	0	68±19.5	0	105
21-*H. spiralibursata*	13/13	562± 943.3	98± 2.4 95-100(2)	0	89± 8.9	-	102± 2.4	0	17± 8.1	+	35
23-Abort?	10/13	1526± 1968.1	69±10.8 50- 85(8)	0	55±15.5	0	97± 7.8	+	47±17.7	+	70
27-*P. paradoxus*	8/13	8± 8.5	86±11.5 65- 95(9)	0	82±12.2	0	93±11.3	0	16± 7.3	+	30

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 20. (Continued)

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum range
					Anterior	Rho	Posterior	Rho			
30-*H. albertensis*	13/13	5449± 5110.4[a]	31± 8.9[b] 20- 45(7)	0	5± 0.0[a]	0	85±17.0[a]	0	85±17.0[a]	0	105
31-*H. microskrjabini*	5/13	1355± 1250.6	40±10.0 30- 55(8)	0	9± 6.5	0	65±19.7	0	61±23.3	0	95
32-AB?	8/13	302± 383.5	46±18.9 20- 65(16)	0	38±23.5	0	70±21.7	0	38±26.0	0	70
33-*L. mathevossianae*	12/13	111± 205.9	55±12.0 40- 80(10)	0	39±10.6	0	75±18.0	+	41±22.9	+	70
40-*H. melanittae*	10/13	670± 753.8	37± 8.8 20- 45(8)	0	13±12.1	-	60±20.3	0	52±28.0	+	100
42-P	9/13	12± 13.4	77±17.9 35- 95(12)	0	74±17.8	0	79±18.4	0	10± 6.6	+	20
49-*H. formosoides*	7/13	59± 91.1	71± 9.4 60- 80(9)	0	64±12.4	0	80± 8.6	0	21±10.6	0	40

POOR COPY
COPIE DE QUALITEE INFERIEURE

Table 20. (Continued)

Helminth species	n*	N**	Median	Rho***	End points of distribution				Range	Rho	Maximum range
					Anterior	Rho	Posterior	Rho			
53-C. nyrocinarium	6/13	6± 7.9[a]	78±25.6[b] 40-105(20)	0	73±23.4[a]	0	103± 2.6[a]	0	36±22.5[a]	0	70
63-L. clerci	4/13	7± 10.8	50± 4.1 45- 55(3)		46± 8.5		53± 6.4		11±12.5		30
69-Pusilla?	3/13	123± 130.4	93± 2.9 90- 95(2)		92± 2.9		100± 0.0		13± 2.9		15
71-H. tuvAB?	4/13	157± 128.9	79±15.5 65-100(11)		73±18.5		96± 7.5		29±18.0		45
4 -H. hopkinsi	11/13	31± 21.6	Caeca								
14-N. attenuatus	3/13	6± 4.6	Caeca								

* - Number of hosts infected / number of birds examined.

** - Mean number of individual helminths per infected bird ± 1 S.D.

*** - Spearman rank correlation of number of individuals and distributional measure (i.e. range) (+ - significant ($P < .05$) positive correlation; 0 - no significant correlation; — - negative significant correlation; blank - sample size too small to test).

a - All values expressed as the mean position ± 1 S.D.

b - Mean of median location ± 1 S.D. / range of median location (average difference from median location). All values expressed as a percentage of the intestine.

Table 21. Variation around the mean median location of frequent and infrequent helminth species.

Average Difference[*]	Frequent Species[**]	Infrequent Species[***]
0-4	17	22
5-9	31	19
10-14	16	11
15 or more	3	6

Chi square = 4.82; 3 d.f.; N.S.

[*] Average difference from mean median location (percent of intestine)

[**] Frequent species - represented in greater than 50% of the individual birds infected.

[***] Infrequent species - represented in less than or equal to 50% of the individual bireds infected. (From Tables 11-20)

In 47 of 48 comparisons between pairs of birds which had five or more similar helminth species there was a significant positive rank correlation in order of occurrence. Mean correlation coefficents were all greater than 0.75 (Table 22). Sample sizes were large enough to allow similar analyses of the sequential distribution of the characteristic helminth species in scaup and scoter. The order of these species also showed significant positive correlations (scoter mean Rho=0.89, scaup mean rho=0.88). Thus, the sequence of occurrence along the intestine is predictable for the frequent and characteristic helminth species.

Another important feature of the linear distributions was whether the median locations of the parasite species were positioned along the gut in a clustered, regular or random pattern. Pielou and Routledge (1976) developed a model which they used to test the randomness of the locations of upslope and downslope boundaries of salt marsh grasses on a transect along an intertidal gradient. This model was applied to the median position of the parasite species within an individual bird, using sections as analogues of quadrats along a transect. The data (Table 23) indicated that overall distributions, and those in five of six duck species with large enough sample sizes to test independently, were distinctly non-random,

Table 22. Rank correlation of order of the median locations of helminth species in ten species of duck.

Species	N*	Rho**	n***	NS****
Bufflehead	0			
Widgeon	2	0.89±0.03	5,6	2
Ring-necked duck	2	0.88±0.13	5,6	2
Gadwall	3	0.97±0.03	6-9	3
Ruddy	4	0.93±0.09	5	4
Blue-winged teal	5	0.81±0.15	5-9	5
Canvasback	5	0.88±0.08	6-19	5
Mallard	8	0.89±0.11	5-8	7
Lesser scaup	10	0.92±0.04	5-12	10
White-winged scoter	10	0.77±0.16	6-14	10

* - Number of pairwise comparisons. A maximum of 10 were analysed.
** - Mean of Rho values ± one standard deviation.
*** - Range of helminth species in comparisons.
**** - Number of significant pairwise comparisons.

Table 23. Comparison of the distribution of median positions of helminths in ten duck species.

Species	N*	Clustered	Regular	Sign Test**
Bufflehead	1		1	n.a.
Widgeon	1		1	n.a.
Gadwall	2	1	1	n.a.
Ring-necked duck	2		2	n.a.
Ruddy	5		5	sig.
Canvasback	6	1	5	n.s.
Blue-winged teal	6		6	sig.
Mallard	10		10	sig.
Lesser scaup	15		15	sig.
White-winged scoter	13		13	sig
Total		2	59	sig.

* Number of birds with distributions detectable from random.

** n.a. = sample size too small to use sign test; n.s. = not significant; sig. = significant ($P < 0.05$).

with a marked preponderance of distributions more regular than expected by chance.

The anterior and posterior ends of the distribution of most parasite species were more variable than the median position (Tables 11 to 20). The anterior and posterior ends were compared to the population sizes (Spearman's rank correlation) of each parasite species which infected five or more individual birds of one duck species. Most parasite species showed no correlation with population size. In those that did three patterns were distinguished: 1) equilateral spreading of the end points (i.e., Apatemon gracilis in mallard and scaup, Hymenolepis abortiva in scaup, Echinocotyle rosseteri in blue-winged teal), 2) anterior position extended anteriorly (8 cases), and 3) posterior position extended posteriorly (16 cases).

The average range of the majority of helminth species was less than 1/3 of the small intestine (Fig. 18). Eight parasite species had ranges greater than 50% of the small intestine (e.g., Hymenolepis AB in scoter and blue-winged teal). In all cases they were among the most abundant parasites in their respective hosts. Comparison of the mean ranges of the ten most abundant species to ten of the least abundant species (mean no. of individuals <30; chosen at random) indicated a significant difference (Mann-Whitney U-test). In addition, there was a significant positive rank correlation of the mean numbers of individuals and mean range for three of the host generalists (Apatemon gracilis, (rho=.67),

Figure 18. The distribution of the mean ranges of seventy-five (75) helminth taxa across ten duck species.


60
40
20
number of taxa
0
50
100
percent of intestine
mean range

Fimbriaria fasciolaris (rho=.68), Corynosoma constrictum (rho=.89)).

Within individual birds, ranges of several helminth species were positively correlated with their respective population sizes (Tables 11-20). Most of the positive correlations of range with population size occurred in mallard, blue-winged teal, scaup and scoter, the species with the larger sample sizes. This suggests the phenomenon may be more prevalent than demonstrated by this study.

Comparison of the distributional measures of the helminth species considered to be host generalists indicated that most of these species occupied similar positions in the different duck species (Figs. 19 and 20). The only exception was A. gracilis; in scoter its median location was posterior to its location in the other duck species.

In the previous chapter examination of the exchange of helminth species indicated that several of the characteristic helminth species occurred in more than one host. Most of these species occupied similar portions of the intestine in different hosts (Figs. 21 to 25). However exceptions did occur; Hymenolepis AB was a characteristic species of scoter in which it occupied most of the intestine, with its median position in the posterior portion. However, in mallards, blue-winged teal, gadwall and ruddy its median position was in the anterior portion of the intestine. In one scoter its position was in the anterior end (median location-10%), similar to that in blue-winged teal.

Figure 19. Linear distributions of four host generalists across ten duck species. (vertical bar - mean median position, stipled bar - + 1 S.D., horizontal bar - mean of end points of distribution, number - no. of birds infected). (Duck codes are as in Figure 17).


Apatemon gracilis
Polymorphus contortus
Duck Species
WID
GAD
MAL
BWT
RUD
CAN
RIN
SCA
BUF
WWS
5
4
11
6
5
4
4
11
1
7
8
7
8
1
3
1
5
2
5
50
100 L.I.
Percent of Intestine


Fimbriaria fasciolaris
Corynosoma constrictum
Duck Species
WID
GAD
MAL
BWT
RUD
CAN
RIN
SCA
BUF
WWS
5
3
8
3
6
6
3
15
13
5
3
10
10
3
4
4
2
9
5
50
100 L.I.
Percent of Intestine

Figure 20. Linear distributions of Echinoparyphium recurvatum across nine duck species. (See Figure 18 for explanation of distributions).

Echinoparyphium recurvatum



Figure 21. Linear distributions of the characteristic species of Ring-necked duck across duck species. (See Figure 18 for explanation of distributions) (duck codes as in Figure 17).



Diploposthe laevis

Figure 22. Linear distributions of the characteristic species of Gadwall across duck species. (See Figure 18 for explanation of distributions) (duck codes as in Figure 17).

Echinocotyle OOO



Diorchis spinata



Figure 23. Linear distributions of characteristic species of Canvasback across duck species. (See Figure 18 for explanation of distributions) (duck codes as in Figure 17).

Diorchis n.sp. TT



Anatinella spinulosa



Figure 24. Linear distributions of characteristic species of Ruddy. (See Figure 18 for explanation of distributions) (duck species codes as in Figure 17).

Retinometra cyrtoides



Diorchis excentricus



Figure 25. Linear distribution of a characteristic helminth species of White-winged scoter across host species. (See Figure 18 for further details and explanation of the distribution).


Hymenolepis AB
Duck Species
WWS
BWT
MAL
RUD
GAD
CAN
Percent of Intestine
5
50
100
L.I.

Organization and Maintenance of Infracommunity Structure

In the preceding paragraphs, I have equated resource use to, and measured it by, spatial distribution along the intestine. Unused resources therefore, are represented by unoccupied sections within the intestine. Comparison of the number of unoccupied sections indicated widgeon had the largest mean number of empty sections (13) and scoter the least (0) (Table 24). These are the two duck species with the lowest and highest mean number of species and individuals. The number of unoccupied sections was significantly correlated with the mean number of individuals (rho=.603) but not correlated with mean number of species.

Bush (1980) examined the potential for interactions between helminth species in the infracommunities of lesser scaup on the basis of their spatial utilization patterns. Average distributions were calculated across infracommunities for each helminth species as "the best measure of realized niche"; distributions summed across infracommunities were equated to the best available measure of fundamental niche (in the absence of experimental evidence). Percent similarity was used as a measure of overlap between helminth species. Significant reductions in average overlap from summed overlap was interpreted as evidence of interaction.

Because fifteen of the sixteen scaup were part of the analyses done by Bush (1980) and the analyses of niche overlap are the same, I will only do the analyses on the

Table 24. Mean number of unoccupied sections in each species of duck.

Species	NS*
Widgeon	14±7.3
Gadwall	9±5.1
Ring-necked duck	7±4.7
Mallard	5±6.3
Bufflehead	5±3.3
Blue-winged teal	4±5.0
Canvasback	2±1.7
Ruddy	1±1.3
Lesser scaup	1±1.0
White-winged scoter	0±0.0

* NS - Number of unoccupied section(s)

nine other host species were compared to the patterns found by Bush (1980).

In the previous chapter three components were identified in the helminth communities of the ten species of waterfowl: 1) characteristic species, 2) common species (generalist species plus commonly-occurring specialists from other hosts) and 3) the stochastic element of infrequently occurring specialists from other hosts. These data were also examined for evidence of interactions (average overlap significantly less than summed overlap) both within and between the first two components. Widgeon had only one species which occurred frequently (P. contortus), so no overlap values could be determined. Two duck species, mallard and bufflehead, did not have any characteristic species, therefore interactions between this component and others could not be examined. In scoter, three immature cestodes were frequent and two of these co-occurred with adult parasites which may have been the same species. These were considered separately. Three species, Cotylurus hebraicus, Hymenolepis fausti and Dicranotaenia coronula, for which primary hosts could not be determined were not included.

Six of 21 comparisons between pairs of characteristic species had average overlap values of less than one percent (Figs. 26 to 32). I consider average overlap of less than one percent to be too small for detection of potential interactions between pairs of species.

Figure 26. Average overlap values (Percent Similarity) between the common helminth species of Mallard. (** indicates $P < 0.01$).

	7	16	2	3	10
1. *Fimbriaria fasciolaris*	.481	.303**	.295**	.000	.000
7. *Echinoparyphium recurvatum*		.301	.411	.000	.000
16. *Hymenolepis fausti*			.344**	.000	.000
2. *Apatemon gracilis*				.000	.000
3. *Corynosoma constrictum*					.061
10. *Dicranotaenia coronula*					

Figure 27. Average overlap values (Percent Similarity) between common helminth species and characteristic helminth species of Ring-necked duck. (Code numbers of characteristic species are underlined).

	55	2	36
7. *Echinoparyphium recurvatum*	.750	.511	.000
55. *Hymenolepis parvula*		.268	.750
2. *Apatemon gracilis*			.052
36. *Diploposthe laevis*			

Figure 28. Average overlap values (Percent Similarity) between the common helminth species and characteristic helminth species of Ruddy. (Characteristic species are underlined; ** $P < 0.01$).

	2	29	22	48
1. _Fimbriaria fasciolaris_	.271**	.269**	.000	.000
2. _Apatemon gracilis_		.515**	.000	.000
29. _Retinometra cyrtoides_			.058	.043
22. _Cotylurus hebraicus_				.409**
48. _Diorchis exentricus_				

Figure 29. Average overlap values (Percent Similarity) between the common helminth species and the characteristic helminth species of Gadwall. (Characteristic species are underlined; ** $P < 0.01$).

	2	34	45	6
52. *Hymenolepis* WWW	.273	.230**	.000	.000
2. *Apatemon gracilis*		.667**	.000	.000
34. *Echinocotyle* QQQ			.000	.000
45. *Diorchis spinata*				.329
6. *Polymorphus contortus*				

Figure 30. Average overlap values (Percent Similarity) between the common helminth species and characteristic helminth species of Blue-winged teal. (Characteristic species are underlined; ** $p < 0.01$).

	7	39	2	12	57	3
50. Echinocotyle NNN	0.654	0.419	0.087	0.429**	0.028	0.000
7. Echinoparyphium recurvatum		0.548**	0.419	0.361**	0.024	0.000
39. Echinocotyle rosseteri			0.243**	0.434**	0.018	0.000
2. Apatemon gracilis				0.429**	0.028	0.000
12. Hymenolepis AB					0.058	0.006
57. Sobolevicanthus octacantha						0.099
3. Corynosoma constrictum						-----

Figure 31. Average overlap values (Percent Similarity) between the common helminth species and the characteristic helminth species of Canvasback. (Characteristic species are underlined; * $P < 0.05$, ** $P < 0.01$).

	1	59	16	2	8	25	36	5	10	3	26
7. Echinoparyphium recurvatum	.531**	.115**	.459	.245**	.316**	.185	.000	.000	.000	.000	.000
1. Fimbriaria fasciolaris		.107**	.504	.269**	.121**	.270	.000	.026	.000	.000	.000
59. Anatinella spinulosa			.231**	.800	.129	.168**	.000	.000	.000	.000	.000
16. Hymenolepis fausti				.208**	.057	.275	.000	.000	.000	.000	.000
2. Apatemon gracilis					.240	.167**	.063	.128	.063	.000	.063
8. Hymenolepis spinocirrosa						.479**	.000	.218*	.000	.589	.275
25. Retinometra macracanthos							.786	.075	.111	.075	.146
36. Diploposthe laevis								.239**	.404	.000	.309
5. Polymorphis marilis									.218*	.621	.337
10. Dicranotaenia coronula										.750	.422**
3. Corynosoma constrictum											.406
26. Diorchis n. sp. TT											

Figure 32. Average overlap values (Percent Similarity) between the common helminth species and the characteristic helminth species of White-winged scoter. (Characteristic species are underlined; * $P < 0.05$, ** $P < 0.01$).

	30	40	13	18	32	2	33	12	23	49	9	3	42	27	5	21
1. *F. fasciolaris*	.315**	.259**	.208	.255**	.275	.188	.092	.108	.036	.007	.000	.023	.026	.000	.007	.000
30. *H. albertensis*		.507	.293**	.438**	.192**	.155**	.206	.109	.098*	.044	.022**	.055	.012	.002	.009	.002
40. *H. melanittae*			.256**	.424**	.200	.113**	.249	.053	.044*	.001	.000	.016	.120	.000	.013	.000
13. *L. skrjabini*				.397**	.136**	.231**	.268	.194	.318	.112	.196	.143	.025	.026*	.102	.030
18. Spino?					.140**	.245**	.244	.230	.228	.355	.148*	.095*	.098	.026	.087	.015
32. ABT						.217**	.298**	.357	.402*	.390	.302*	.085*	.036	.083*	.146	.007
2. *A. gracilis*							.355	.194*	.239*	.295	.237**	.171	.000	.000	.047	.005
33. *L. mathevossianae*								.160**	.186**	.131**	.181**	.197**	.097	.034	.096**	.042**
12. *H.* AB									.537	.497	.390**	.155**	.115**	.111**	.316**	.048**
23. Abort?										.364	.316**	.177**	.140**	.101**	.247	.149
49. *H. formosoides*											.444	.266*	.176**	.241	.236*	.073
9. *H. abortiva*												.283**	.172**	.174**	.147**	.167*
3. *C. constrictum*													.416	.625	.302**	.419
42. P														.650	.245**	.094*
27. *P. paradoxus*															.305**	.480**
5. *P. marilis*																.230**
21. *H. spiraliburs*ata																

Only five of the remaining 15 comparisons between characteristic species had significantly reduced average overlaps. Four of these occurred in scoter with the highest number of characteristic species (6). The remaining pair of characteristic species with significantly reduced average overlap occurred in gadwall. In a comparison of the potential interactions between characteristic species and the second component (common species), 21 of 90 pairs had average overlap values of less than one percent. Thirty-five of the remaining average overlap values were significantly reduced from the summed overlap values. Fewer interactions occurred betweeen the characteristic species than between these parasite species and those of the second component. However, this difference was not significant (Chi-square= 1.27 , d.f.=1). The lack of difference may be due to sample size. The number of significantly reduced average overlap values greater than one percent and overlap values not significantly reduced between the other common species were similar (46 and 51, respectively). Analysis combining these values and the values between characteristic species and other species and comparing them to values between the characteristic species also showed no significant difference in the proportion of interactions between groups (Chi-square= 1.5, d.f.=2).

The average overlap between characteristic species was significantly less than the overlap in all other comparisons (Chi-square= 28.3, d.f.=2). In contrast, the mean ranges of the characteristic species were significantly greater than the mean ranges of the other species (Chi-square= 4.26, d.f.=2). Thus, despite having larger ranges the characteristic species had smaller average overlap values. In the previous section the median location of Hymenolepis AB occurred in a more posterior location in scoter compared to its position in mallard, gadwall and blue-winged teal (Fig. 26). This species had significantly reduced average overlap values with two of the six characteristic species in scoter, one with its median location anterior to Hymenolepis AB and one posterior. The host generalist Apatemon gracilis also occurred more posteriorly in scoter compared to its location in other host species (Fig. 19). This species had significantly reduced overlap values with three characteristic species of scoter, two of which had median locations anterior to A. gracilis (Fig. 32). Thus, the evidence suggests that the characteristic species in scoter influenced the distribution of some of the other species and interacted among themselves. Within scoter an immature taxon, Abort?, occurred with Hymenolepis abortiva (characteristic species of scaup), with which it had morphological similarities, the average overlap value between these two taxa was significantly reduced. This suggests that the immature individuals are being forced to the extremes of their microhabitat.

Comparison of the number of interactions between parasite species in the different host species indicated that the proportion of interactions in duck species with low size and complexity (mallard, gadwall, ring-necked duck, bufflehead, blue-winged teal, ruddy) and duck species with higher size and complexity (canvasback, scoter) were similar (Chi-square= 0.13, 0.42, d.f.=1). Comparison of the amount of average overlap (<10%, 10-20%, >20%), however, indicated there was significantly more overlap between parasite species in scoter and canvasback than the other duck species (Chi-square=6.6, d.f.=2)

DISCUSSION

Price's (1980) conclusion that parasite species are specialists in resource exploitation was in part based upon evidence in the literature of microhabitat specificity shown by several parasite species. Within this study, most parasite species in the intestine showed little variability in their median locations, either within or between different host species. In addition, the median location did not change with increasing population size, although range occupied often did. Most taxa had mean ranges of less than 30% of the small intestine, but eight had mean ranges of greater than 50%, and even more had maximum ranges spanning almost the entire intestine. These features indicate that within individual birds, most of these parasites were microhabitat specialists, but that some, for which microhabitat specificity appeared to be a function of population size, were at least potentially microhabitat generalists.

The predictable and restricted locations occupied by most helminth species within the intestine, the predictable sequence of those locations, and their regular distribution along the intestine all imply that the infracommunities are structured. The fact that median points are more regularly distributed than expected by chance strongly suggests that an interactive mechanism is involved, and argues against the independent adaptation to different locations within the intestine suggested by Price (1980).

Bush (1980) suggested that within the intestinal helminth communities of scaup, the deterministic component was structured through interactive mechanisms, but that the stochastic component was noninteractive. Sample sizes within this study precluded examination of the stochastic component. However, the number of ducks examined allowed me to separate the deterministic component of Bush (1980) into two parts, the characteristic species and other frequently occurring species. The characteristic species were the host specialists, which presumably have co-occurred with each other regularly, and which would be expected to show the greatest evolutionary co-adaptation (Holmes and Price, 1981). The other frequently occurring species are generalists and species which were specialists in other hosts. Although these species may co-occurred frequently, their major populations were more widely distributed (and subject to more varied selection pressures) or were in other hosts, where they were subject to evolutionary pressures from other groups of parasites. It is not suprising, therefore that, there was significantly less overlap between the characteristic species (despite their large average ranges within the intestine). Although these species had proportionally fewer interactions, the difference was not significant and needs to be examined with larger sample sizes. However, the smaller amount of overlap despite larger ranges is a feature expected from a group of coevolved specialists.

In scoter, in which the parasite communities had high complexity and large numbers of individuals, the number of interactions between the characteristic species (4) was higher than in the other duck species (1). In scaup, Bush (1980) noted that most of the frequent species, including the eight characteristic species identified in this study, showed significantly reduced average overlap values. The increased number of interactions with increasing number of characteristic species may indicate that these infracommunities are saturated. However, scoter have a much larger intestine, both in length and radius (personal observation), than the other duck species. At least two of the overlapping characteristic species in scoter were observed to form irregular aggregations, within individual 5% sections of the intestine, with empty space separating groups of individuals and co-occurring helminth species. This pattern was not observed in scaup, in which parasites tended to be uniformly distributed around and along the intestine.

The duck species with few parasite species and individuals had many unoccupied sections, in these situations the aggregations of individual parasite may have been a result of selection pressures to mate in sparse populations (Rohde, 1979).

In conclusion, both interactive and noninteractive explanations can be applied to the helminth communities in waterfowl. However, Price's (1980) statement that most cases of parasite coexistence involve predominantly noninteractive niche occupation is not supported by this study. Interactions between species were not uncommon and for at least two species in white-winged scoter (Apatemon gracilis, Hymenolepis AB), the different position they occupied (as compared to their position in other hosts) appeared to be a direct response to interactions with characteristic species within the same region of the intestine.

IV.

ORGANIZATION OF INTESTINAL HELMINTH COMMUNITIES IN WATERFOWL ALONG TWO RESOURCE AXES

Generalist and Specialist Species on Two Resource Axes

In the previous two chapters I examined the resource use of helminth parasites along two nested resource axes: host species and the microhabitats within the intestine. Resource use across host species was measured by the niche breadth of mature individuals (B'a(mature)). Resource use within the intestine was determined by mean range occupied within infracommunities. The analysis demonstrated that, on each axis, parasite species may fall anywhere along a continuum from extreme specialist to extreme generalist. Obviously, generalist and specialist are relative terms. However, describing a species as a specialist or generalist, only applies to one resource axis.

Because specialist and generalist are relative terms along a continuum it is difficult to assign a critical value to separate one group from another. The simplest method is to compare the extremes of the continuum. For this purpose I will use the seven species which are at each extreme of the continuum in comparing niche breadth (B'a(mature)) along the host resource axis. The seven host generalists include Hymenolepis hopkinsi, Capillaria anatis, Notocotylus attenuatus, Polymorphus contortus, Corynosoma constrictum, Fimbriaria fasciolaris, and Apatemon gracilis (Table 25).

The seven host specialists include H. WWW, Echinocotyle NNN, E. rosseteri, Lateriporus mathevossianae H. albertensis, H. melanittae, and H. formosoides.

Three of the host generalist species inhabited the caeca in all hosts and were obviously microhabitat specialists relative to those which occupy the intestine (Table 25). Within the intestine two of the generalist species had mean ranges of less than 15% of the intestine and two species had mean ranges greater than 20% of the intestine.

The host specialists showed similar variation between parasite species. Two species had mean ranges of less than 15% and two species had mean ranges of greater than 50% of the intestine. Comparison of the maximum range occupied by a parasite species in one host individual demonstrated similar relationships between the two parasite groups. The caeca were equated to a 5% section of the intestine. Some of the host specialists occupied a maximum range of the entire intestine.

An alternative, and perhaps better analysis is to examine the distribution of all common species as defined by their positions along both resource axes (using mean range as the measure of microhabitat resource use and B'a(mature) as the measure of resource use along the host axis) (Fig. 33). Since parasites which mature in several host species may have very different microhabitat ranges in the different host species, each parasite entered the figure separately

Table 25. Niche breadth measures along two resource axes (host and microhabitat) of generalist and specialist helminth species from ten species of ducks.

	N_h^*	B'a(mature)	Mean range**	Maximum range
GENERALISTS				
H. hopkinsi	10	0.16	Caeca	5
C. anatis	8	0.34	Caeca	5
N. attenuatus	8	0.34	Caeca	5
P. contortus	8	0.35	11± 4.1	45
C. constrictum	9	0.35	12± 8.6	50
A. gracilis	10	0.57	23±12.3	75
F. fasciolaris	9	0.36	24±12.4	65
SPECIALISTS				
H. WWW	1	0.01	11± 1.9	15
E. rosseteri	1	0.04	27±17.5	55
E. NNN	1	0.04	10± 9.1	30
L. mathevossianae	1	0.11	41±22.9	70
H. melanittae	1	0.08	52±28.0	100
H. formosoides	1	0.07	21±10.6	40
H. albertensis	1	0.08	85±17.0	105

$^*N_h$ - number of hosts infected

** Mean range for generalists is the mean of the mean range in all hosts infected.

Figure 33. Comparison of the number of helminth species along two resource axes (host and microhabitat). Host axis is measured by the niche breadth of mature species (B'a (mature)) and the microhabitat axis is measured by the mean range of helminth species location in the intestine. Dotted line indicates separation between relative specialists and generalists along each axis (e.g. lower left quadrat are specialists on both axes).


1.0
.5
0
50
100
B'a mature
mean range (percent)
microhabitat
1 1 5 2
13 9 5 2 1
1 4 5 2
7 5 11 5 3 1 3
6 8 12 4 1 1 1

for each host in which it matured. Many species were specialists on both axes, others were specialists on one and generalists on another, and some were generalists on both. A chi-square test indicated the distribution along the two axes were not independent (Chi-square= 4.07, $p<.05$), but complementary. Thus, there is no reason to assume the use of resources by sympatric species will be the same on all resource axes, nor is there reason to conclude that all parasite species are specialists. Parasites show the same variation in specialization on resource axes, and the same pattern of complementarity of specialization (Pianka, 1978) on different resource axes as other organisms.

Interactive and Noninteractive Community Structure

Two basically different explanations have been proposed for the microhabitat specificity observed in parasites and the consequent nature of parasite communities. Holmes (1973) proposed that parasite communities were mature and that selective site segregation was a response to interactions with other parasite species. Price (1980) proposed that parasite communities are assemblages of specialists adapted to specific microhabitats because of unspecified selection pressures other than competition.

Holmes and Price (1980) have compared the two hypotheses of parasite community structure to the theory of community development proposed by Wilson (1969). Price's view was equated with Wilson's initial noniniteractive phase during which helminth species colonize a new and underutilized habitat. Holmes's view was equated with Wilson's final evolutionary phase in which helminth species no longer interact because they have adapted to coexist with the pattern of exploitation of resources by other species.

Holmes and Price (1980) have also provided predictions as to five features one would expect to observe in parasite communities if they conformed with either the initial noninteractive phase of community development or the final evolutionary phase of development. Predictions concerning three of these features are applicable to this study.

The first prediction states that parasite communities in the initial noninteractive phase should have many vacant niches available for colonization, whereas in the final evolutionary phase there will be few or no vacant niches. Within this study, the ten duck species were arranged on a loose cline of complexity, size and similarity between helminth communities. The species with low complexity and small sized helminth communities had unused resources (unoccupied sections) available for colonization and thus correspond to the view of a young parasite community. The helminth communities with high complexity and large size had no unoccupied sections, and thus correspond to the view of a mature parasite community.

The second prediction states that the parasite communities in the initial phase will have few helminth species not abutting in distribution, and some helminth species showing considerable overlap (>70%) on relevant resource gradients. Parasite communities in the final phase of development will have many adjacent helminth species abutting, or if overlapping, the overlap will be less than 70%. This prediction can be examined along the loose cline of helminth communities from low to high complexity. I will measure "abutting" distributions as those which have a mean overlap of 1-10%. Using this criterion, the complex parasite communities in scoter and canvasback had a high proportion (33% of pairs) of abutting distributions, and a small proportion (12%) of distributions with 50% overlap or more. Parasite communities in scaup showed a similar pattern (46% abutting, 1% with 50% overlap or more- Bush, 1980). The parasite communities in the other six ducks had a very small proportion of abutting distributions (8%) but about the same proportion showing high overlap (9%). In addition, there was significantly less overlap between the characteristic species than between the other species within the intestine even though the ranges of the characteristic species were significantly larger than the ranges of the other species. Clearly, the extremes of the parasite communities (low complexity, low similarity and high complexity, high similarity) correspond with the young and mature views of community structure, respectively.

The third prediction states that hosts with similar sets of resources (i.e., adult ducks of one species) should support an unpredictable number of helminth species in the initial noninteractive phase of development, but a predictable number in the final phase. Restated, there will be few common or characteristic helmith species in parasite communities in the initial phase of community development. In the evolutionary phase, a predictable number of helminth species should be present. This prediction of a consistent number of species is again reflected along the cline of helminth communities. Widgeon and bufflehead with low similarity between individuals had no characteristic species and had an unpredictable suite of parasites. Helminth communities with high similarity obviously have a predictable component.

Thus, it is clear the two ends of the continuum of parasite communities, from low complexity, small size and low similarity to high complexity, large size and high similarity agree with the predictions of the two views of parasite community structure, the former with predictons for a young community the latter for a mature community. The fact that parasite communites in waterfowl agree with the initial and final phases of community development and show evidence for both interactive and noninteractive mechanisms of community structure, is not surprising if parasites are viewed as being capable of spanning all options of resource use in a similar manner to freeliving organisms and not restricted to being extreme specialists in resource exploitation.

LITERATURE SITED

Avery, R. A. 1969. The ecology of tapeworm parasites in wildfowl. Wildfowl 20:59-68.

Bartonek, J. C. 1972. Summer foods of American widgeon, mallards, and a green-winged teal near Great Slave Lake, N. W. T. . Can. Field Nat. 86:373-376.

Bartonek, J. C. 1969. Selective feeding by juvenile diving ducks in summer. Auk 86: 443-457.

Beverley-Burton, M. 1972. Helminths from wild anatids in Great Britain. J. Helminth. 46: 345-355.

Brooks, D. R. 1979. Testing the context and extent of host-parasite coevolution. Syst. Zool. 30: 193-203

Bush, A. O. 1980. Faunal similarity and infracommunity structure in the helminths of lesser scaup. Ph.D. thesis. University of Alberta.

Calhoun, M. L. 1954. The microscopic anatomy of the digestive system of the chicken. Iowa State College Press, Ames, Iowa.

Caswell, H. 1976. Community structure: A neutral model analysis. Ecol. Mono. 46: 327-354.

Clifford, H. T. and W. Stephenson. 1975. An introduction to numerical classification. Academic Press. New York.

Conner, E. F.and D. Simberloff. 1979. The assembly of species communities: chance or competition. Ecology. 60: 1132-1140.

Cornwell, G. W. and A. B. Cowan. 1963. Helminth populations of the canvasback (Aythya valisineria) and host-parasite environmental interrelationships. Trans. 28th North Am. Wild. and Nat. Res. Conf. pp. 173-198.

Crompton, D. W. T. 1973. The sites occupied by some parasitic helminths in the alimentary tract of vertebrates. Biol. Rev. 48: 27-83.

Crompton, D. W. T. and M. C. Nesheim. 1968. Amino acid patterns during digestion in the small intestine of ducks. J. Nut. 99: 43-50.

Delacour, J. and E. Mayr. 1945. The family Anatidae. Wilson Bull. 57: 3-55.

Dogiel, V. A. 1964. General Parasitology. Oliver and Boyd. London and Edinburgh.

Erskine, A. J. 1972. Buffleheads. Can. Wild. Serv. Mono. Ser. No. 4

Fox, D. J. and K. E. Guire. 1976. Documentation for Midas. Statistical Research Laboratory. Univ. of Michigan.

Graham, L. C. 1966. The ecology of the intestinal helminths of lesser scaup (Aythya affinis Eyton) and ruddy ducks (Oxyura jamaicensis Gmelin). M.Sc. thesis. Univ. of Alberta, Edmonton.

Hair, J. D. 1975. The structure of the intestinal helminth communities of lesser scaup (Aythya affinis). Ph.D. thesis. Univ. of Alberta. Edmonton.

Hair, J. D. and J. C. Holmes. 1975. The usefulness of measures of diversity, niche width and niche overlap in the analysis of helminth communities. Acta. Parasit.

Pol. 23: 253-269.

Hobbs, R. C. 1980. Interspecific interactions among gastrointestinal helminths in pikas of North America. Amer. Mid. Nat. 103: 17-25.

Holmes, J. C. 1961. Effects of concurrent infections on Hymenolepis diminuta (Cestoda) and Moniliformis dubius (Acanthocephala). I. General effects and comparison with crowding. J. Parasit. 47: 209-216.

Holmes, J. C. 1962. Effects of concurrent infections on Hymenolepis diminuta (Cestoda) and Moniliformis dubius (Acanthocephala). II. Effects on growth. J. Parasit. 48: 87-96.

Holmes, J. C. 1973. Site selection by parasitic helminths: interspecific interactions, site segragation, and their importance in the development of helminth communities. Can. J. Zool. 51: 333-347.

Holmes, J. C. 1976. Host selection and its consequences. pp. 21-39 In Kennedy, C. R. (ed.), Ecological Aspects of Parasitology. North-Holland Publishing Co. . Amsterdam.

Holmes, J. C. and P. W. Price. 1980. Parasite communities: The role of phylogeny and ecology. Syst. Zool. 29: 203-213.

Holmes, J. C., R. D. Hobbs and T. S. Leong. 1977. Populations in perspective: Community organization and regulation of parasite populations. pp. 209-245. In Esch, G. W. (ed.), Regulation of parasite populations. Academic Press. New York.

Hurlbert, S. H. 1978. The measurement of niche overlap and some relatives. Ecology. 59: 67-77.

Janson, S. and J. Vegelius. 1981. Measures of ecological association. Oecologia. 49: 371-376.

Johnsgard, P. A. 1960. Comparative behavior of the Anatidae and its evolutionary implication. Wildfowl Trust Ann. Rep. 11: 31-45.

Johnsgard, P. A. 1961. The tracheal anatomy of the Anatidae and its taxonomic significance. Wildfowl 12: 58-69.

Kotecki, N. R. 1970. Circulation of the cestode fauna of Anseriformes in the Municipal Zoological Gardens in Warszawa. Acta. Parasit. Pol. 27: 329-355.

Kuris, A. M., A. R. Blaustein, and J. J. Alio. 1980. Hosts as islands. Am. Natur. 116: 570-586.

Lapage, G. 1961. A list of the parasitic protozoa, helminths and arthropoda recorded from species of the family Anatidae (ducks, geese and swans). Parasitology. 51: 1-109.

Leong, T. S. and J. C. Holmes. 1981. Communities of metazoan parasites in open water fishes of Cold, Lake, Alberta. J. Fish. Biol. 18: 693- 713.

Margolis, L. and J. R. Arthur. 1979. Synopsis of the parasites of the fishes of Canada. Bull. Fish. Res. Bd. Canada, Ottawa. No. 199.

Martin, D. R. 1969. Lecithodendriid trematodes from the bat _Peopteryx_ _kappleri_ in Columbia, including discussions of allometric growth and significance of ecological isolation. Proc. Helm. Soc. Wash. 36: 250-260.

McCaig, M. L. and C. A. Hopkins. 1963. Studies on Schistocephalus solidus. II. Establishment and longevity in the definitive host. Exp. Parasit. 13: 273-283.

McDonald, M. E. 1969. Catalogue of helminths of waterfowl (anatidae). U. S. Dept. Int. Spec. Scient. Rpt.-Wild. No. 126.

McLaughlin, J. D. and M. D. B. Burt. 1979. A survey of the intestinal helminths of waterfowl from New Brunswick, Canada. Can. J. Zool. 57: 801-807.

Mendall, H. L. 1958. The ring-necked duck in the Northeast. Univ. of Maine Bull. No. 60.

Neraasen, T. G. and J. C. Holmes. 1975. The circulation of cestodes among three species of geese nesting on the Anderson River Delta, Canada. Acta Parasit. Pol. 23: 277-289.

Perret, N. G. 1962. The spring and summer foods of the common mallard (Anas platyrhynchos platyrhynchos L.) in south central Manitoba. M.Sc. thesis. Univ. of British Columbia.

Pianka, E. 1978. Evolutionary ecology. 2nd Edition. Harper and Row, New York.

Pielou, E. C. 1975. Ecological Diversity. Wiley, New York.

Pielou, E. C. 1977. Mathematical Ecology. Wiley, New York.

Pielou, E. C. and R. D. Routledge, 1976. Salt marsh vegetation. Latitudinal variation in the zonation patterns. Oecologia. 24: 311-321.

Price, P. W. 1980. Evolutionary biology of parasites. Princeton Univ. Press. Princeton, New Jersey.

Riley, J. and R. W. Owen. 1975. Competition between two closely related Tetrabothrius cestodes of the fulmar (Fulmarus glacialis L.). Z. Parasitenk. 46: 221-228.

Rodgers, J. P. and L. J. Korschgen. 1966. Foods of lesser scaups on breeding, migration, and wintering areas. J. Wildl. Manage. 30: 258-264.

Rohde, K. 1978. Latitudinal differences in host specificity of marine Monogenea and Digenea. Marine Biol. 47: 125-134.

Rohde, K. 1979. A critical evaluation of intrinsic and extrinsic factors responsible for niche restrictions in parasites. Am. Natur. 114: 648-671.

Rosenzwieg, M. L. 1981. A theory of habitat selection. Ecology. 62: 327-335.

Shaw, M. G. and A. A. Kocan. 1980. Helminth fauna of waterfowl in central Oklahoma. J. Wild. Dis. 16: 59-64.

Siegfried, W. R. 1973. Summer food and feeding of the ruddy duck in Manitoba. Can. J. Zool. 51: 1293-1297.

Silver, B. B., T. A. Dick and M. E. Welch. 1981. Concurrent infections of Hymenolepis diminuta and Trichinella spiralis in the rat intestine. J. Parasit. 66: 786-791

Sogandares-Bernal, F. 1959. Digenetic trematodes of marine fishes from the Gulf of Panama and Bimini, West Indies. Tulane Stud. Zool. 7: 69-117.

Stephenson, W., W. T. Williams and S. D. Cook. 1972.

Computer analysis of Peterson's original bottom communities. Ecol. Mono. 42: 387-415.

Sukhdeo, M. V. K. and N. A. Croll. 1981. The location of parasites within their hosts: Factors affecting longitudinal distribution of Trichinella spiralis in the small intestine of mice. Int. J. Parasit. 11: 163-168.

Sulgostowska, T. 1963. Trematodes of birds in the biocoenosis of the lakes Druzno, Goldpiwo, Mamry, Polnocne and Swiecajty. Acta. Parasit. Pol. 11: 239-264.

Swanson, G. A. and M. I. Meyer. 1973. The role of invertebrates in the feeding ecology of Anatinae during the breeding season. pp. 143-185. In Waterfowl habitat management symposium. Moncton, New Brunswick.

Turner B. and H. Weaver. 1977. 1977 Alberta waterfowl status report. Unpublished Alberta waterfowl technical committee report.

Whittaker, R. H. 1975. Communities and ecosystems. 2nd. Edition. Macmillan Publishing Co. New York.

Wilson, E. O. 1969. The species equilibrium. Brookhaven Symp. in Biol. 22: 38-47.

Wishart, D. 1978. Clustan user manual. 3rd. Edition. University College, London.

Woolfenden,G. E. 1961. Postcranial osteology of thew waterfowl. Fla. State Mus. Bull. No. 6.

Ziswiller, V. and D. S. Farner. 1972. Digestion and the digestive system. pp. 343-430. In Farner, D. S. and J. R. King (eds.). Avian Biology. Vol. II.

Appendix 1. Species, lake, month, year, sex and weight of birds used in this study.

Bird No.	Lake*	Month	Year	Sex**	Weight***	Examined****
Mallard						
MAL01	CH	06	1979	F	1050	
MAL02	CH	06	1979	F	950	
MAL03	CH	07	1977	F	960	
MAL04	BL	06	1979	M	1400	
MAL05	BL	08	1979	U	1100	
MAL06	VD	07	1978	F	1100	1
MAL07	CP	06	1980	M	1150	1
MAL08	CP	06	1977	F	900	1
MAL09	CK	05	1977	M	1030	1
MAL10	BO	06	1978	M	1300	1
MAL11	LA	06	1977	M	1250	1
MAL12	LA	06	1977	M	1250	1
MAL13	RS	05	1977	M	1150	1
MAL14	RS	05	1977	F	900	1
MAL15	RS	05	1977	M	1050	1
MAL16	CW	06	1980	F	950	2
Widgeon						
WID01	CH	06	1979	F	560	
WID02	CH	06	1979	F	620	
WID03	CH	06	1979	F	570	
WID04	CH	06	1979	F	510	
WID05	BL	06	1979	M	690	
WID06	BL	06	1979	F	800	
WID07	BL	06	1979	F	795	
WID08	BL	06	1979	M	775	
WID09	BL	07	1978	U	690	
WID10	RS	05	1977	M	690	1
WID11	RS	05	1977	M	670	1
Gadwall						
GAD01	BL	06	1979	M	790	
GAD02	BL	06	1979	M	795	
GAD03	BL	06	1979	M	760	
GAD04	BL	06	1979	F	780	
GAD05	BL	06	1979	M	715	
GAD06	DU	06	1977	M	990	
GAD07	DU	06	1977	M	1000	
Blue-winged teal						
BWT01	CW	06	1979	M	405	
BWT02	CW	06	1979	U	350	
BWT03	CW	06	1979	U	370	
BWT04	CP	06	1977	M	365	
BWT05	CP	06	1977	M	355	
BWT06	BL	07	1977	U	340	
BWT07	BL	06	1979	M	370	
BWT08	BL	06	1979	M	360	
BWT09	BL	06	1979	M	400	
BWT10	BL	06	1979	F	425	
Ruddy						
RUD01	BL	06	1979	M	600	
RUD02	BL	06	1979	M	600	
RUD03	LA	07	1977	F	500	
RUD04	LA	07	1977	M	645	
RUD05	LA	07	1977	F	540	
RUD06	BL	06	1979	M	660	
Bufflehead						
BUF01	CH	06	1979	F	270	
BUF02	CP	06	1977	M	425	
BUF03	CP	08	1977	U	470	
BUF04	CH	08	1979	U	320	
BUF05	CH	08	1979	U	400	
BUF06	CP	06	1977	F	265	
Canvasback						
CAN01	CH	07	1977	F	1000	
CAN02	CH	07	1977	M	1000	
CAN03	CH	07	1977	M	1100	
CAN04	BL	07	1980	M	805	
CAN05	BL	07	1980	F	1060	
CAN06	BL	07	1980	U	1278	
Ring-necked duck						
RIN01	CW	06	1977	M	670	
RIN02	CW	06	1977	M	700	
RIN03	CW	06	1977	F	590	
RIN04	CW	06	1979	M	590	
RIN05	CW	06	1979	F	800	
RIN06	CW	06	1979	F	615	
White-winged scoter						
WWS01	WF	06	1978	M	1450	
WWS02	WF	06	1978	M	1650	
WWS03	WF	06	1978	M	1800	
WWS04	CP	06	1977	F	1200	
WWS05	CP	06	1977	M	1650	
WWS06	CP	06	1977	M	1600	
WWS07	BL	06	1979	M	1600	
WWS08	BL	06	1979	M	1600	
WWS09	BL	06	1979	M	1800	
WWS10	BL	08	1979	M	1350	
WWS11	FH	06	1978	M	1550	
WWS12	FH	06	1978	M	1500	
WWS13	FH	06	1978	M	1600	
Lesser scaup						
SCA01	BL	06	1979	M	660	
SCA02	CP	06	1977	F	-0	3
SCA03	CP	06	1977	M	-0	3
SCA04	CP	06	1977	F	-0	3
SCA05	WF	06	1978	F	-0	3
SCA06	WF	06	1978	M	-0	3
SCA07	WF	06	1978	M	-0	3
SCA08	BL	06	1977	F	-0	3
SCA09	BL	06	1977	M	-0	3
SCA10	BL	06	1977	M	-0	3
SCA11	FH	06	1978	M	-0	3
SCA12	FH	06	1978	F	-0	3
SCA13	FH	06	1978	F	-0	3
SCA14	FH	06	1978	M	-0	3
SCA15	FH	06	1978	F	-0	3
SCA16	FH	06	1978	M	-0	3

* Lake codes: BL-Bellshill; BO-Bistcho; CH-Charron; CP-Chip; CK-Cowoki; CW-Cow; DU-Dusty; FH-Fleeinghorse; LA-Lanes; RS-Rattlesnake; VD-Vadlin; WF-Wolf.
**Sex M-males; F-females; U-unknown.
***Weight: grams
****Examined by: 1-K.M.Nielsen; 2-J.M.Aho; 3-A.O.Bush ; all others examined by E.V. Butterworth

POOR COPY
COPIE DE QUALITEE. INFERIEURE

Appendix 2. Helminth species codes (numerical) for 118 taxa recovered from ten species of ducks.

1. Fimbriaria fasciolaris
2. Apatemon gracilis
3. Corynosoma constrictum
4. Hymenolepis hopkinsi
5. Polymorphis marilis
6. Polymorphus contortus
7. Echinoparyphium recurvatum
8. Hymenolepis spinocirrosa
9. Hymenolepis abortiva
10. Dicranotaenia coronula
11. Hymenolepis pusilla
12. Hymenolepis AB
13. Lateriporus skrjabini
14. Notocotylus attenuatus
15. Capillaria anatis
16. Hymenolepis fausti
17. Hymenolepis tuvensis
18. Spino ?*
19. Zygocotyle lunata
20. PP*
21. Hymenolepis spiralibursata
22. Cotylurus hebraicus
23. Abort?*
24. Retinometra pittalugi
25. Retinometra macracanthos*
26. Diorchis n.sp. TT
27. Polymorphus paradoxus
28. Echino?*
29. Retinometra cyrtoides
30. Hymenolepis albertensis
31. Hymenolepis microskrjabini
32. AB?*
33. Lateriporus mathevossianae
34. Echinocotyle QQQ
35. Hymenolepis recurvata
36. Diploposthe laevis
37. Diorchis elisae
38. Diorchis danutae
39. Echinocotyle rosseteri
40. Hymenolepis melanittae
41. Echinostoma revolutum
42. P*
43. Hymenolepis tuv?*
44. X*
45. Diorchis spinata
46. Cotylurus flabelliformis
47. Capillaria obsignata
48. Diorchis excentricus
49. Hymenolepis formosoides
50. Echinocotyle NNN
51. Unciunia n.sp.
52. Hymenolepis WWW
53. Capillaria nyrocinarum
54. Sobolevicathus gracilis*
55. Hymenolepis parvula
56. Diorchis AD*
57. Sobolevicanthus octacantha*
58. Hymenolepis paracompressa
59. Anatinella spinulosa
60. TTT*
61. Hymenolepis compressa
62. Micro?*
63. Lateriporus clerci*
64. Hymenolepis arcuata
65. Sobolevicanthus kenaiensis
66. RR*
67. Hypoderaeum conoideum
68. Aploparaksis fucigera
69. Pusilla?*
70. Hymenolepis XXX*
71. Hymenolepis tuv AB?*
72. Microphallus sp 1
73. Oligorchis n.sp.*
74. Hymenolepis GGG
75. D*
76. NN*
77. Sobolevicanthus bissacata
78. Hymenolepis PHI
79. Diorchis n.sp.B
80. Parvula?*
81. AE*
82. AL*
83. III*
84. EE*

POOR COPY
COPIE DE QUALITEE INFERIEURE

85. T*
86. QQ
87. Plagiorchis Sp
88. JX*
89. ABN*
90. US*
91. Hymenolepis spiraliburşata**
92. Diorchis inflata*
93. NJ*
94. ABZ*
95. JJJ*
96. Microphallus sp. 2
97. DDD*
98. ZZZ*
99. Sobolevicanthus krabbela
100. Delta*
101. CCC*
102. Diorchis PHLY*
103. FFF*
104. ENNNA*
105. KKK*
106. AN*
107. C*
108. L*
109. BD*
110. H?
111. Hymenolepis hop?
112. AZ*
113. ABK*
114. ABHH*
115. AXXX*
116. AJA*
117. Schistocephalus sp.
118. Lambda*

* No mature individuals found (presence of shelled eggs) ; all immature individuals,

** Hymenolepis spiraliburşata (nec Denny, 1969)

POOR COPY
COPIE DE QUALITEE INFERIEURE

Appendix 3. Taxonomic characters of helminth species that could not be identified. Hook lengths are in micrometers.

Numerical Code	Designation	Hooks Number	 Length	Shape	Remarks
Trematoda					
20	PP	--	--	--	Strigeidae? (immature)
28	Echino?	38 - 44	--	--	*Echinoparyphium*? (immature)
72	Microphallid sp 1	--	--	--	*Spleotrema*?
96	Microphallid sp 2	--	--	--	*Maritrema*?
Cestoda					
12	*Hymenolepis* AB	10	46 - 48	diorchoid	*Hym*. *paramicrosoma*?
18	Spino?	10	42 - 46	dio.	*Hym*. *spinocirrosa*? (immature)*
23	Abort?	10	32 - 38	dio.	*Hym*. *abortiva*? (immature)*
26	*Diorchis* TT	10	40 - 42	dio.	eggs with one polar filament at each pole
32	AB?	10	46 - 48	dio.	*Hym*. AB? (immature)*
34	*Echinocotyle* QQQ	10	52 - 62	dio.	spiny accessory sec
42	P	10	18	aploporaksis	--
43	*Hym*. tuv.?	10	34 - 38	dio.	*Hym*. *tuvensis*?
44	X	8	70 - 74	skrjabini	*Retinometra*?

Numerical Code	Designation	Number	Length	Shape	Remarks
50	*Echinocotyle* NNN	10	48 - 52	dio.	sclerotized accessory sac
52	*Hym*. WWW	10	48 - 52	dio.	*Hym*. collaris?
56	TTT	8	32 - 34	skrjabini	--
62	Micro?	10	32 - 38	dio.	*Hym*. *microskrjabini* (immature)*
66	RR	10	50 - 60	dio.	*Hym*. *compressa*/*paracompressa*?
69	Pusilla?	10	18 - 22	arcuctoid	*Hym*. *pusilla* (immature)*
70	*Hym*. XXX	8	23	skrjabini	large scolex
71	*Hym*. tuv AB?	10	34 - 38	dio.	--
74	*Hym*. GGG	10	42 - 46	dio.	long spiny cirrus (abortiva type)
75	D	10	26 - 28	dio.	see Bush (1980) (*Hym*.. sp. 2)
76	NN	10	48	dio.	--
78	*Hym*. PHI	10	88	dio.	spiny cirrus
79	*Diorchis* B	10	28 - 30	recurvatoid	spiny cirrus
80	Parvule?	10	42 - 44	recurvatoid	spiny cirrus
81	AE	10	50	dio.	--
82	AL	10	68	dio.	--
83	III	10	50	dio.	--

Numerical Code	Designation	Number	Length	Shape	Remarks
84	EE	10	18	aploporaksis	--
85	T	10	26 - 27	dio.	see Bush (1980)
86	QQ	8	76	skrjabini	*Sobolevicanthus?*
88	JX	10	40 - 43	--	*Dubinolepis?*
89	ABN	10	30 - 31	dio.	see Bush (1980)
90	US	10	20	dio.	--
93	NJ	10	24 - 28	dio.	--
94	AB2	10	88	dio.	see Bush (1980)
95	JJJ	10	26	arcuatoid	long handle
97	DDD	10	100	dio.	--
98	ZZZ	10	43	dio.	--
100	Delta	8	52	skrjabini	--
101	CCC	10	12 - 14	apoloraksis	--
102	*Diorchis* PHLY	10	72 - 74	dio.	flask-like vagina
103	FFF	22	18	aploporaksis	*Dicrano coronula*
104	*Echinocotyle* NNNA	10	60 - 64	dio.	--
105	KKK	8	60 - 62	skrjabini	--
106	AN	10	60	dio.	--

Numerical Code	Designation	Number	Length	Shape	Remarks
107	C	10	32	dio.	Abort?
108	L	10	38	dio.	--
109	BD	10	30	arcuatoid	spiny cirrus
110	H?	10	30 - 31	arcuatoid	--
111	*Hym.* hop?	--	--	--	no hooks *Hym. hopkinsi*?
112	AZ	10	88	dio.	--
113	ABK	10	113 - 115	dio.	--
114	ABHH	8	56 - 58	skrjabini	--
115	AXXX	10	52	recurvatoid	--
116	AJA	8	87	skrjabini	--
118	LAMBDA	10	50	arcuatoid	--

* Immature - everted larval stage with no proglottid development.

Appendix 4. Composition of parasite species groups derived by cluster analysis using Jaccard's coefficient of similarity for 75 helminth taxa.

A

1. *Fimbraria fasciolaris*
2. *Apatemon gracilis*
3. *Corynosoma constrictum*
4. *Hymenolepis hopkinsi*
6. *Polymorphus contortus*
7. *Echinoparyphium recurvatum*
10. *Dicranotaenia coronula*
14. *Notocotylus attenuatus*
16. *Hymenolepis fausti*
19. *Zygocotyle lunata*
25. *Retinometra macroacanthus*
28. Echino?*

B

20. PP*
26. *Diorchis* n. sp. TT
36. *Diploposthe laevis*
37. *Diorchis elisae*
50. *Unciunia* n. sp.

C

5. *Polymorphus marilis*
8. *Hymenolepis spinocirrosa*
9. *Hymenolepis abortiva*
11. *Hymenolepis pusilla*
17. *Hymenolepis tuvensis*
24. *Retinometra pittalugi*
13. *Lateriporus skrjabini*
35. *Hymenolepis recurvata*
43. *Hymenolepis* tuv?*
47. *Capillaria obsignata*

D

22. *Cotylurus hebraicus*
29. *Retinometra cyrtoides*
48. *Diorchis excentricus*
56. *Diorchis* AD*

E

54. *Sobolevicanthus gracilis**
58. *Hymenolepis paracompressa*
61. *Hymenolepis compressa*
66. RR*

F

44. X*
59. *Anatinella spinulosa*
65. *Sobolevicanthus kenaiensis*

G

15. *Capillaria anatis*
46. *Cotylurus flabelliformes*
55. *Hymenolepis parvula*
74. *Hymenolepis* GGG

H

64. *Hymenolepis arcuata*
73. *Oligorchis* n. sp.
75. D*

POOR COPY
COPIE DE QUALITEE INFERIEURE

Appendix 4. (Continued).

I

12. *Hymenolepis* AB
18. Spino?*
23. Abort?*
32. AB?*
21. *Hymenolepis spiralibursata*
30. *Hymenolepis albertensis*
27. *Polymorphus paradoxus*
33. *Lateriporus mathevossinae*
40. *Hymenolepis melanittae*
42. P*
49. *Hymenolepis formosoides*
53. *Capillaria nyrocinarum*
62. Micro?
63. *Lateriporus clerci*
69. Pusilla?*
71. *Hymenolepis* tuvAB?*
72. *Microphallus* sp. 1

J

34. *Echinocotyle* QQQ
45. *Diorchis spinata*
52. *Hymenolepis* WWW
70. *Hymenolepis* XXX*
38. *Diorchis danutae*

K

39. *Echinocotyle rosseteri*
50. *Echinocotyle* NNN
57. *Sobolevicanthus octacantha**
60. TTT*

L

41. *Echinostoma revolutum*
67. *Hypoderaeum conoideum*
68. *Aploparaxis fucigera*

* Denotes no mature individual specimens (no presence of shelled eggs) were found.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Appendix 5. Composition of parasite species groups derived by cluster analysis using Euclidean distance for 75 taxa of helminths.

AA

1. Fimbriara fasciolaris
2. Apatemon gracilis
4. Hymenolepis hopkinsi
6. Polymorphus contortus

BB

5. Polymorphus marilis
13. Lateriporus skrjabini
33. Lateriporus mathevossinae
31. Hymenolepis microskrjabini

CC

3. Corynosoma constrictum
37. Diorchis elisae
50. Echinocotyle NNN
57. Sobolevicanthus octacantha*
59. Echinocotyle rosseteri

DD

14. Notocotylus attenuatus
34. Echinocotyle QQQ
43. Diorchis spinata
38. Diorchis danutae
52. Hymenolepis WWW

EE

15. Capillaria anatis
46. Cotylurus flabelliformes
28. Echino?
41. Echinostoma revolutum

FF

19. Zygocotyle lunata
64. Hymenolepis arcuata
36. Diploposthe laevis
47. Capillaria obsignata
60. TTT*
68. Aploparaxis fucigera
67. Hypoderaeum conoideum
70. Hymenolepis XXX*
66. RR*
59. Anatinella spinulosa
56. Diorchis AD*
65. Sobolevicanthus kenaiensis
74. Hymenolepis GGG

GG

54. Sobolevicanthus gracillis*
73. Oligorchis N. sp.
75. D*

HH

61. Hymenolepis compressa
58. Hymenolepis paracompressa

II

44. X*

JJ

20. PP*
55. Hymenolepis parvula

KK

27. Polymorphus paradoxus
42. P*
63. Lateriporus cleri
53. Capillaria nyrocinarum
49. Hymenolepis formosoides

LL

62. Micro?*
69. Pusilla?*
71. Hymenolepis tuvAB?*
72. Microphallus sp. I

POOR COPY
COPIE DE QUALITEE INFERIEURE

Appendix 5. (Continued).

MM

7. *Echinoparyphium recurvatum*
16. *Hymenolepis fausti*
25. *Retinometra macroacanthus*

NN

10. *Dicranotaenia coronula*
22. *Cotylurus hebraicus*
35. *Hymenolepis recurvata*
43. *Hymenolepis* tuv?*

OO

48. *Diorchis excentricus*
27. *Retinometra cyrtoides*

PP

12. *Hymenolepis* AB
18. Spino?*
21. *Hymenolepis spiraliburaata*
23. Abort?*
30. *Hymenolepis albertensis*
32. AB?*
40. *Hymenolepis melanittae*.

QQ

8. *Hymenolepis spinocirrosa*
9. *Hymenolepis abortiva*
11. *Hymenolepis pusilla*
17. *Hymenolepis tuvensis*

---

* Denotes no mature individual specimens (no presence of shelled eggs) were found.

POOR COPY
COPIE DE QUALITEE INFERIEURE

Appendix 6. Proportional values of helminth species groups derived by cluster analyses using Jaccard's Coefficient and Euclidean distance in each duck group and duck species.

The proportion of each helminth species group in each duck group derived by cluster analysis using Jaccard's Coefficient.

		Duck Group									
		1	2	3	4	5	6	7	8	9	10
HELMINTH SPECIES GROUP	A	66.7	51.3	42.5	64.1	36.1	26.5	20.8	55.5	35.0	35.4
	B	3.2	1.3	6.4	2.6	8.2	8.6	1.0	11.1	28.4	12.9
	C	3.8	0	4.3	2.6	3.1	45.8	17.9	0	8.3	22.6
	D	1.9	0	38.3	0	2.1	5.8	1.0	0	1.7	0
	E	1.9	0	0	10.2	0	3.4	0	0	3.3	0
	F	1.9	0	2.1	0	0	1.7	1.0	5.5	6.7	6.5
	G	6.4	2.6	2.1	7.8	1.0	1.0	1.0	22.2	14.9	9.7
	H	0	0	0	0	0	3.4	0	0	0	0
	I	7.7	1.3	2.1	2.6	17.5	2.7	59.2	0	0	9.7
	J	1.9	40.8	0	0	5.5	1.0	0	0	0	0
	K	0	2.6	0	0	25.8	0	0	0	0	0
	L	4.5	0	2.1	10.2	1.0	0	0	5.5	1.6	3.2
		100									

The proportion of each helminth species group in all duck groups derived by cluster analysis using Jaccard's Coefficient.

	Duck Group									
HELMINTH SPECIES GROUP	1	2	3	4	5	6	7	8	8	10
A	18.6	11.6	8.9	13.4	9.4	10.9	10.1	5.4	8.0	3.7
B	4.9	1.7	7.5	2.9	11.9	19.7	1.1	5.9	36.4	7.5
C	3.1	0	2.5	1.5	2.3	53.6	24.7	0	5.5	6.7
D	4.4	0	66.4	0	4.4	19.8	1.7	0	3.2	0
E	11.0	0	0	44.1	0	29.0	0	0	15.8	0
F	11.1	0	9.1	0	0	14.6	8.5	11.1	31.6	13.8
G	15.0	4.9	3.7	13.5	2.2	3.5	1.7	17.9	28.8	8.4
H	0	0	0	0	0	100.0	0	0	0	0
I	5.5	1.0	1.1	1.4	11.7	2.9	73.9	0	0	2.6
J	4.7	81.5	0	0	11.8	2.5	0	0	0	0
K	0	8.1	0	0	91.8	0	0	0	0	0
L	23.3	0	8.3	40.0	5.0	0	0	10.0	7.1	6.2

The proportion of each helminth species group in all duck groups derived by cluster analysis using Euclidean distance.

HELMINTH SPECIES GROUP	DUCK GROUP 1	2	3	4	6	6	7	8	9	10	11	12	13	14
AA	4.3	2.8	2.7	1.9	3.1	5.1	2.2	3.7	17.3	12.9	9.3	11.9	13.9	8.8
BB	1.5	1.0	1.0	1.1	1.0	4.4	24.5	1.2	2.5	0	1.4	7.6	36.0	15.7
CC	2.2	2.5	1.2	2.3	27.7	1.0	0	44.3	5.0	2.7	1.9	3.2	3.7	2.5
DD	1.2	8.2	8.2	2.4	1.5	1.0	0	8.8	3.0	59.5	1.9	1.1	3.0	1.0
EE	4.1	30.6	8.7	2.6	2.6	20.3	0	4.1	13.0	3.8	3.3	4.4	1.0	1.8
FF	5.7	10.6	2.9	15.9	1.5	7.3	0	4.6	8.9	6.7	6.1	17.6	0	11.9
GG	15.1	7.0	0	0	0	0	0	0	0	0	0	64.6	0	13.2
HH	0	42.2	0	0	0	6.3	0	0	0	0	0	42.9	0	8.6
II	0	0	0	71.2	0	8.1	0	0	3.5	0	0	7.1	10.1	0
JJ	0	1.3	1.0	0	2.1	77.0	0	0	4.1	0	6.7	7.1	1.0	0
KK	0	0	0	3.7	3.0	0	24.7	0	9.8	0	0	0	58.6	0
LL	0	0	0	0	0	2.6	0	0	1.6	0	0	0	95.7	0
MM	19.4	23.7	1.7	2.5	3.6	6.7	0	9.8	10.6	2.8	1.9	14.4	1.0	2.1
NN	3.0	3.9	1.3	6.5	2.9	3.4	0	0	1.9	1.8	3.7	28.4	2.7	40.3
OO	5.9	0	0	7.8	0	0	0	0	0	0	73.8	9.4	0	2.9
PP	1.0	1.0	0	0	2.0	1.0	15.1	18.5	1.0	1.0	1.0	1.0	59.9	1.9
QQ	1.0	0	0	0	0	1.0	1.0	0	1.0	0	0	22.7	14.7	59.7

FINE PRINT

The proportion of each helminth species group in each duck group derived by cluster analysis using Euclidean distance.

HELMINTH SPECIES GROUP	DUCK GROUP													
	1	2	3	4	5	6	7	8	9	10	11	12	13	14
AA	20.6	10.3	30.5	8.6	13.4	17.6	6.5	7.1	49.5	39.4	27.1	17.2	11.0	9.4
BB	3.3	1.3	2.9	2.3	1.5	6.9	33.1	1.1	3.2	0	1.8	4.9	13.7	7.7
CC	4.8	4.2	6.1	4.8	55.2	1.2	0	39.4	6.6	3.9	2.5	2.1	1.4	1.2
DD	1.3	7.1	22.0	2.6	1.5	1.0	0	3.9	2.1	42.9	1.3	1.0	1.0	1.0
EE	2.6	15.2	13.5	1.6	1.5	9.7	0	1.1	5.1	1.6	1.3	1.0	1.0	1.0
FF	6.2	8.7	7.6	16.5	1.5	5.8	0	2.0	5.8	4.6	4.0	5.7	0	2.9
GG	3.6	1.3	0	0	0	0	0	0	0	0	0	4.6	0	1.0
HH	0	6.8	0	0	0	1.0	0	0	0	0	0	2.7	0	1.0
II	0	0	0	32.5	0	2.8	0	0	1.0	0	0	1.0	1.0	0
JJ	0	1.0	1.5	0	1.2	36.2	0	0	1.6	0	2.6	1.4	1.0	0
KK	0	0	0	2.6	1.9	0	10.9	0	4.2	0	0	0	6.9	0
LL	0	0	0	0	0	1.0	0	0	1.0	0	0	0	4.9	0
MM	39.0	36.4	8.4	4.8	6.6	9.9	0	7.9	12.8	3.6	2.4	8.7	1.0	1.0
NN	7.3	7.4	7.4	15.1	6.4	6.0	0	0	2.8	2.8	5.4	20.6	1.1	21.8
OO	6.7	0	0	8.4	0	0	0	0	0	0	50.6	3.2	0	1.0
PP	1.3	1.0	0	0	9.1	1.0	46.9	37.4	3.0	1.0	1.0	1.0	49.8	2.2
QQ	3.2	0	0	0	0	1.0	2.5	0	1.9	0	0	26.3	9.4	51.6

FINE PRINT

The proportion of each helminth species group (Jaccard's Coefficient) within each duck species.

	MAL	WID	GAD	BWT	RUD	BUF	CAN	RIN	WWS	SCA
	1	2	3	4	5	6	7	8	9	10
A	66	60	52	36	42	40	39	37	21	23
B	2	0	2	8	6	13	18	35	1	5
C	3	2	0	3	4	19	19	5	18	53
D	2	2	0	2	38	0	5	0	1	6
E	6	0	0	0	0	0	5	0	0	2
F	1	0	0	0	2	8	7	2	1	1
G	9	7	2	1	2	8	1	19	1	1
H	0	0	0	0	0	0	1	0	0	4
I	7	0	16	17	2	8	3	0	59	3
J	0	2	41	5	0	0	2	0	0	0
K	0	2	2	26	0	0	0	0	0	0
L	3	12	0	1	2	3	1	2	0	0
	100%									

FINE PRINT

The proportion of each helminth species group (Jaccard's Coefficient) in each duck species.

	MAL	WID	GAD	BWT	RUD	BUF	CAN	RIN	WWS	SCA
	1	2	3	4	5	6	7	8	9	10
A	15	7	11	8	8	6	18	7	9	8 / 100%
B	3	0	2	9	5	9	35	28	1	8
C	2	1	0	2	2	7	22	2	19	44
D	2	2	0	4	58	0	16	0	2	16
E	33	0	0	0	0	0	49	0	0	18
F	2	0	0	0	7	20	53	7	6	5
G	22	9	4	2	4	13	4	34	2	5
H	0	0	0	0	0	0	23	0	0	77
I	5	0	1	11	1	3	3	0	72	3
J	0	16	68	9	0	0	6	0	0	0
K	0	3	5	92	0	0	0	0	0	0
L	15	38	0	6	10	10	10	10	0	0

FINE PRINT

The proportion of each helminth species group (Euclidean distance) within each duck species.

	MAL	WID	GAD	BWT	RUD	BUF	CAN	RIN	WWS	SCA
	1	2	3	4	5	6	7	8	9	10
AA	34	53	37	11	28	6	17	23	11	10
BB	2	1	0	1	2	2	4	0	14	7
CC	5	10	3	45	3	3	3	1	1	1
DD	2	18	44	4	1	6	1	0	1	1
EE	8	8	2	2	1	12	2	10	1	1
FF	4	6	7	2	4	1	12	13	0	3
GG	1	0	0	0	0	0	1	0	0	1
HH	3	0	0	0	0	0	4	0	0	1
II	1	0	0	0	0	18	3	2	1	0
JJ	4	0	0	1	3	14	2	3	1	0
KK	3	0	0	1	0	2	0	0	7	0
LL	1	0	0	0	0	1	0	0	5	0
MM	23	2	3	9	2	16	16	13	1	2
NN	5	2	3	3	6	5	17	8	1	22
OO	0	0	0	0	50	0	4	0	0	2
PP	3	0	1	23	1	2	1	0	50	2
QQ	6	0	0	0	0	0	15	0	9	47
	100%									

FINE PRINT

The proportion of each helminth species group (Euclidean distance) in each duck species.

	MAL	WID	GAD	BWT	RUD	BUF	CAN	RIN	WWS	SCA
	1	2	3	4	5	6	7	8	9	10
AA	13	9	13	4	12	1	1	5	16	11 / 100%
BB	2	5	0	1	2	9	9	0	55	20
CC	7	6	3	60	4	2	7	1	6	4
DD	3	14	64	6	2	5	2	0	3	1
EE	23	11	4	5	4	20	10	18	1	3
FF	6	5	10	3	7	1	42	12	0	13
GG	16	0	0	0	0	0	7	0	0	8
HH	23	0	0	0	0	0	70	0	0	7
II	3	0	0	0	0	49	29	5	13	0
JJ	11	0	0	2	8	21	11	47	1	0
KK	10	0	0	3	0	3	0	0	85	0
LL	11	0	0	0	0	3	0	0	96	0
MM	24	1	3	9	3	9	36	8	1	5
NN	4	1	2	2	5	2	29	4	3	47
OO	0	0	0	0	80	0	12	0	0	7
PP	1	0	1	1	1	1	1	0	84	2
QQ	1	0	0	0	0	0	16	0	17	66

Appendix 7. Data matrix of parasite species and waterfowl used in this study.

Appendix 7 (continued)

Key to Appendix 7. (Numeric Codes)

Column 1 (2 digits) Duck Codes

01 - Mallard
02 - Widgeon
03 - Gadwall
04 - Blue-winged teal
05 - Ruddy
06 - Bufflehead
07 - Canvasback
08 - Ring-necked duck
09 - White-winged scoter
10 - Lesser scaup

Column 2 (2 digits) Bird number

Column 3 (5 digits) Lake, month, year

Lake Codes

01 - Charron
02 - Bellshill
03 - Wadlin
04 - Chip
05 - Cowoki
06 - Bistcho
07 - Lanes
08 - Dusty
09 - Cow
10 - Wolf
11 - Fleeinghorse
12 - Rattlesnake

Appendix 7 (continued)

Column 4 (2 digits) Sex

01 - male

02 - female

-0 - unknown

Column 5 (3 digits) Length of small intestine (cm)

Column 6 (4 digits) Parasite species codes

(as listed in Appendix 2)

Column 7 (2 digits) Gut section number

01-20 - Five percent sections of small intestine (01 - anterior end)

21 - large intestine

22 - caeca

Column 8 (5 digits) Number of mature parasites per section

Column 9 (5 digits) Number of immature parasites per section

Column 10 (5 digits) Total numbers of parasites per section

```
01 01 01679 02   154 0016 01 00000 00001 00001
01 01 01679 02   154 0016 02 00000 00001 00001
01 01 01679 02   154 0016 03 00002 00003 00005
01 01 01679 02   154 0016 04 00011 00012 00023
01 01 01679 02   154 0016 05 00008 00008 00016
01 01 01679 02   154 0016 06 00008 00007 00016
01 01 01679 02   154 0016 07 00001 00005 00006
01 01 01679 02   154 0016 08 00000 00001 00001
01 01 01679 02   154 0002 04 00001 00000 00001
01 01 01679 02   154 0007 04 00000 00002 00002
01 01 01679 02   154 0007 06 00000 00001 00001
01 01 01679 02   154 0025 07 00000 00001 00001
01 01 01679 02   154 0025 08 00000 00002 00002
01 01 01679 02   154 0025 09 00000 00005 00005
01 01 01679 02   154 0025 10 00000 00007 00007
01 01 01679 02   154 0025 11 00000 00010 00010
01 01 01679 02   154 0003 10 00000 00001 00001
01 01 01679 02   154 0028 10 00000 00001 00001
01 01 01679 02   154 0028 15 00000 00001 00001
01 01 01679 02   154 0054 12 00000 00001 00001
01 01 01679 02   154 0054 13 00000 00002 00002
01 01 01679 02   154 0010 16 00000 00001 00001
01 01 01679 02   154 0006 21 00008 00005 00013
01 01 01679 02   154 0004 22 00000 00001 00001
01 01 01679 02   154 0019 22 00001 00000 00001
01 02 01679 02   148 0001 01 00000 00012 00012
01 02 01679 02   148 0001 02 00000 00017 00017
01 02 01679 02   148 0001 03 00000 00013 00013
01 02 01679 02   148 0001 04 00000 00009 00009
01 02 01679 02   148 0001 05 00000 00008 00008
01 02 01679 02   148 0001 06 00000 00001 00001
01 02 01679 02   148 0007 02 00000 00001 00001
01 02 01679 02   148 0007 07 00000 00001 00001
01 02 01679 02   148 0007 08 00000 00001 00001
01 02 01679 02   148 0016 03 00000 00001 00001
01 02 01679 02   148 0016 04 00000 00001 00001
01 02 01679 02   148 0016 05 00005 00011 00016
01 02 01679 02   148 0016 06 00002 00009 00011
01 02 01679 02   148 0016 07 00000 00002 00002
01 02 01679 02   148 0016 08 00000 00002 00002
01 02 01679 02   148 0002 04 00001 00000 00001
01 02 01679 02   148 0074 03 00000 00001 00001
01 02 01679 02   148 0031 04 00000 00001 00001
01 02 01679 02   148 0031 05 00000 00001 00001
01 02 01679 02   148 0031 06 00001 00000 00001
01 02 01679 02   148 0031 07 00000 00003 00003
01 02 01679 02   148 0031 08 00000 00007 00007
01 02 01679 02   148 0055 05 00003 00001 00004
01 02 01679 02   148 0055 06 00005 00000 00005
01 02 01679 02   148 0055 07 00003 00001 00004
01 02 01679 02   148 0055 08 00000 00003 00003
01 02 01679 02   148 0055 09 00000 00002 00002
01 02 01679 02   148 0012 06 00000 00001 00001
01 02 01679 02   148 0012 08 00001 00001 00002
01 02 01679 02   148 0012 10 00000 00002 00002
01 02 01679 02   148 0025 09 00000 00006 00006
01 02 01679 02   148 0025 10 00000 00014 00014
01 02 01679 02   148 0025 11 00000 00014 00014
01 02 01679 02   148 0025 12 00000 00005 00005
01 02 01679 02   148 0083 09 00000 00002 00002
01 02 01679 02   148 0106 11 00000 00001 00001
01 02 01679 02   148 0027 12 00001 00000 00001
01 02 01679 02   148 0027 13 00009 00000 00009
01 02 01679 02   148 0027 14 00008 00000 00008
01 02 01679 02   148 0027 15 00011 00000 00011
01 02 01679 02   148 0027 16 00012 00000 00012
01 02 01679 02   148 0027 17 00010 00000 00010
01 02 01679 02   148 0027 18 00008 00001 00009
01 02 01679 02   148 0027 19 00007 00000 00007
01 02 01679 02   148 0027 20 00003 00000 00003
01 02 01679 02   148 0003 14 00000 00001 00001
```

```
01 02 01679 02   148 0003 16 00000 00001 00001
01 02 01679 02   148 0003 19 00001 00000 00001
01 02 01679 02   148 0003 20 00001 00000 00001
01 02 01679 02   148 0103 18 00000 00003 00003
01 02 01679 02   148 0103 19 00000 00007 00007
01 02 01679 02   148 0103 20 00000 00006 00006
01 02 01679 02   148 0046 19 00001 00000 00001
01 02 01679 02   148 0006 21 00029 00016 00035
01 02 01679 02   148 0004 22 00110 00081 00191
01 02 01679 02   148 0028 22 00000 00001 00001
01 02 01679 02   148 0015 22 00001 00000 00001
01 02 01679 02   148 0014 22 00001 00000 00001
01 03 01577 02   158 0001 01 00000 00002 00002
01 03 01577 02   158 0001 02 00000 00008 00008
01 03 01577 02   158 0001 03 00000 00002 00002
01 03 01577 02   158 0001 04 00000 00002 00002
01 03 01577 02   158 0016 02 00000 00004 00004
01 03 01577 02   158 0016 03 00001 00001 00002
01 03 01577 02   158 0016 04 00000 00013 00013
01 03 01577 02   158 0016 05 00000 00006 00006
01 03 01577 02   158 0016 06 00000 00001 00001
01 03 01577 02   158 0074 02 00000 00004 00004
01 03 01577 02   158 0074 04 00000 00003 00003
01 03 01577 02   158 0074 05 00000 00003 00003
01 03 01577 02   158 0074 06 00000 00004 00004
01 03 01577 02   158 0074 07 00000 00004 00004
01 03 01577 02   158 0002 03 00000 00003 00003
01 03 01577 02   158 0002 04 00010 00005 00015
01 03 01577 02   158 0002 05 00001 00000 00001
01 03 01577 02   158 0002 06 00001 00001 00002
01 03 01577 02   158 0002 07 00001 00001 00002
01 03 01577 02   158 0002 08 00000 00001 00001
01 03 01577 02   158 0025 06 00000 00002 00002
01 03 01577 02   158 0025 07 00000 00001 00001
01 03 01577 02   158 0025 08 00000 00009 00009
01 03 01577 02   158 0025 09 00000 00011 00011
01 03 01577 02   158 0025 10 00000 00006 00006
01 03 01577 02   158 0025 11 00000 00002 00002
01 03 01577 02   158 0083 07 00000 00001 00001
01 03 01577 02   158 0083 08 00000 00001 00001
01 03 01577 02   158 0105 08 00000 00001 00001
01 03 01577 02   158 0095 12 00000 00002 00002
01 03 01577 02   158 0046 08 00000 00001 00001
01 03 01577 02   158 0046 12 00002 00001 00003
01 03 01577 02   158 0046 13 00002 00000 00002
01 03 01577 02   158 0003 12 00001 00000 00001
01 03 01577 02   158 0003 13 00000 00002 00002
01 03 01577 02   158 0003 14 00000 00001 00001
01 03 01577 02   158 0003 15 00000 00001 00001
01 03 01577 02   158 0003 16 00003 00001 00004
01 03 01577 02   158 0003 17 00004 00000 00004
01 03 01577 02   158 0003 18 00004 00001 00005
01 03 01577 02   158 0003 19 00002 00001 00003
01 03 01577 02   158 0003 20 00002 00001 00003
01 03 01577 02   158 0004 22 00021 00060 00081
01 03 01577 02   158 0006 21 00059 00009 00068
01 03 01577 02   158 0019 22 00006 00000 00006
01 04 02679 01   152 0001 02 00000 00002 00002
01 04 02679 01   152 0001 03 00000 00004 00004
01 04 02679 01   152 0001 07 00000 00001 00001
01 04 02679 01   152 0001 08 00000 00001 00001
01 04 02679 01   152 0016 03 00000 00001 00001
01 04 02679 01   152 0016 04 00000 00003 00003
01 04 02679 01   152 0016 05 00000 00001 00001
01 04 02679 01   152 0016 06 00000 00004 00004
01 04 02679 01   152 0018 03 00000 00003 00003
01 04 02679 01   152 0018 04 00000 00002 00002
01 04 02679 01   152 0018 06 00000 00001 00001
01 04 02679 01   152 0012 03 00000 00002 00002
01 04 02679 01   152 0012 05 00000 00002 00002
01 04 02679 01   152 0012 06 00000 00001 00001
01 04 02679 01   152 0012 08 00000 00001 00001
01 04 02679 01   152 0012 10 00000 00001 00001
```

```
01 04 02679 01   152 0025 05 00000 00001 00001
01 04 02679 01   152 0025 06 00000 00002 00002
01 04 02679 01   152 0025 07 00000 00001 00001
01 04 02679 01   152 0056 05 00000 00001 00001
01 04 02679 01   152 0056 06 00000 00002 00002
01 04 02679 01   152 0056 07 00000 00001 00001
01 04 02679 01   152 0056 08 00000 00001 00001
01 04 02679 01   152 0002 05 00002 00000 00002
01 04 02679 01   152 0020 06 00000 00001 00001
01 04 02679 01   152 0031 09 00000 00006 00006
01 04 02679 01   152 0031 10 00000 00001 00001
01 04 02679 01   152 0008 10 00000 00001 00001
01 04 02679 01   152 0027 13 00001 00000 00001
01 04 02679 01   152 0027 14 00001 00000 00001
01 04 02679 01   152 0027 17 00001 00000 00001
01 04 02679 01   152 0003 15 00001 00000 00001
01 04 02679 01   152 0003 17 00000 00001 00001
01 04 02679 01   152 0003 18 00000 00001 00001
01 04 02679 01   152 0006 21 00005 00000 00005
01 04 02679 01   152 0004 22 00086 00060 00146
01 04 02679 01   152 0021 22 00000 00002 00002
01 05 02779 -0   150 0001 01 00000 00001 00001
01 05 02879 -0   150 0001 02 00000 00002 00002
01 05 02879 -0   150 0001 03 00000 00001 00001
01 05 02879 -0   150 0001 04 00000 00002 00002
01 05 02879 -0   150 0016 01 00000 00002 00002
01 05 02879 -0   150 0016 03 00000 00001 00001
01 05 02879 -0   150 0016 04 00000 00001 00001
01 05 02879 -0   150 0016 05 00000 00004 00004
01 05 02879 -0   150 0016 06 00000 00002 00002
01 05 02879 -0   150 0002 04 00001 00000 00001
01 05 02879 -0   150 0002 05 00004 00000 00004
01 05 02879 -0   150 0002 09 00001 00000 00001
01 05 02879 -0   150 0056 06 00000 00001 00001
01 05 02879 -0   150 0044 06 00000 00001 00001
01 05 02879 -0   150 0044 07 00000 00001 00001
01 05 02879 -0   150 0044 10 00000 00001 00001
01 05 02879 -0   150 0044 11 00000 00006 00006
01 05 02879 -0   150 0066 09 00000 00001 00001
01 05 02879 -0   150 0003 11 00000 00001 00001
01 05 02879 -0   150 0003 12 00000 00001 00001
01 05 02879 -0   150 0003 14 00002 00002 00004
01 05 02879 -0   150 0003 15 00003 00007 00010
01 05 02879 -0   150 0003 16 00002 00001 00003
01 05 02879 -0   150 0003 17 00011 00001 00012
01 05 02879 -0   150 0003 18 00000 00002 00002
01 05 02879 -0   150 0041 16 00000 00001 00001
01 05 02879 -0   150 0041 17 00001 00000 00001
01 05 02879 -0   150 0006 18 00000 00001 00001
01 05 02879 -0   150 0006 21 00023 00001 00024
01 05 02879 -0   150 0010 18 00000 00001 00001
01 05 02879 -0   150 0004 22 00000 00023 00023
01 06 03779 02   131 0001 01 00000 00007 00007
01 06 03779 02   131 0001 02 00000 00006 00006
01 06 03779 02   131 0001 07 00000 00002 00002
01 06 03779 02   131 0001 10 00000 00003 00003
01 06 03779 02   131 0007 01 00008 00002 00010
01 06 03779 02   131 0007 02 00007 00004 00011
01 06 03779 02   131 0007 03 00003 00001 00004
01 06 03779 02   131 0007 04 00001 00000 00001
01 06 03779 02   131 0007 05 00000 00001 00001
01 06 03779 02   131 0007 06 00001 00000 00001
01 06 03779 02   131 0007 08 00001 00000 00001
01 06 03779 02   131 0016 01 00000 00006 00006
01 06 03779 02   131 0016 02 00000 00004 00004
01 06 03779 02   131 0016 03 00000 00007 00007
01 06 03779 02   131 0016 04 00000 00003 00003
01 06 03779 02   131 0016 05 00000 00019 00019
01 06 03779 02   131 0016 06 00000 00008 00008
01 06 03779 02   131 0016 07 00000 00012 00012
```

```
01 06 03779 02   131 0002 06 00001 00000 00001
01 06 03779 02   131 0025 09 00000 00004 00004
01 06 03779 02   131 0025 11 00000 00003 00003
01 06 03779 02   131 0025 12 00000 00002 00002
01 06 03779 02   131 0025 13 00000 00001 00001
01 06 03779 02   131 0080 15 00000 00001 00001
01 06 03779 02   131 0010 20 00000 00004 00004
01 06 03779 02   131 0019 22 00005 00000 00005
01 06 03779 02   131 0004 22 00000 00011 00011
01 07 04680 01   156 0001 01 00000 00001 00001
01 07 04680 01   156 0001 02 00000 00001 00001
01 07 04680 01   156 0001 03 00000 00004 00004
01 07 04680 01   156 0001 04 00000 00008 00008
01 07 04680 01   156 0001 05 00000 00010 00010
01 07 04680 01   156 0001 06 00000 00011 00011
01 07 04680 01   156 0001 07 00000 00001 00001
01 07 04680 01   156 0001 08 00001 00002 00003
01 07 04680 01   156 0001 09 00002 00002 00004
01 07 04680 01   156 0001 10 00004 00004 00008
01 07 04680 01   156 0001 11 00000 00002 00002
01 07 04680 01   156 0016 03 00000 00005 00005
01 07 04680 01   156 0016 04 00000 00001 00001
01 07 04680 01   156 0016 05 00000 00003 00003
01 07 04680 01   156 0054 13 00000 00001 00001
01 07 04680 01   156 0054 14 00000 00003 00003
01 07 04680 01   156 0010 18 00001 00000 00001
01 07 04680 01   156 0010 20 00000 00001 00001
01 07 04680 01   156 0003 17 00001 00000 00001
01 07 04680 01   156 0006 21 00002 00000 00002
01 07 04680 01   156 0046 06 00004 00000 00004
01 08 04677 02   150 0002 02 00001 00000 00001
01 08 04677 02   150 0002 03 00003 00000 00003
01 08 04677 02   150 0002 05 00000 00001 00001
01 08 04677 02   150 0007 03 00000 00005 00005
01 08 04677 02   150 0007 04 00002 00001 00003
01 08 04677 02   150 0007 05 00004 00001 00005
01 08 04677 02   150 0007 06 00001 00000 00001
01 08 04677 02   150 0007 07 00001 00000 00001
01 08 04677 02   150 0025 07 00000 00001 00001
01 08 04677 02   150 0025 08 00000 00001 00001
01 08 04677 02   150 0025 09 00000 00002 00002
01 08 04677 02   150 0025 10 00000 00001 00001
01 08 04677 02   150 0027 13 00003 00002 00005
01 08 04677 02   150 0027 14 00008 00003 00011
01 08 04677 02   150 0027 15 00006 00000 00006
01 08 04677 02   150 0027 16 00006 00001 00007
01 08 04677 02   150 0027 17 00003 00000 00003
01 08 04677 02   150 0027 18 00002 00000 00002
01 08 04677 02   150 0027 19 00001 00000 00001
01 08 04677 02   150 0005 15 00001 00000 00001
01 08 04677 02   150 0010 15 00001 00000 00001
01 08 04677 02   150 0010 21 00002 00000 00002
01 08 04677 02   150 0006 17 00000 00001 00001
01 08 04677 02   150 0006 21 00001 00002 00003
01 08 04677 02   150 0004 22 00025 00004 00029
01 08 04677 02   150 0014 22 00000 00001 00001
01 09 05577 01   148 0001 01 00000 00008 00008
01 09 05577 01   148 0001 02 00000 00005 00005
01 09 05577 01   148 0007 03 00001 00000 00001
01 09 05577 01   148 0007 04 00001 00002 00003
01 09 05577 01   148 0007 05 00001 00000 00001
01 09 05577 01   148 0002 02 00011 00002 00013
01 09 05577 01   148 0002 03 00070 00004 00074
01 09 05577 01   148 0002 04 00181 00028 00209
01 09 05577 01   148 0002 05 00029 00001 00030
01 09 05577 01   148 0002 06 00027 00001 00028
01 09 05577 01   148 0002 07 00020 00003 00023
01 09 05577 01   148 0002 08 00005 00007 00012
01 09 05577 01   148 0002 09 00005 00001 00006
01 09 05577 01   148 0002 10 00001 00000 00001
```

```
01 09 05577 01   148 0008 11 00000 00003 00003
01 09 05577 01   148 0008 12 00000 00025 00025
01 09 05577 01   148 0008 13 00000 00015 00015
01 09 05577 01   148 0046 14 00000 00002 00002
01 09 05577 01   148 0046 15 00000 00002 00002
01 09 05577 01   148 0046 16 00001 00000 00001
01 09 05577 01   148 0027 15 00002 00000 00002
01 09 05577 01   148 0027 17 00002 00000 00002
01 09 05577 01   148 0027 20 00001 00000 00001
01 09 05577 01   148 0003 15 00000 00001 00001
01 09 05577 01   148 0003 18 00001 00000 00001
01 09 05577 01   148 0003 20 00001 00000 00001
01 09 05577 01   148 0005 15 00000 00001 00001
01 09 05577 01   148 0005 16 00000 00001 00001
01 09 05577 01   148 0005 19 00000 00002 00002
01 09 05577 01   148 0005 20 00000 00001 00001
01 09 05577 01   148 0005 21 00000 00002 00002
01 09 05577 01   148 0004 21 00008 00015 00023
01 09 05577 01   148 0004 22 00012 00090 00102
01 09 05577 01   148 0006 21 00055 00001 00056
01 09 05577 01   148 0015 22 00002 00000 00002
01 10 06778 01   150 0007 01 00064 00031 00095
01 10 06778 01   150 0007 02 00123 00045 00168
01 10 06778 01   150 0007 03 00005 00012 00017
01 10 06778 01   150 0007 04 00000 00009 00009
01 10 06778 01   150 0007 05 00000 00011 00011
01 10 06778 01   150 0007 06 00000 00003 00003
01 10 06778 01   150 0007 08 00000 00001 00001
01 10 06778 01   150 0007 09 00000 00006 00006
01 10 06778 01   150 0007 10 00007 00005 00012
01 10 06778 01   150 0007 11 00003 00004 00007
01 10 06778 01   150 0007 12 00001 00000 00001
01 10 06778 01   150 0002 04 00001 00000 00001
01 10 06778 01   150 0002 07 00000 00001 00001
01 10 06778 01   150 0002 08 00000 00001 00001
01 10 06778 01   150 0016 03 00001 00004 00005
01 10 06778 01   150 0016 04 00000 00004 00004
01 10 06778 01   150 0016 05 00000 00003 00003
01 10 06778 01   150 0016 06 00000 00005 00005
01 10 06778 01   150 0016 07 00000 00004 00004
01 10 06778 01   150 0016 08 00000 00008 00008
01 10 06778 01   150 0058 11 00000 00002 00002
01 10 06778 01   150 0058 13 00000 00027 00027
01 10 06778 01   150 0058 14 00005 00005 00010
01 10 06778 01   150 0058 15 00000 00001 00001
01 10 06778 01   150 0061 11 00000 00003 00003
01 10 06778 01   150 0061 12 00000 00004 00004
01 10 06778 01   150 0061 13 00000 00001 00001
01 10 06778 01   150 0061 14 00003 00001 00004
01 10 06778 01   150 0066 14 00000 00001 00001
01 10 06778 01   150 0066 15 00000 00001 00001
01 10 06778 01   150 0010 19 00000 00001 00001
01 10 06778 01   150 0010 20 00000 00006 00006
01 10 06778 01   150 0003 17 00001 00000 00001
01 10 06778 01   150 0003 18 00001 00000 00001
01 10 06778 01   150 0014 22 00011 00007 00018
01 12 07677 01   132 0002 07 00001 00000 00001
01 12 07677 01   132 0002 13 00001 00000 00001
01 12 07677 01   132 0025 10 00000 00003 00003
01 12 07677 01   132 0004 22 00007 00023 00030
01 12 07677 01   132 0015 22 00001 00000 00001
01 13 12577 01   143 0007 03 00002 00000 00002
01 13 12577 01   143 0016 04 00000 00007 00007
01 13 12577 01   143 0016 05 00000 00003 00003
01 13 12577 01   143 0067 10 00000 00001 00001
01 13 12577 01   143 0010 16 00001 00000 00001
01 13 12577 01   143 0014 22 00001 00001 00002
01 13 12577 01   143 0041 21 00001 00001 00002
01 14 12577 02   138 0016 01 00000 00010 00010
01 14 12577 02   138 0016 02 00000 00019 00019
01 14 12577 02   138 0016 03 00000 00023 00023
01 14 12577 02   138 0016 04 00000 00026 00026
```

```
01  14  12577  02   138  0016  05  00001  00018  00019
01  14  12577  02   138  0016  06  00000  00005  00005
01  14  12577  02   138  0016 .07  00000  00003  00003
01  14  12577  02   138  0093  09  00000  00001  00001
01  14  12577  02   138  0012  09  00000  00001  00001
01  14  12577  02   138  0012  10  00000  00001  00001
01  14  12577  02   138  0003  15  00001  00000  00001
01  14  12577  02   138  0003 .16  00001  00000  00001
01  14  12577  02   138  0003  17  00004  00000  00004
01  14  12577  02   138  0003  18  00002  00000  00002
01  14  12577  02   138  0003  19  00004  00000  00004
01  14  12577  02   138  0010  20  00000  00001  00001
01  15  12577  01   221  0007  01  00017  00021  00038
01  15  12577  01   221  0007  02  00010  00010  00020
01  15  12577  01   221  0007  03  00004  00012  00016
01  15  12577  01   221  0007  04  00006  00007  00013
01  15  12577  01   221  0007  05  00000  00001  00001
01  15  12577  01   221  0091  03  00000  00002  00002
01  15  12577  01   221  0091  04  00003  00003  00006
01  15  12577  01   221  0091  05  00002  00006  00008
01  15  12577  01   221  0061  08  00000  00001  00001
01  15  12577  01   221  0054  11  00000  00001  00001
01  15  12577  01   221  0054  12  00000  00001  00001
01  15  12577  01   221  0054  13  00000  00001  00001
01  15  12577  01   221  0003  13  00001  00000  00001
01  15  12577  01   221  0028  16  00000  00002  00002
01  15  12577  01   221  0046  17  00001  00000  00001
01  15  12577  01   221  0046  18  00002  00000  00002
01  15  12577  01   221  0046  19  00007  00000  00007
01  15  12577  01   221  0010  20  00007  00000  00007
01  15  12577  01   221  0004  20  00001  00000  00001
01  15  12577  01   221  0004  22  00005  00000  00005
01  15  12577  01   221  0014  22  00001  00000  00001
01  15  12577  01   221  0019  22  00001  00000  00001
01  15  12577  01   221  0015  22  00001  00000  00001
01  15  12577  01   221  0041  21  00006  00005  00011
01  16  09680  02   143  0002  01  00000  00012  00012
01  16  09680  02   143  0002  02  00000  00039  00039
01  16  09680  02   143  0002  03  00001  00043  00044
01  16  09680  02   143  0002  04  00001  00042  00043
01  16  09680  02   143  0002  05  00000  00041  00041
01  16  09680  02   143  0002  06  00002  00012  00014
01  16  09680  02   143  0002  07  00001  00003  00004
01  16  09680  02   143  0002  08  00000  00012  00012
01  16  09680  02   143  0055  01  00000  00004  00004
01  16  09680  02   143  0055  02  00000  00001  00001
01  16  09680  02   143  0055  04  00000  00003  00003
01  16  09680  02   143  0055  05  00000  00013  00013
01  16  09680  02   143  0055  06  00000  00013  00013
01  16  09680  02   143  0055  07  00000  00018  00018
01  16  09680  02   143  0055  08  00000  00016  00016
01  16  09680  02   143  0055  09  00000  00011  00011
01  16  09680  02   143  0055  10  00000  00018  00018
01  16  09680  02   143  0055  11  00000  00024  00024
01  16  09680  02   [illegible]3- 0055  12  00000  00036  00036
01  16  09680  02   143  0055  13  00000  00006  00006
01  16  09680  02   143 .0055  14  00000  00001  00001
01  16  09680  02   143  0080  01  00000  00007  00007
01  16  09680  02   143  0080  02  00000  00004  00004
01  16  09680  02   143  0080  04  00000  00018  00018
01  16  09680  02   143  0080  05  00000  00021  00021
01  16  09680  02   143  0080  06  00000  00035  00035
01  16  09680  02   143  0080  07  00000  00035  00035
01  16  09680  02   143  0080  08  00000  00054  00054
01  16  09680  02   143  0080  09  00000  00075  00075
01  16  09680  02   143  0080  10  00000  00054  00054
01  16  09680  02   143  0080  11  00000  00043  00043
01  16  09680  02   143  0080  12  00000  00023  00023
01  16  09680  02   143  0080  13  00000  00026  00026
01  16  09680  02   143  0080  14  00000  00013  00013
01  16  09680  02   143  0080  15  00000  00003  00003
01  16  09680  02   143  0001  01  00000  00001  00001
01  16  09680  02   143  0001  02  00000  00002  00002
```

```
01  16  09680  02   143  0001  03  00001  00001  00002
01  16  09680  02   143  0001  04  00000  00002  00002
01  16  09680  02   143  0001  05  00000  00002  00002
01  16  09680  02   143  0001  07  00000  00001  00001
01  16  09680  02   143  0016  03  00000  00002  00002
01  16  09680  02   143  0016  05  00001  00011  00012
01  16  09680  02   143  0016  06  00000  00003  00003
01  16  09680  02   143  0016  07  00000  00002  00002
01  16  09680  02   143  0016  08  00000  00001  00001
01  16  09680  02   143  0051  03  00000  00001  00001
01  16  09680  02   143  0009  03  00000  00001  00001
01  16  09680  02   143  0090  04  00000  00001  00001
01  16  09680  02   143  0090  06  00000  00001  00001
01  16  09680  02   143  0090  08  00000  00001  00001
01  16  09680  02   143  0116  09  00000  00001  00001
01  16  09680  02   143  0116  10  00000  00001  00001
01  16  09680  02   143  0116  11  00000  00001  00001
01  16  09680  02   143  0116  14  00000  00001  00001
01  16  09680  02   143  0020  09  00000  00058  00058
01  16  09680  02   143  0020  10  00000  00107  00107
01  16  09680  02   143  0020  11  00000  00024  00024
01  16  09680  02   143  0020  12  00000  00010  00010
01  16  09680  02   143  0020  13  00000  00008  00008
01  16  09680  02   143  0020  14  00000  00003  00003
01  16  09680  02   143  0020  15  00000  00004  00004
01  16  09680  02   143  0020  16  00000  00002  00002
01  16  09680  02   143  0020  17  00000  00001  00001
01  16  09680  02   143  0020  20  00000  00001  00001
01  16  09680  02   143  0117  10  00001  00000  00001
01  16  09680  02   143  0061  11  00000  00001  00001
01  16  09680  02   143  0061  12  00000  00001  00001
01  16  09680  02   143  0066  12  00000  00003  00003
01  16  09680  02   143  0115  12  00000  00001  00001
01  16  09680  02   143  0046  15  00002  00003  00005
01  16  09680  02   143  0046  17  00000  00001  00001
01  16  09680  02   143  0046  18  00000  00001  00001
01  16  09680  02   143  0046  19  00000  00002  00002
01  16  09680  02   143  0028  15  00000  00005  00005
01  16  09680  02   143  0028  16  00000  00001  00001
01  16  09680  02   143  0028  18  00000  00019  00019
01  16  09680  02   143  0028  19  00000  00040  00040
01  16  09680  02   143  0028  20  00000  00014  00014
01  16  09680  02   143  0037  17  00000  00001  00001
01  16  09680  02   143  0010  19  00000  00005  00005
01  16  09680  02   143  0010  20  00000  00014  00014
01  16  09680  02   143  0015  22  00000  00002  00002
01  16  09680  02   143  0004  22  00000  00001  00001
```

```
02 01 01679 02   139 0001 01 00000 00001 00001
02 01 01679 02   139 0001 02 00000 00001 00001
02 01 01679 02   139 0002 03 00001 00002 00003
02 01 01679 02   139 0002 04 00000 00001 00001
02 01 01679 02   139 0002 05 00000 00001 00001
02 01 01679 02   139 0002 06 00000 00001 00001
02 01 01679 02   139 0002 07 00000 00001 00001
02 01 01679 02   139 0003 14 00000 00002 00002
02 01 01679 02   139 0003 15 00000 00002 00002
02 01 01679 02   139 0006 13 00000 00001 00001
02 01 01679 02   139 0006 14 00000 00001 00001
02 01 01679 02   139 0006 15 00000 00001 00001
02 01 01679 02   139 0006 20 00009 00013 00022
02 01 01679 02   139 0006 21 00028 00048 00076
02 01 01679 02   139 0006 22 00000 00001 00001
02 01 01679 02   139 0068 21 00001 00000 00001
02 01 01679 02   139 0004 22 00000 00007 00007
02 01 01679 02   139 0019 22 00000 00002 00002
02 01 01679 02   139 0015 22 00000 00001 00001
02 02 01679 02   134 0001 02 00000 00001 00001
02 02 01679 02   134 0002 01 00002 00000 00002
02 02 01679 02   134 0002 02 00001 00001 00002
02 02 01679 02   134 0002 03 00003 00002 00005
02 02 01679 02   134 0002 04 00006 00010 00016
02 02 01679 02   134 0002 05 00004 00001 00005
02 02 01679 02   134 0002 06 00003 00004 00007
02 02 01679 02   134 0007 02 00002 00000 00002
02 02 01679 02   134 0007 03 00001 00000 00001
02 02 01679 02   134 0003 12 00000 00001 00001
02 02 01679 02   134 0038 13 00000 00001 00001
02 02 01679 02   134 0046 15 00000 00001 00001
02 02 01679 02   134 0046 16 00001 00000 00001
02 02 01679 02   134 0046 17 00002 00000 00002
02 02 01679 02   134 0006 20 00001 00003 00004
02 02 01679 02   134 0041 21 00001 00000 00001
02 02 01679 02   134 0068 22 00000 00002 00002
02 03 01679 02   126 0001 01 00000 00002 00002
02 03 01679 02   126 0001 05 00000 00001 00001
02 03 01679 02   126 0001 06 00000 00001 00001
02 03 01679 02   126 0001 07 00000 00001 00001
02 03 01679 02   126 0002 04 00000 00004 00004
02 03 01679 02   126 0038 13 00000 00001 00001
02 03 01679 02   126 0068 21 00001 00000 00001
02 03 01679 02   126 0006 21 00009 00016 00025
02 03 01679 02   126 0006 22 00000 00001 00001
02 03 01679 02   126 0004 22 00008 00008 00016
02 03 01679 02   126 0019 22 00000 00002 00002
02 04 01679 02   129 0001 07 00000 00001 00001
02 04 01679 02   129 0002 04 00000 00002 00002
02 04 01679 02   129 0002 05 00001 00002 00003
02 04 01679 02   129 0002 06 00000 00001 00001
02 04 01679 02   129 0038 09 00000 00001 00001
02 04 01679 02   129 0038 14 00000 00003 00003
02 04 01679 02   129 0038 15 00000 00001 00001
02 04 01679 02   129 0038 16 00000 00001 00001
02 04 01679 02   129 0003 13 00001 00001 00002
02 04 01679 02   129 0003 14 00001 00001 00002
02 04 01679 02   129 0003 15 00000 00001 00001
02 04 01679 02   129 0006 16 00000 00001 00001
02 04 01679 02   129 0006 18 00000 00001 00001
02 04 01679 02   129 0006 19 00000 00001 00001
02 04 01679 02   129 0006 20 00111 00102 00213
02 04 01679 02   129 0006 21 00020 00025 00045
02 04 01679 02   129 0006 22 00001 00002 00003
02 04 01679 02   129 0041 21 00010 00001 00011
02 04 01679 02   129 0004 22 00007 00002 00009
02 04 01679 02   129 0019 22 00001 00000 00001
02 05 02679 01   129 0034 02 00001 00000 00001
02 05 02679 01   129 0034 04 00003 00001 00004
02 05 02679 01   129 0034 05 00000 00001 00001
02 05 02679 01   129 0038 14 00000 00001 00001
02 05 02679 01   129 0038 15 00000 00001 00001
02 05 02679 01   129 0045 16 00000 00001 00001
```

```
02 05 02679 01   129 0045 17 00000 00001 00001
02 05 02679 01   129 0045 18 00000 00001 00001
02 05 02679 01   129 0045 19 00000 00001 00001
02 05 02679 01   129 0003 14 00001 00001 00002
02 05 02679 01   129 0003 16 00000 00001 00001
02 05 02679 01   129 0003 18 00001 00001 00002
02 05 02679 01   129 0015 22 00001 00000 00001
02 06 02679 02   132 0034 02 00002 00001 00003
02 06 02679 02   132 0034 04 00000 00001 00001
02 06 02679 02   132 0007 04 00001 00000 00001
02 06 02679 02   132 0002 04 00000 00002 00002
02 06 02679 02   132 0002 06 00000 00001 00001
02 06 02679 02   132 0060 10 00000 00001 00001
02 06 02679 02   132 0038 12 00000 00002 00002
02 06 02679 02   132 0038 14 00006 00003 00009
02 06 02679 02   132 0038 15 00001 00000 00001
02 06 02679 02   132 0045 14 00001 00005 00006
02 06 02679 02   132 0045 15 00000 00001 00001
02 06 02679 02   132 0045 16 0000C 00001 00001
02 06 02679 02   132 0003 14 00000 00001 00001
02 06 02679 02   132 0003 15 00000 00001 00001
02 06 02679 02   132 0003 17 00001 00000 00001
02 06 02679 02   132 0003 20 00001 00000 00001
02 06 02679 02   132 0004 22 00000 00015 00015
02 06 02679 02   132 0014 22 00002 00055 00057
02 06 02679 02   132 0006 21 00020 00000 00020
02 07 02679 02   129 0001 10 00000 00001 00001
02 07 02679 02   129 0006 21 00000 00002 00002
02 07 02679 02   129 0041 21 00000 00001 00001
02 08 02679 01   127 0006 21 00001 00004 00005
02 08 02679 01   127 0015 22 00002 00000 00002
02 09 02679 -0   139 0006 21 00018 00003 00021
02 09 02779 -0   139 0006 22 00001 00000 00001
02 10 12577 01   120 0005 17 00002 00000 00002
02 10 12577 01   120 0015 22 00001 00000 00001
02 11 12577 01   111 0004 22 00007 00000 00007
02 11 12577 01   111 0041 21 00002 00001 00003
```

```
03 01 02679 01   178 0052 01 00000 00023 00023
03 01 02679 01   178 0052 02 00000 00008 00008
03 01 02679 01   178 0052 03 00000 00001 00001
03 01 02679 01   178 0070 01 00000 00005 00005
03 01 02679 01   178 0034 04 00000 00001 00001
03 01 02679 01   178 0002 04 00000 00001 00001
03 01 02679 01   178 0045 20 00000 00001 00001
03 01 02679 01   178 0006 21 00015 00001 00016
03 01 02679 01   178 0004 22 00056 00003 00059
03 01 02679 01   178 0014 22 00000 00016 00016
03 02 02679 01   161 0052 01 00001 00001 00002
03 02 02679 01   161 0052 02 00004 00001 00005
03 02 02679 01   161 0002 03 00000 00004 00004
03 02 02679 01   161 0006 21 00001 00001 00002
03 02 02679 01   161 0014 22 00000 00030 00030
03 02 02679 01   161 0019 22 00000 00002 00002
03 03 02679 01   173 0052 01 00008 00005 00013
03 03 02679 01   173 0052 02 00000 00001 00001
03 03 02679 01   173 0001 02 00000 00001 00001
03 03 02679 01   173 0001 04 00000 00001 00001
03 03 02679 01   173 0001 14 00000 00001 00001
03 03 02679 01   173 0034 03 00002 00000 00002
03 03 02679 01   173 0034 04 00002 00000 00002
03 03 02679 01   173 0034 05 00001 00000 00001
03 03 02679 01   173 0045 13 00000 00001 00001
03 03 02679 01   173 0045 14 00000 00002 00002
03 03 02679 01   173 0003 13 00001 00000 00001
03 03 02679 01   173 0003 15 00001 00000 00001
03 03 02679 01   173 0004 20 00000 00003 00003
03 03 02679 01   173 0004 22 00187 00039 00236
03 03 02679 01   173 0004 21 00000 00003 00003
03 03 02679 01   173 0006 20 00006 00001 00007
03 03 02679 01   173 0006 21 00070 00010 00080
03 03 02679 01   173 0028 21 00000 00001 00001
03 03 02679 01   173 0014 22 00000 00001 00001
03 03 02679 01   173 0015 22 00000 00001 00001
03 04 02679 02   166 0051 01 00000 00001 00001
03 04 02679 02   166 0051 02 00001 00012 00013
03 04 02679 02   166 0051 03 00000 00020 00020
03 04 02679 02   166 0051 04 00000 00002 00002
03 04 02679 02   166 0051 05 00000 00001 00001
03 04 02679 02   166 0012 01 00000 00003 00003
03 04 02679 02   166 0012 02 00000 00001 00001
03 04 02679 02   166 0032 03 00000 00003 00003
03 04 02679 02   166 0052 01 00074 00007 00081
03 04 02679 02   166 0052 02 00005 00014 00019
03 04 02679 02   166 0070 01 00000 00003 00003
03 04 02679 02   166 0034 03 00001 00000 00001
03 04 02679 02   166 0034 04 00001 00000 00001
03 04 02679 02   166 0034 05 00001 00000 00001
03 04 02679 02   166 0001 01 00000 00013 00013
03 04 02679 02   166 0001 02 00000 00008 00008
03 04 02679 02   166 0001 03 00000 00001 00001
03 04 02679 02   166 0001 07 00000 00001 00001
03 04 02679 02   166 0099 01 00002 00000 00002
03 04 02679 02   166 0007 01 00010 00009 00019
03 04 02679 02   166 0007 02 00004 00001 00005
03 04 02679 02   166 0007 03 00000 00001 00001
03 04 02679 02   166 0025 05 00000 00001 00001
03 04 02679 02   166 0098 01 00000 00001 00001
03 04 02679 02   166 0060 08 00000 00001 00001
03 04 02679 02   166 0100 09 00000 00002 00002
03 04 02679 02   166 0038 12 00000 00002 00002
03 04 02679 02   166 0038 13 00000 00001 00001
03 04 02679 02   166 0038 14 00000 00002 00002
03 04 02679 02   166 0038 15 00000 00001 00001
03 04 02679 02   166 0003 13 00002 00000 00002
03 04 02679 02   166 0003 14 00000 00001 00001
03 04 02679 02   166 0003 15 00001 00000 00001
03 04 02679 02   166 0045 19 00000 00004 00004
03 04 02679 02   166 0045 20 00001 00021 00022
03 04 02679 02   166 0045 21 00000 00010 00010
03 04 02679 02   166 0004 20 00000 00006 00006
```

```
03 04 02679 02   166 0004 22 00068 00138 00206
03 04 02679 02   166 0006 21 00000 00002 00002
03 04 02679 02   166 0028 22 00000 00001 00001
03 05 02679 01   190 0070 01 00000 00001 00001
03 05 02679 01   190 0052 01 00012 00004 00016
03 05 02679 01   190 0052 02 00006 00000 00006
03 05 02679 01   190 0034 02 00001 00000 00001
03 05 02679 01   190 0002 02 00000 00002 00002
03 05 02679 01   190 0002 03 00000 00001 00001
03 05 02679 01   190 0001 02 00000 00001 00001
03 05 02679 01   190 0001 03 00001 00000 00001
03 05 02679 01   190 0001 08 00002 00000 00002
03 05 02679 01   190 0001 09 00001 00001 00002
03 05 02679 01   190 0077 08 00000 00001 00001
03 05 02679 01   190 0045 07 00001 00000 00001
03 05 02679 01   190 0045 08 00001 00000 00001
03 05 02679 01   190 0045 09 00005 00001 00006
03 05 02679 01   190 0045 10 00000 00001 00001
03 05 02679 01   190 0045 11 00002 00000 00002
03 05 02679 01   190 0045 14 00000 00001 00001
03 05 02679 01   190 0038 11 00001 00000 00001
03 05 02679 01   190 0038 12 00000 00002 00002
03 05 02679 01   190 0038 13 00000 00002 00002
03 05 02679 01   190 0003 12 00000 00001 00001
03 05 02679 01   190 0006 21 00001 00002 00003
03 05 02679 01   190 0004 22 00012 00008 00020
03 05 02679 01   190 0004 21 00001 00000 00001
03 05 02679 01   190 0019 22 00000 00001 00001
03 06 08677 01   230 0052 01 00001 00000 00001
03 06 08677 01   230 0052 02 00002 00001 00003
03 06 08677 01   230 0034 02 00000 00001 00001
03 06 08677 01   230 0034 03 00005 00000 00005
03 06 08677 01   230 0034 04 00003 00002 00005
03 06 08677 01   230 0034 05 00000 00001 00001
03 06 08677 01   230 0077 10 00002 00000 00002
03 06 08677 01   230 0077 11 00001 00000 00001
03 06 08677 01   230 0045 18 00000 00002 00002
03 06 08677 01   230 0045 20 00000 00001 00001
03 06 08677 01   230 0006 20 00001 00000 00001
03 06 08677 01   230 0019 22 00000 00010 00010
03 07 08677 01   225 0052 01 00017 00009 00026
03 07 08677 01   225 0052 02 00016 00004 00020
03 07 08677 01   225 0034 02 00001 00000 00001
03 07 08677 01   225 0034 03 00001 00000 00001
03 07 08677 01   225 0034 04 00001 00000 00001
03 07 08677 01   225 0002 04 00000 00006 00006
03 07 08677 01   225 0078 05 00001 00000 00001
03 07 08677 01   225 0078 06 00001 00000 00001
03 07 08677 01   225 0038 14 00000 00001 00001
03 07 08677 01   225 0045 14 00000 00002 00002
03 07 08677 01   225 0045 15 00000 00002 00002
03 07 08677 01   225 0045 19 00005 00006 00011
03 07 08677 01   225 0045 20 00011 00012 00023
03 07 08677 01   225 0045 21 00004 00019 00023
03 07 08677 01   225 0006 21 00001 00000 00001
03 07 08677 01   225 0004 22 00163 00000 00163
```

```
04 01 09679 01   166 0039 01 00048 00037 00085
04 01 09679 01   166 0039 02 00030 00050 00080
04 01 09679 01   166 0039 03 00003 00013 00016
04 01 09679 01   166 0039 04 00005 00011 00016
04 01 09679 01   166 0039 05 00005 00007 00012
04 01 09679 01   166 0039 06 00000 00005 00005
04 01 09679 01   166 0039 07 00000 00004 00004
04 01 09679 01   166 0039 08 00000 00002 00002
04 01 09679 01   166 0002 02 00000 00002 00002
04 01 09679 01   166 0002 03 00001 00008 00009
04 01 09679 01   166 0002 04 00000 00017 00017
04 01 09679 01   166 0002 06 00000 00003 00003
04 01 09679 01   166 0023 08 00000 00001 00004
04 01 09679 01   166 0003 14 00001 00000 00001
04 01 09679 01   166 0003 19 00000 00001 00001
04 02 09679 -0   176 0039 01 00000 00009 00009
04 02 09679 -0   176 0039 02 00000 00002 00002
04 02 09679 -0   176 0028 08 00000 00001 00001
04 02 09679 -0   176 0003 14 00000 00001 00001
04 02 09679 -0   176 0003 18 00000 00001 00001
04 02 09679 -0   176 0003 19 00000 00001 00001
04 02 09679 -0   176 0003 20 00001 00000 00001
04 03 09679 -0   145 0034 01 00000 00002 00002
04 03 09679 -0   145 0007 01 00000 00011 00011
04 03 09679 -0   145 0007 02 00001 00018 00019
04 03 09679 -0   145 0007 03 00000 00010 00010
04 03 09679 -0   145 0007 04 00000 00006 00006
04 03 09679 -0   145 0039 02 00000 00001 00001
04 03 09679 -0   145 0002 02 00000 00002 00002
04 03 09679 -0   145 0002 03 00000 00004 00004
04 03 09679 -0   145 0002 04 00000 00002 00002
04 03 09679 -0   145 0002 05 00000 00001 00001
04 03 09679 -0   145 0057 12 00000 00001 00001
04 03 09679 -0   145 0003 15 00000 00001 00001
04 03 09679 -0   145 0014 22 00000 00001 00001
04 03 09679 -0   145 0028 22 00000 00001 00001
04 03 09679 -0   145 0020 11 00000 00001 00001
04 04 04677 01   134 0039 01 00000 00020 00020
04 04 04677 01   134 0039 02 00000 00010 00010
04 04 04677 01   134 0039 03 00000 00002 00002
04 04 04677 01   134 0039 04 00000 00020 00020
04 04 04677 01   134 0039 05 00000 00003 00003
04 04 04677 01   134 0039 06 00000 00005 00005
04 04 04677 01   134 0050 01 00000 00002 00002
04 04 04677 01   134 0007 01 00000 00003 00003
04 04 04677 01   134 0007 02 00000 00001 00001
04 04 04677 01   134 0012 03 00001 00000 00001
04 04 04677 01   134 0012 04 00001 00000 00001
04 04 04677 01   134 0002 04 00000 00001 00001
04 04 04677 01   134 0002 09 00000 00001 00001
04 04 04677 01   134 0003 15 00000 00001 00001
04 04 04677 01   134 0003 17 00001 00002 00003
04 04 04677 01   134 0003 18 00000 00001 00001
04 04 04677 01   134 0003 20 00000 00003 00003
04 04 04677 01   134 0003 21 00000 00004 00004
04 04 04677 01   134 0013 21 00000 00001 00001
04 04 04677 01   134 0027 19 00000 00002 00002
04 05 04677 01   171 0039 01 00012 00035 00047
04 05 04677 01   171 0039 02 00001 00016 00017
04 05 04677 01   171 0039 03 00000 00008 00008
04 05 04677 01   171 0039 04 00000 00011 00011
04 05 04677 01   171 0039 05 00000 00008 00008
04 05 04677 01   171 0039 06 00000 00004 00004
04 05 04677 01   171 0039 07 00000 00004 00004
04 05 04677 01   171 0050 01 00007 00002 00009
04 05 04677 01   171 0050 02 00001 00000 00001
04 05 04677 01   171 0007 01 00000 00002 00002
04 05 04677 01   171 0016 01 00000 00002 00002
04 05 04677 01   171 0016 02 00000 00004 00004
04 05 04677 01   171 0051 02 00000 00006 00006
04 05 04677 01   171 0051 03 00000 00005 00005
```

```
04 05 04677 01   171 0051 05 00000 00001 00001
04 05 04677 01   171 0002 03 00000 00001 00001
04 05 04677 01   171 0002 04 00000 00001 00001
04 05 04677 01   171 0012 04 00003 00003 00006
04 05 04677 01   171 0012 05 00000 00002 00002
04 05 04677 01   171 0012 06 00002 00000 00002
04 05 04677 01   171 0012 07 00002 00003 00005
04 05 04677 01   171 0001 05 00000 00001 00001
04 05 04677 01   171 0045 07 00000 00001 00001
04 05 04677 01   171 0060 08 00000 00001 00001
04 05 04677 01   171 0057 09 00000 00002 00002
04 05 04677 01   171 0057 10 00000 00001 00001
04 05 04677 01   171 0013 11 00000 00001 00001
04 05 04677 01   171 0013 12 00000 00001 00001
04 05 04677 01   171 0027 11 00000 00001 00001
04 05 04677 01   171 0104 12 00000 00002 00002
04 05 04677 01   171 0104 13 00000 00001 00001
04 05 04677 01   171 0038 19 00000 00006 00006
04 05 04677 01   171 0038 20 00002 00009 00011
04 05 04677 01   171 0038 21 00000 00002 00002
04 05 04677 01   171 0003 14 00000 00001 00001
04 05 04677 01   171 0003 19 00002 00002 00004
04 05 04677 01   171 0003 20 00000 00001 00001
04 05 04677 01   171 0003 21 00001 00003 00004
04 05 04677 01   171 0022 21 00002 00000 00002
04 06 02777 -0   169 0039 01 00000 00042 00042
04 06 02777 -0   169 0039 02 00023 00008 00031
04 06 02777 -0   169 0039 03 00029 00001 00030
04 06 02777 -0   169 0039 04 00010 00000 00010
04 06 02777 -0   169 0039 05 00003 00002 00005
04 06 02777 -0   169 0039 06 00007 00002 00009
04 06 02777 -0   169 0039 07 00000 00013 00013
04 06 02777 -0   169 0039 09 00001 00000 00001
04 06 02777 -0   169 0050 01 00000 00021 00021
04 06 02777 -0   169 0050 05 00000 00001 00001
04 06 02777 -0   169 0050 06 00000 00001 00001
04 06 02777 -0   169 0034 01 00000 00001 00001
04 06 02777 -0   169 0001 01 00000 00001 00001
04 06 02777 -0   169 0001 03 00000 00002 00002
04 06 02777 -0   169 0001 04 00000 00001 00001
04 06 02777 -0   169 0001 07 00000 00001 00001
04 06 02777 -0   169 0002 03 00000 00002 00002
04 06 02777 -0   169 0002 04 00002 00020 00022
04 06 02777 -0   169 0002 05 00023 00004 00027
04 06 02777 -0   169 0002 06 00001 00007 00008
04 06 02777 -0   169 0002 07 00000 00001 00001
04 06 02777 -0   169 0002 08 00000 00001 00001
04 06 02777 -0   169 0020 09 00000 00002 00002
04 06 02777 -0   169 0057 06 00000 00001 00001
04 06 02777 -0   169 0057 09 00000 00005 00005
04 06 02777 -0   169 0057 10 00000 00002 00002
04 06 02777 -0   169 0057 11 00000 00002 00002
04 06 02777 -0   169 0057 12 00000 00006 00006
04 06 02777 -0   169 0057 13 00000 00015 00015
04 06 02777 -0   169 0057 14 00000 00005 00005
04 06 02777 -0   169 0060 17 00000 00001 00001
04 06 02777 -0   169 0003 12 00000 00002 00002
04 06 02777 -0   169 0003 16 00000 00001 00001
04 06 02777 -0   169 0003 17 00002 00000 00002
04 06 02777 -0   169 0003 21 00001 00000 00001
04 07 02679 01   193 0012 01 00002 00000 00002
04 07 02679 01   193 0012 03 00011 00000 00011
04 07 02679 01   193 0012 04 00019 00000 00019
04 07 02679 01   193 0012 05 00004 00000 00004
04 07 02679 01   193 0012 07 00002 00000 00002
04 07 02679 01   193 0012 08 00002 00000 00002
04 07 02679 01   193 0012 09 00000 00002 00002
04 07 02679 01   193 0050 01 00000 00001 00001
04 07 02679 01   193 0039 04 00000 00001 00001
04 07 02679 01   193 0007 01 00000 00002 00002
04 07 02679 01   193 0051 02 00000 00002 00002
04 07 02679 01   193 0051 03 00000 00001 00001
```

```
04 07 02679 01  193 0051 04 00000 00003 00003
04 07 02679 01  193 0051 05 00000 00002 00002
04 07 02679 01  193 0003 15 00001 00000 00001
04 07 02679 01  193 0045 08 00000 00001 00001
04 07 02679 01  193 0028 08 00000 00001 00001
04 07 02679 01  193 0057 09 00000 00007 00007
04 07 02679 01  193 0057 10 00000 00012 00012
04 07 02679 01  193 0057 11 00000 00032 00032
04 07 02679 01  193 0057 12 00000 00025 00025
04 07 02679 01  193 0057 13 00000 00015 00015
04 07 02679 01  193 0057 14 00000 00004 00004
04 07 02679 01  193 0057 15 00000 00003 00003
04 07 02679 01  193 0057 16 00000 00001 00001
04 07 02679 01  193 0057 17 00000 00002 00002
04 07 02679 01  193 0037 16 00000 00001 00001
04 07 02679 01  193 0037 18 00000 00001 00001
04 07 02679 01  193 0037 19 00000 00001 00001
04 07 02679 01  193 0037 20 00000 00002 00002
04 07 02679 01  193 0037 21 00000 00001 00001
04 08 02679 01  164 0012 01 00343 00267 00610
04 08 02679 01  164 0012 02 00187 00203 00390
04 08 02679 01  164 0012 03 00102 00106 00208
04 08 02679 01  164 0012 04 00075 00074 00149
04 08 02679 01  164 0012 05 00143 00180 00323
04 08 02679 01  164 0012 06 00057 00144 00201
04 08 02679 01  164 0012 07 00000 00050 00050
04 08 02679 01  164 0012 08 00003 00037 00040
04 08 02679 01  164 0012 09 00001 00028 00029
04 08 02679 01  164 0012 10 00002 00002 00004
04 08 02679 01  164 0012 11 00000 00003 00003
04 08 02679 01  164 0012 17 00001 00000 00001
04 08 02679 01  164 0032 08 00000 00019 00019
04 08 02679 01  164 0032 09 00000 00036 00036
04 08 02679 01  164 0032 10 00000 00025 00025
04 08 02679 01  164 0032 11 00000 00007 00007
04 08 02679 01  164 0032 14 00000 00001 00001
04 08 02679 01  164 0032 15 00000 00001 00001
04 08 02679 01  164 0032 16 00000 00002 00002
04 08 02679 01  164 0032 19 00000 00001 00001
04 08 02679 01  164 0039 01 00001 00003 00004
04 08 02679 01  164 0039 03 00001 00001 00002
04 08 02679 01  164 0050 01 00012 00003 00015
04 08 02679 01  164 0007 02 00001 00000 00001
04 08 02679 01  164 0034 08 00000 00001 00001
04 08 02679 01  164 0018 01 00000 00001 00001
04 08 02679 01  164 0018 09 00000 00002 00002
04 08 02679 01  164 0018 10 00000 00002 00002
04 08 02679 01  164 0018 11 00000 00001 00001
04 08 02679 01  164 0018 12 00000 00002 00002
04 08 02679 01  164 0018 13 00000 00002 00002
04 08 02679 01  164 0018 14 00000 00001 00001
04 08 02679 01  164 0018 15 00000 00001 00001
04 08 02679 01  164 0018 16 00000 00002 00002
04 08 02679 01  164 0018 17 00000 00003 00003
04 08 02679 01  164 0018 18 00000 00001 00001
04 08 02679 01  164 0023 19 00000 00001 00001
04 08 02679 01  164 0023 20 00000 00002 00002
04 08 02679 01  164 0003 18 00000 00001 00001
04 08 02679 01  164 0003 21 00004 00005 00009
04 08 02679 01  164 0005 03 00000 00001 00001
04 08 02679 01  164 0005 18 00000 00001 00001
04 09 02679 01  000 0039 01 00005 00000 00005
04 09 02679 01  000 0039 02 00003 00002 00005
04 09 02679 01  000 0039 03 00001 00002 00003
04 09 02679 01  000 0039 04 00001 00002 00003
04 09 02679 01  000 0039 05 00004 00005 00009
04 09 02679 01  000 0039 06 00000 00002 00002
04 09 02679 01  000 0012 01 00000 00018 00018
04 09 02679 01  000 0012 02 00013 00031 00044
04 09 02679 01  000 0012 03 00016 00028 00044
04 09 02679 01  000 0012 04 00019 00023 00042
04 09 02679 01  000 0012 05 00016 00034 00050
```

```
04 09 02679 01   000 0012 06 00019 00035 00054
04 09 02679 01   000 0012 07 00001 00060 00061
04 09 02679 01   000 0012 08 00001 00078 00079
04 09 02679 01   000 0012 09 00000 00103 00103
04 09 02679 01   000 0012 10 00000 00055 00055
04 09 02679 01   000 0012 11 00000 00055 00055
04 09 02679 01   000 0012 12 00001 00014 00015
04 09 02679 01   000 0012 13 00001 00002 00003
04 09 02679 01   000 0012 15 00000 00003 00003
04 09 02679 01   000 0012 16 00000 00001 00001
04 09 02679 01   000 0032 16 00000 00002 00002
04 09 02679 01   000 0032 18 00000 00001 00001
04 09 02679 01   000 0032 20 00000 00001 00001
04 09 02679 01   000 0050 01 00001 00001 00002
04 09 02679 01   000 0050 02 00000 00001 00001
04 09 02679 01   000 0007 01 00000 00009 00009
04 09 02679 01   000 0007 02 00000 00013 00013
04 09 02679 01   000 0007 03 00000 00006 00006
04 09 02679 01   000 0007 04 00000 00003 00003
04 09 02679 01   000 0007 05 00000 00005 00005
04 09 02679 01   000 0007 06 00000 00001 00001
04 09 02679 01   000 0007 07 00000 00002 00002
04 09 02679 01   000 0007 08 00000 00003 00003
04 09 02679 01   000 0056 03 00000 00001 00001
04 09 02679 01   000 0056 09 00000 00002 00002
04 09 02679 01   000 0001 02 00000 00002 00002
04 09 02679 01   000 0081 08 00000 00001 00001
04 09 02679 01   000 0081 09 00000 00003 00003
04 09 02679 01   000 0057 11 00000 00013 00013
04 09 02679 01   000 0057 12 00000 00008 00008
04 09 02679 01   000 0057 13 00000 00015 00015
04 09 02679 01   000 0057 14 00000 00009 00009
04 09 02679 01   000 0057 15 00000 00003 00003
04 09 02679 01   000 0057 16 00000 00001 00001
04 09 02679 01   000 0057 17 00000 00001 00001
04 09 02679 01   000 0023 11 00000 00004 00004
04 09 02679 01   000 0023 12 00000 00005 00005
04 09 02679 01   000 0023 14 00000 00002 00002
04 09 02679 01   000 0023 16 00000 00004 00004
04 09 02679 01   000 0018 13 00000 00001 00001
04 09 02679 01   000 0018 14 00000 00001 00001
04 09 02679 01   000 0037 15 00000 00001 00001
04 09 02679 01   000 0037 16 00000 00001 00001
04 09 02679 01   000 0037 17 00000 00009 00009
04 09 02679 01   000 0037 18 00000 00018 00018
04 09 02679 01   000 0037 19 00000 00002 00002
04 09 02679 01   000 0037 20 00000 00002 00002
04 09 02679 01   000 0003 15 00002 00000 00002
04 09 02679 01   000 0003 16 00004 00000 00004
04 09 02679 01   000 0003 17 00009 00000 00009
04 09 02679 01   000 0003 18 00005 00000 00005
04 09 02679 01   000 0003 21 00002 00000 00002
04 09 02679 01   000 0004 22 00000 00001 00001
04 09 02679 01   000 0015 22 00002 00000 00002
04 09 02679 01   000 0014 22 00000 00002 00002
04 10 02679 02   195 0012 01 00018 00004 00022
04 10 02679 02   195 0012 02 00140 00021 00161
04 10 02679 02   195 0012 03 00153 00062 00215
04 10 02679 02   195 0012 04 00164 00022 00186
04 10 02679 02   195 0012 05 00165 00030 00195
04 10 02679 02   195 0012 06 00168 00032 00200
04 10 02679 02   195 0012 07 00118 00035 00153
04 10 02679 02   195 0012 08 00114 00028 00142
04 10 02679 02   195 0012 09 00076 00008 00084
04 10 02679 02   195 0012 10 00042 00006 00048
04 10 02679 02   195 0012 11 00004 00000 00004
04 10 02679 02   195 0012 14 00001 00000 00001
04 10 02679 02   195 0032 02 00000 00003 00003
04 10 02679 02   195 0039 01 00537 00052 00589
```

```
04  10  02679  02    195  0039  02  00541  00041  00582
04  10  02679  02    195  0039  03  00443  00057  00500
04  10  02679  02    195  0039  04  00410  00030  00440
04  10  02679  02    195  0039  05  00281  00054  00335
04  10  02679  02    195  0039  06  00245  00024  00269
04  10  02679  02    195  0039  07  00165  00015  00180
04  10  02679  02    195  0039  08  00081  00025  00106
04  10  02679  02    195  0039  09  00016  00008  00024
04  10  02679  02    195  0039  10  00001  00000  00001
04  10  02679  02    195  0039  11  00000  00001  00001
04  10  02679  02    195  0051  02  00000  00001  00001
04  10  02679  02    195  0051  03  00000  00002  00002
04  10  02679  02    195  0051  04  00000  00001  00001
04  10  02679  02    195  0051  05  00000  00001  00001
04  10  02679  02    195  0007  01  00000  00004  00004
04  10  02679  02    195  0007  02  00000  00005  00005
04  10  02679  02    195  0007  03  00001  00003  00004
04  10  02679  02    195  0007  04  00002  00001  00003
04  10  02679  02    195  0007  05  00002  00001  00003
04  10  02679  02    195  0007  06  00000  00004  00004
04  10  02679  02    195  0007  07  00001  00003  00004
04  10  02679  02    195  0007  08  00002  00008  00010
04  10  02679  02    195  0007  09  00000  00002  00002
04  10  02679  02    195  0007  10  00000  00001  00001
04  10  02679  02    195  0007  12  00000  00001  00001
04  10  02679  02    195  0050  01  00004  00000  00004
04  10  02679  02    195  0023  01  00000  00004  00004
04  10  02679  02    195  0034  03  00001  00000  00001
04  10  02679  02    195  0002  05  00001  00000  00001
04  10  02679  02    195  0002  06  00000  00001  00001
04  10  02679  02    195  0002  07  00001  00000  00001
04  10  02679  02    195  0067  07  00001  00000  00001
04  10  02679  02    195  0057  11  00000  00003  00003
04  10  02679  02    195  0057  12  00000  00011  00011
04  10  02679  02    195  0057  13  00000  00010  00010
04  10  02679  02    195  0057  14  00000  00005  00005
04  10  02679  02    195  0037  16  00000  00002  00002
04  10  02679  02    195  0037  17  00000  00009  00009
04  10  02679  02    195  0037  18  00000  00002  00002
04  10  02679  02    195  0003  17  00002  00002  00004
04  10  02679  02    195  0003  18  00003  00000  00003
04  10  02679  02    195  0003  21  00001  00002  00003
04  10  02679  02    195  0004  22  00000  00039  00039
04  10  02679  02    195  0014  22  00000  00002  00002
```

```
05 01 02679 01   135 0029 01 00071 00141 00212
05 01 02679 01   135 0029 02 00058 00127 00185
05 01 02679 01   135 0029 03 00099 00102 00201
05 01 02679 01   135 0029 04 00100 00152 00252
05 01 02679 01   135 0029 05 00091 00112 00203
05 01 02679 01   135 0029 06 00065 00041 00106
05 01 02679 01   135 0029 07 00070 00056 00126
05 01 02679 01   135 0029 08 00065 00060 00125
05 01 02679 01   135 0029 09 00094 00055 00149
05 01 02679 01   135 0029 10 00073 00055 00128
05 01 02679 01   135 0029 11 00056 00038 00094
05 01 02679 01   135 0029 12 00020 00028 00048
05 01 02679 01   135 0029 13 00000 00004 00004
05 01 02679 01   135 0001 01 00000 00002 00002
05 01 02679 01   135 0001 02 00000 00001 00001
05 01 02679 01   135 0002 01 00000 00003 00003
05 01 02679 01   135 0002 02 00002 00003 00005
05 01 02679 01   135 0002 03 00003 00001 00004
05 01 02679 01   135 0002 04 00001 00009 00010
05 01 02679 01   135 0002 05 00002 00004 00006
05 01 02679 01   135 0002 06 00000 00002 00002
05 01 02679 01   135 0002 07 00000 00004 00004
05 01 02679 01   135 0002 09 00000 00001 00001
05 01 02679 01   135 0002 10 00000 00001 00001
05 01 02679 01   135 0002 11 00000 00001 00001
05 01 02679 01   135 0020 07 00000 00002 00002
05 01 02679 01   135 0020 13 00000 00001 00001
05 01 02679 01   135 0048 12 00000 00001 00001
05 01 02679 01   135 0048 13 00000 00002 00002
05 01 02679 01   135 0048 14 00000 00005 00005
05 01 02679 01   135 0048 15 00000 00006 00006
05 01 02679 01   135 0048 16 00000 00005 00005
05 01 02679 01   135 0048 17 00000 00005 00005
05 01 02679 01   135 0048 18 00000 00015 00015
05 01 02679 01   135 0048 19 00000 00001 00001
05 01 02679 01   135 0079 16 00004 00000 00004
05 01 02679 01   135 0005 19 00001 00000 00001
05 01 02679 01   135 0003 21 00000 00001 00001
05 01 02679 01   135 0057 04 00000 00002 00002
05 01 02679 01   135 0057 06 00000 00001 00001
05 01 02679 01   135 0014 22 00000 00001 00001
05 02 02679 01   147 0029 01 00026 00079 00105
05 02 02679 01   147 0029 02 00168 00118 00286
05 02 02679 01   147 0029 03 00120 00174 00294
05 02 02679 01   147 0029 04 00051 00058 00109
05 02 02679 01   147 0029 05 00025 00060 00085
05 02 02679 01   147 0029 06 00031 00060 00091
05 02 02679 01   147 0029 07 00044 00174 00218
05 02 02679 01   147 0029 08 00037 00184 00221
05 02 02679 01   147 0029 09 00057 00165 00222
05 02 02679 01   147 0029 10 00100 00260 00360
05 02 02679 01   147 0029 11 00043 00050 00093
05 02 02679 01   147 0029 12 00016 00046 00062
05 02 02679 01   147 0029 13 00027 00078 00105
05 02 02679 01   147 0029 14 00019 00093 00112
05 02 02679 01   147 0029 15 00006 00031 00037
05 02 02679 01   147 0029 16 00000 00001 00001
05 02 02679 01   147 0001 01 00000 00018 00018
05 02 02679 01   147 0001 02 00000 00005 00005
05 02 02679 01   147 0001 03 00000 00009 00009
05 02 02679 01   147 0001 04 00000 00003 00003
05 02 02679 01   147 0001 05 00000 00001 00001
05 02 02679 01   147 0002 03 00001 00000 00001
05 02 02679 01   147 0002 04 00001 00000 00001
05 02 02679 01   147 0002 05 00004 00000 00004
05 02 02679 01   147 0002 06 00005 00000 00005
05 02 02679 01   147 0002 07 00001 00000 00001
05 02 02679 01   147 0002 09 00004 00000 00004
05 02 02679 01   147 0002 10 00001 00000 00001
05 02 02679 01   147 0002 11 00002 00001 00003
05 02 02679 01   147 0020 11 00000 00001 00001
05 02 02679 01   147 0020 19 00000 00001 00001
```

```
05 02 02679 01   147 0048 13 00000 00005 00005
05 02 02679 01   147 0048 14 00000 00021 00021
05 02 02679 01   147 0048 15 00000 00020 00020
05 02 02679 01   147 0048 16 00000 00020 00020
05 02 02679 01   147 0048 17 00000 00004 00004
05 02 02679 01   147 0048 18 00000 00006 00006
05 02 02679 01   147 0048 19 00000 00019 00019
05 02 02679 01   147 0048 20 00000 00005 00005
05 02 02679 01   147 0079 15 00005 00000 00005
05 02 02679 01   147 0056 03 00000 00001 00001
05 02 02679 01   147 0056 04 00000 00004 00004
05 02 02679 01   147 0056 05 00000 00017 00017
05 02 02679 01   147 0056 06 00000 00004 00004
05 02 02679 01   147 0056 07 00000 00001 00001
05 02 02679 01   147 0056 08 00000 00001 00001
05 02 02679 01   147 0082 03 00000 00002 00002
05 02 02679 01   147 0082 04 00006 00000 00006
05 02 02679 01   147 0082 06 00000 00002 00002
05 02 02679 01   147 0082 07 00003 00000 00003
05 02 02679 01   147 0003 21 00002 00000 00002
05 02 02679 01   147 0022 13 00001 00000 00001
05 02 02679 01   147 0022 14 00002 00000 00002
05 02 02679 01   147 0022 15 00002 00000 00002
05 02 02679 01   147 0022 16 00002 00000 00002
05 02 02679 01   147 0022 19 00001 00000 00001
05 03 07677 02   157 0001 01 00000 00002 00002
05 03 07677 02   157 0001 02 00000 00008 00008
05 03 07677 02   157 0001 03 00000 00002 00002
05 03 07677 02   157 0001 04 00000 00003 00003
05 03 07677 02   157 0001 05 00000 00002 00002
05 03 07677 02   157 0001 06 00000 00003 00003
05 03 07677 02   157 0001 07 00000 00001 00001
05 03 07677 02   157 0001 08 00000 00001 00001
05 03 07677 02   157 0001 09 00000 00001 00001
05 03 07677 02   157 0029 01 00000 00005 00005
05 03 07677 02   157 0029 02 00000 00038 00038
05 03 07677 02   157 0029 03 00000 00071 00071
05 03 07677 02   157 0029 04 00002 00040 00042
05 03 07677 02   157 0029 05 00014 00032 00046
05 03 07677 02   157 0029 06 00009 00020 00029
05 03 07677 02   157 0029 07 00010 00043 00053
05 03 07677 02   157 0029 08 00010 00039 00049
05 03 07677 02   157 0029 09 00009 00049 00058
05 03 07677 02   157 0029 10 00024 00048 00072
05 03 07677 02   157 0029 11 00027 00026 00053
05 03 07677 02   157 0029 12 00010 00015 00025
05 03 07677 02   157 0029 13 00000 00004 00004
05 03 07677 02   157 0002 05 00003 00000 00003
05 03 07677 02   157 0002 06 00003 00000 00003
05 03 07677 02   157 0002 07 00004 00001 00005
05 03 07677 02   157 0002 08 00000 00002 00002
05 03 07677 02   157 0002 09 00003 00000 00003
05 03 07677 02   157 0002 10 00001 00001 00002
05 03 07677 02   157 0012 06 00000 00001 00001
05 03 07677 02   157 0012 07 00000 00001 00001
05 03 07677 02   157 0048 12 00000 00001 00001
05 03 07677 02   157 0048 13 00000 00018 00018
05 03 07677 02   157 0048 14 00000 00009 00009
05 03 07677 02   157 0048 15 00000 00001 00001
05 03 07677 02   157 0048 16 00000 00007 00007
05 03 07677 02   157 0048 17 00000 00005 00005
05 03 07677 02   157 0048 18 00000 00002 00002
05 03 07677 02   157 0004 22 00000 00002 00002
05 03 07677 02   157 0015 22 00000 00001 00001
05 03 07677 02   157 0022 14 00000 00002 00002
05 04 07677 01   166 0001 01 00000 00012 00012
05 04 07677 01   166 0001 02 00000 00001 00001
05 04 07677 01   166 0001 03 00000 00001 00001
05 04 07677 01   166 0001 04 00000 00003 00003
05 04 07677 01   166 0001 05 00000 00004 00004
05 04 07677 01   166 0002 01 00003 00000 00003
05 04 07677 01   166 0002 02 00011 00000 00011
```

```
05 04 07677 01   166 0002 03 00015 00000 00015
05 04 07677 01   166 0002 04 00011 00000 00011
05 04 07677 01   166 0002 05 00016 00000 00016
05 04 07677 01   166 0002 06 00011 00000 00011
05 04 07677 01   166 0002 07 00002 00000 00002
05 04 07677 01   166 0002 09 00001 00000 00001
05 04 07677 01   166 0002 10 00002 00000 00002
05 04 07677 01   166 0029 01 00019 00040 00059
05 04 07677 01   166 0029 02 00049 00078 00127
05 04 07677 01   166 0029 03 00050 00042 00092
05 04 07677 01   166 0029 04 00126 00068 00194
05 04 07677 01   166 0029 05 00089 00069 00158
05 04 07677 01   166 0029 06 00055 00071 00126
05 04 07677 01   166 0029 07 00072 00075 00147
05 04 07677 01   166 0029 08 00094 00070 00164
05 04 07677 01   166 0029 09 00117 00088 00205
05 04 07677 01   166 0029 10 00110 00065 00175
05 04 07677 01   166 0029 11 00113 00016 00129
05 04 07677 01   166 0029 12 00126 00040 00166
05 04 07677 01   166 0029 13 00027 00027 00054
05 04 07677 01   166 0029 14 00000 00004 00004
05 04 07677 01   166 0029 17 00000 00001 00001
05 04 07677 01   166 0048 12 00000 00002 00002
05 04 07677 01   166 0048 13 00000 00009 00009
05 04 07677 01   166 0048 14 00000 00024 00024
05 04 07677 01   166 0048 15 00000 00008 00008
05 04 07677 01   166 0048 16 00000 00012 00012
05 04 07677 01   166 0048 17 00000 00009 00009
05 04 07677 01   166 0048 18 00000 00009 00009
05 04 02679 01   147 0082 04 00000 00003 00003
05 04 02679 01   147 0082 05 00000 00003 00003
05 04 02679 01   147 0082 09 00000 00001 00001
05 04 07677 01   166 0020 18 00000 00002 00002
05 04 07677 01   166 0041 20 00001 00000 00001
05 04 07677 01   166 0041 21 00001 00000 00001
05 04 07677 01   166 0005 14 00000 00001 00001
05 04 07677 01   166 0005 18 00001 00000 00001
05 04 07677 01   166 0005 19 00002 00000 00002
05 04 07677 01   166 0005 20 00001 00000 00001
05 04 07677 01   166 0006 21 00000 00001 00001
05 04 07677 01   166 0022 12 00001 00000 00001
05 04 07677 01   166 0022 13 00006 00000 00006
05 04 07677 01   166 0022 14 00009 00000 00009
05 04 07677 01   166 0022 15 00009 00000 00009
05 04 07677 01   166 0022 16 00003 00000 00003
05 04 07677 01   166 0022 18 00001 00000 00001
05 05 07677 02   159 0007 01 00027 00000 00027
05 05 07677 02   159 0002 01 00001 00000 00001
05 05 07677 02   159 0002 02 00003 00000 00003
05 05 07677 02   159 0002 03 00009 00000 00009
05 05 07677 02   159 0002 04 00024 00001 00025
05 05 07677 02   159 0002 05 00004 00003 00007
05 05 07677 02   159 0002 06 00001 00001 00002
05 05 07677 02   159 0029 01 00000 00005 00005
05 05 07677 02   159 0029 02 00250 00092 00342
05 05 07677 02   159 0029 03 00210 00035 00245
05 05 07677 02   159 0029 04 00196 00019 00215
05 05 07677 02   159 0029 05 00077 00032 00109
05 05 07677 02   159 0029 06 00125 00057 00182
05 05 07677 02   159 0029 07 00072 00043 00115
05 05 07677 02   159 0029 08 00070 00027 00097
05 05 07677 02   159 0029 09 00092 00030 00122
05 05 07677 02   159 0029 10 00311 00049 00360
05 05 07677 02   159 0029 11 00105 00038 00143
05 05 07677 02   159 0029 12 00002 00020 00022
05 05 07677 02   159 0029 15 00001 00000 00001
05 05 07677 02   159 0059 03 00000 00001 00001
05 05 07677 02   159 0001 05 00000 00001 00001
```

```
05 05 07677 02   159 0001 06 00000 00001 00001
05 05 07677 02   159 0048 12 00000 00017 00017
05 05 07677 02   159 0048 13 00000 00060 00060
05 05 07677 02   159 0048 14 00000 00117 00117
05 05 07677 02   159 0048 15 00000 00102 00102
05 05 07677 02   159 0048 16 00000 00078 00078
05 05 07677 02   159 0048 17 00000 00095 00095
05 05 07677 02   159 0048 18 00000 00113 00113
05 05 07677 02   159 0048 19 00000 00010 00010
05 05 07677 02   159 0022 15 00000 00001 00001
05 05 07677 02   159 0014 22 00001 00001 00002
05 06 02679 01   146 0029 01 00000 00012 00012
05 06 02679 01   146 0029 02 00000 00038 00038
05 06 02679 01   146 0029 03 00009 00022 00031
05 06 02679 01   146 0029 04 00013 00015 00028
05 06 02679 01   146 0029 05 00000 00006 00006
05 06 02679 01   146 0029 06 00001 00007 00008
05 06 02679 01   146 0029 07 00003 00001 00004
05 06 02679 01   146 0029 08 00005 00010 00015
05 06 02679 01   146 0029 09 00004 00009 00013
05 06 02679 01   146 0029 10 00013 00011 00024
05 06 02679 01   146 0029 11 00010 00011 00021
05 06 02679 01   146 0029 12 00008 00007 00015
05 06 02679 01   146 0029 13 00003 00001 00004
05 06 02679 01   146 0029 14 00000 00001 00001
05 06 02679 01   146 0029 15 00000 00001 00001
05 06 02679 01   146 0001 01 00000 00013 00013
05 06 02679 01   146 0059 03 00000 00001 00001
05 06 02679 01   146 0048 13 00000 00001 00001
05 06 02679 01   146 0048 15 00000 00001 00001
05 06 02679 01   146 0048 16 00000 00005 00005
05 06 02679 01   146 0048 17 00000 00016 00016
05 06 02679 01   146 0048 18 00000 00014 00014
05 06 02679 01   146 0048 19 00000 00004 00004
05 06 02679 01   146 0048 20 00000 00008 00008
05 06 02679 01   146 0048 21 00000 00004 00004
05 06 02679 01   146 0003 21 00000 00004 00004
05 06 02679 01   146 0006 21 00001 00003 00004
```

```
06 01 01679 02  083 0051 02 00002 00000 00002
06 01 01679 02  083 0025 11 00000 00011 00011
06 01 01679 02  083 0025 13 00000 00001 00001
06 01 01679 02  083 0025 14 00000 00003 00003
06 01 01679 02  083 0005 16 00001 00000 00001
06 01 01679 02  083 0005 21 00001 00000 00001
06 02 04677 01  104 0051 02 00001 00000 00001
06 02 04677 01  104 0013 03 00000 00001 00001
06 02 04677 01  104 0013 05 00000 00001 00001
06 02 04677 01  104 0013 11 00000 00002 00002
06 02 04677 01  104 0013 12 00000 00001 00001
06 02 04677 01  104 0013 13 00000 00001 00001
06 02 04677 01  104 0013 15 00000 00001 00001
06 02 04677 01  104 0013 18 00000 00001 00001
06 02 04677 01  104 0020 01 00000 00089 00089
06 02 04677 01  104 0020 02 00000 00010 00010
06 02 04677 01  104 0020 03 00000 00001 00001
06 02 04677 01  104 0020 05 00000 00006 00006
06 02 04677 01  104 0020 06 00000 00001 00001
06 02 04677 01  104 0020 07 00000 00022 00022
06 02 04677 01  104 0020 08 00000 00030 00030
06 02 04677 01  104 0020 09 00000 00047 00047
06 02 04677 01  104 0020 10 00000 00052 00052
06 02 04677 01  104 0020 11 00000 00010 00010
06 02 04677 01  104 0020 12 00000 00020 00020
06 02 04677 01  104 0020 13 00000 00019 00019
06 02 04677 01  104 0020 14 00000 00001 00001
06 02 04677 01  104 0020 15 00000 00002 00002
06 02 04677 01  104 0020 16 00000 00002 00002
06 02 04677 01  104 0025 01 00000 00001 00001
06 02 04677 01  104 0025 04 00000 00004 00004
06 02 04677 01  104 0044 02 00000 00001 00001
06 02 04677 01  104 0044 03 00000 00001 00001
06 02 04677 01  104 0044 04 00000 00001 00001
06 02 04677 01  104 0044 05 00000 00001 00001
06 02 04677 01  104 0044 06 00000 00001 00001
06 02 04677 01  104 0044 07 00000 00006 00006
06 02 04677 01  104 0044 08 00000 00001 00001
06 02 04677 01  104 0044 09 00000 00003 00003
06 02 04677 01  104 0044 10 00000 00008 00008
06 02 04677 01  104 0044 11 00000 00004 00004
06 02 04677 01  104 0044 12 00000 00008 00008
06 02 04677 01  104 0044 13 00000 00001 00001
06 02 04677 01  104 0035 07 00000 00001 00001
06 02 04677 01  104 0035 09 00000 00001 00001
06 02 04677 01  104 0018 08 00000 00001 00001
06 02 04677 01  104 0018 10 00000 00001 00001
06 02 04677 01  104 0107 09 00000 00005 00005
06 02 04677 01  104 0107 11 00000 00002 00002
06 02 04677 01  104 0023 10 00000 00001 00001
06 02 04677 01  104 0005 12 00000 00001 00001
06 02 04677 01  104 0005 13 00000 00007 00007
06 02 04677 01  104 0005 14 00000 00008 00008
06 02 04677 01  104 0005 15 00001 00004 00005
06 02 04677 01  104 0005 16 00000 00002 00002
06 02 04677 01  104 0005 18 00000 00001 00001
06 02 04677 01  104 0005 21 00000 00001 00001
06 02 04677 01  104 0047 13 00000 00001 00001
06 02 04677 01  104 0006 13 00000 00001 00001
06 02 04677 01  104 0006 14 00000 00002 00002
06 02 04677 01  104 0006 16 00000 00001 00001
06 03 04877 -0  101 0020 01 00000 00010 00010
06 03 04877 -0  101 0020 03 00000 00001 00001
06 03 04877 -0  101 0020 04 00000 00003 00003
06 03 04877 -0  101 0020 05 00000 00004 00004
06 03 04877 -0  101 0020 06 00000 00003 00003
06 03 04877 -0  101 0020 09 00000 00001 00001
06 03 04877 -0  101 0020 10 00000 00002 00002
```

```
06 03 04877 -0  101 0020 11 00000 00011 00011
06 03 04877 -0  101 0020 12 00000 00009 00009
06 03 04877 -0  101 0020 13 00000 00002 00002
06 03 04877 -0  101 0020 14 00000 00002 00002
06 03 04877 -0  101 0044 06 00000 00001 00001
06 03 04877 -0  101 0044 09 00000 00001 00001
06 03 04877 -0  101 0044 14 00000 00001 00001
06 03 04877 -0  101 0044 16 00000 00001 00001
06 03 04877 -0  101 0005 13 00002 00000 00002
06 03 04877 -0  101 0005 14 00005 00001 00006
06 03 04877 -0  101 0005 16 00001 00000 00001
06 03 04877 -0  101 0005 18 00000 00001 00001
06 03 04877 -0  101 0014 22 00001 00000 00001
06 04 01777 -0  083 0044 01 00000 00001 00001
06 04 01777 -0  083 0044 02 00000 00006 00006
06 04 01777 -0  083 0044 03 00000 00017 00017
06 04 01777 -0  083 0044 04 00000 00005 00005
06 04 01777 -0  083 0044 05 00000 00012 00012
06 04 01777 -0  083 0044 06 00000 00013 00013
06 04 01777 -0  083 0044 07 00000 00016 00016
06 04 01777 -0  083 0044 08 00000 00017 00017
06 04 01777 -0  083 0044 09 00000 00013 00013
06 04 01777 -0  083 0044 10 00000 00026 00026
06 04 01777 -0  083 0044 11 00000 00056 00056
06 04 01777 -0  083 0044 12 00000 00047 00047
06 04 01777 -0  083 0044 13 00000 00096 00096
06 04 01777 -0  083 0044 14 00000 00048 00048
06 04 01777 -0  083 0044 15 00000 00016 00016
06 04 01777 -0  083 0007 02 00000 00001 00001
06 04 01777 -0  083 0004 22 00000 00003 00003
06 04 01777 -0  083 0015 22 00000 00001 00001
06 04 01777 -0  083 0003 18 00000 00001 00001
06 05 01779 -0  098 0007 01 00001 00004 00005
06 05 01779 -0  098 0007 02 00000 00014 00014
06 05 01779 -0  098 0007 03 00004 00006 00010
06 05 01779 -0  098 0007 04 00003 00006 00009
06 05 01779 -0  098 0007 05 00001 00001 00002
06 05 01779 -0  098 0007 06 00001 00001 00002
06 05 01779 -0  098 0007 07 00000 00002 00002
06 05 01779 -0  098 0007 08 00000 00001 00001
06 05 01779 -0  098 0007 12 00000 00001 00001
06 05 01779 -0  098 0051 03 00000 00001 00001
06 05 01779 -0  098 0002 03 00001 00000 00001
06 05 01779 -0  098 0044 05 00000 00001 00001
06 05 01779 -0  098 0044 06 00000 00001 00001
06 05 01779 -0  098 0044 07 00000 00001 00001
06 05 01779 -0  098 0044 11 00000 00002 00002
06 05 01779 -0  098 0088 12 00000 00001 00001
06 05 01779 -0  098 0005 13 00000 00001 00001
06 05 01779 -0  098 0041 15 00000 00001 00001
06 05 01779 -0  098 0041 16 00000 00004 00004
06 05 01779 -0  098 0041 17 00000 00001 00001
06 05 01779 -0  098 0041 18 00000 00005 00005
06 05 01779 -0  098 0028 22 00000 00004 00004
06 05 01779 -0  098 0015 22 00011 00002 00013
06 05 01779 -0  098 0019 22 00000 00001 00001
06 05 01779 -0  098 0014 22 00008 00001 00009
06 06 04677 02  084 0044 01 00000 00004 00004
06 06 04677 02  084 0044 02 00000 00002 00002
06 06 04677 02  084 0044 03 00000 00005 00005
06 06 04677 02  084 0044 04 00000 00008 00008
06 06 04677 02  084 0044 05 00000 00007 00007
06 06 04677 02  084 0044 06 00000 00007 00007
06 06 04677 02  084 0044 07 00000 00004 00004
06 06 04677 02  084 0044 08 00000 00005 00005
06 06 04677 02  084 0044 09 00000 00003 00003
06 06 04677 02  084 0044 10 00000 00004 00004
06 06 04677 02  084 0044 11 00000 00036 00036
06 06 04677 02  084 0044 12 00000 00009 00009
06 06 04677 02  084 0013 07 00000 00001 00001
06 06 04677 02  084 0013 11 00000 00001 00001
```

```
06 06 04677 02  084 0088 12 00000 00005 00005
06 06 04677 02  084 0027 12 00000 00001 00001
06 06 04677 02  084 0027 16 00000 00001 00001
06 06 04677 02  084 0003 13 00000 00001 00001
06 06 04677 02  084 0003 14 00000 00001 00001
06 06 04677 02  084 0006 13 00000 00001 00001
06 06 04677 02  084 0014 22 00001 00001 00002
```

```
07 01 01777 02  137 0007 01 00009 00014 00023
07 01 01777 02  137 0007 02 00123 00014 00137
07 01 01777 02  137 0007 03 00124 00027 00151
07 01 01777 02  137 0007 04 00036 00040 00076
07 01 01777 02  137 0007 05 00092 00029 00121
07 01 01777 02  137 0007 06 00045 00052 00097
07 01 01777 02  137 0007 07 00003 00010 00013
07 01 01777 02  137 0007 08 00003 00000 00003
07 01 01777 02  137 0001 01 00000 00002 00002
07 01 01777 02  137 0001 02 00000 00004 00004
07 01 01777 02  137 0001 03 00000 00002 00002
07 01 01777 02  137 0001 05 00000 00003 00003
07 01 01777 02  137 0001 06 00000 00012 00012
07 01 01777 02  137 0001 07 00000 00001 00001
07 01 01777 02  137 0001 08 00000 00001 00001
07 01 01777 02  137 0084 01 00000 00001 00001
07 01 01777 02  137 0084 02 00000 00001 00001
07 01 01777 02  137 0016 02 00000 00003 00003
07 01 01777 02  137 0016 03 00000 00032 00032
07 01 01777 02  137 0016 04 00000 00086 00086
07 01 01777 02  137 0016 05 00000 00031 00031
07 01 01777 02  137 0016 06 00001 00014 00015
07 01 01777 02  137 0016 08 00000 00001 00001
07 01 01777 02  137 0002 03 00001 00000 00001
07 01 01777 02  137 0002 05 00001 00000 00001
07 01 01777 02  137 0002 06 00000 00003 00003
07 01 01777 02  137 0002 07 00000 00006 00006
07 01 01777 02  137 0002 08 00000 00002 00002
07 01 01777 02  137 0002 11 00000 00001 00001
07 01 01777 02  137 0002 12 00000 00002 00002
07 01 01777 02  137 0051 04 00000 00002 00002
07 01 01777 02  137 0051 05 00000 00003 00003
07 01 01777 02  137 0061 06 00000 00001 00001
07 01 01777 02  137 0061 07 00003 00013 00016
07 01 01777 02  137 0061 08 00021 00010 00031
07 01 01777 02  137 0061 09 00002 00001 00003
07 01 01777 02  137 0061 10 00002 00000 00002
07 01 01777 02  137 0061 11 00001 00003 00004
07 01 01777 02  137 0058 06 00001 00000 00001
07 01 01777 02  137 0058 07 00005 00018 00023
07 01 01777 02  137 0058 08 00005 00021 00026
07 01 01777 02  137 0058 09 00012 00001 00013
07 01 01777 02  137 0058 10 00000 00001 00001
07 01 01777 02  137 0058 11 00001 00000 00001
07 01 01777 02  137 0086 09 00000 00001 00001
07 01 01777 02  137 0024 07 00000 00001 00001
07 01 01777 02  137 0024 09 00000 00004 00004
07 01 01777 02  137 0024 10 00000 00002 00002
07 01 01777 02  137 0025 06 00000 00001 00001
07 01 01777 02  137 0025 08 00000 00005 00005
07 01 01777 02  137 0025 09 00000 00011 00011
07 01 01777 02  137 0020 08 00000 00002 00002
07 01 01777 02  137 0066 09 00000 00005 00005
07 01 01777 02  137 0029 08 00000 00002 00002
07 01 01777 02  137 0029 09 00000 00001 00001
07 01 01777 02  137 0018 08 00000 00001 00001
07 01 01777 02  137 0076 08 00000 00001 00001
07 01 01777 02  137 0026 10 00000 00001 00001
07 01 01777 02  137 0026 11 00000 00001 00001
07 01 01777 02  137 0026 15 00000 00001 00001
07 01 01777 02  137 0017 09 00000 00001 00001
07 01 01777 02  137 0017 11 00002 00003 00005
07 01 01777 02  137 0008 09 00036 00019 00055
07 01 01777 02  137 0008 10 00124 00010 00134
07 01 01777 02  137 0008 11 00029 00004 00033
07 01 01777 02  137 0008 12 00003 00000 00003
07 01 01777 02  137 0008 13 00001 00000 00001
```

```
07 01 01777 02   137 0009 08 00000 00001 00001
07 01 01777 02   137 0009 11 00020 00002 00022
07 01 01777 02   137 0009 12 00001 00000 00001
07 01 01777 02   137 0009 13 00001 00001 00002
07 01 01777 02   137 0054 11 00000 00001 00001
07 01 01777 02   137 0010 11 00000 00001 00001
07 01 01777 02   137 0010 14 00000 00001 00001
07 01 01777 02   137 0036 11 00000 00001 00001
07 01 01777 02   137 0005 11 00004 00000 00004
07 01 01777 02   137 0005 12 00006 00000 00006
07 01 01777 02   137 0005 13 00005 00000 00005
07 01 01777 02   137 0005 14 00002 00000 00002
07 01 01777 02   137 0005 15 00000 00001 00001
07 01 01777 02   137 0038 14 00000 00001 00001
07 01 01777 02   137 0022 14 00001 00002 00003
07 01 01777 02   137 0022 16 00000 00001 00001
07 01 01777 02   137 0037 16 00000 00001 00001
07 01 01777 02   137 0006 17 00000 00001 00001
07 01 01777 02   137 0006 20 00001 00000 00001
07 01 01777 02   137 0006 21 00008 00000 00008
07 01 01777 02   137 0011 20 00000 00001 00001
07 01 01777 02   137 0004 22 00000 00001 00001
07 01 01777 02   137 0019 22 00003 00000 00003
07 02 01777 01   158 0101 01 00000 00004 00004
07 02 01777 01   158 0101 02 00000 00005 00005
07 02 01777 01   158 0007 01 00004 00001 00005
07 02 01777 01   158 0007 02 00041 00000 00041
07 02 01777 01   158 0007 03 00021 00000 00021
07 02 01777 01   158 0007 04 00008 00000 00008
07 02 01777 01   158 0007 05 00014 00000 00014
07 02 01777 01   158 0007 06 00003 00000 00003
07 02 01777 01   158 0002 01 00000 00010 00010
07 02 01777 01   158 0002 02 00001 00003 00004
07 02 01777 01   158 0002 04 00001 00005 00006
07 02 01777 01   158 0051 02 00000 00002 00002
07 02 01777 01   158 0051 03 00000 00005 00005
07 02 01777 01   158 0051 06 00000 00001 00001
07 02 01777 01   158 0016 02 00000 00001 00001
07 02 01777 01   158 0016 05 00000 00002 00002
07 02 01777 01   158 0016 06 00000 00004 00004
07 02 01777 01   158 0035 02 00000 00004 00004
07 02 01777 01   158 0035 03 00000 00015 00015
07 02 01777 01   158 0035 04 00000 00012 00012
07 02 01777 01   158 0035 05 00000 00018 00018
07 02 01777 01   158 0035 06 00000 00017 00017
07 02 01777 01   158 0035 07 00000 00010 00010
07 02 01777 01   158 0035 08 00000 00002 00002
07 02 01777 01   158 0035 09 00001 00000 00001
07 02 01777 01   158 0001 02 00000 00003 00003
07 02 01777 01   158 0001 03 00000 00006 00006
07 02 01777 01   158 0001 04 00000 00005 00005
07 02 01777 01   158 0001 05 00000 00009 00009
07 02 01777 01   158 0001 06 00000 00003 00003
07 02 01777 01   158 0001 07 00000 00002 00002
07 02 01777 01   158 0084 03 00000 00001 00001
07 02 01777 01   158 0084 04 00000 00001 00001
07 02 01777 01   158 0097 04 00000 00001 00001
07 02 01777 01   158 0086 06 00000 00003 00003
07 02 01777 01   158 0086 11 00001 00000 00001
07 02 01777 01   158 0022 07 00000 00009 00009
07 02 01777 01   158 0022 08 00000 00032 00032
07 02 01777 01   158 0022 09 00000 00024 00024
07 02 01777 01   158 0022 10 00012 00057 00069
07 02 01777 01   158 0022 11 00030 00041 00071
07 02 01777 01   158 0022 12 00005 00028 00033
07 02 01777 01   158 0022 13 00003 00008 00011
07 02 01777 01   158 0022 14 00000 00007 00007
07 02 01777 01   158 0022 15 00000 00004 00004
07 02 01777 01   158 0022 16 00000 00001 00001
07 02 01777 01   158 0022 17 00000 00002 00002
07 02 01777 01   158 0022 19 00000 00001 00001
```

```
07 02 01777 01   158 0020 06 00000 00009 00009
07 02 01777 01   158 0036 08 00000 00003 00003
07 02 01777 01   158 0036 09 00000 00006 00006
07 02 01777 01   158 0036 10 00000 00003 00003
07 02 01777 01   158 0036 11 00000 00001 00001
07 02 01777 01   158 0058 08 00000 00001 00001
07 02 01777 01   158 0058 09 00001 00001 00002
07 02 01777 01   158 0058 10 00000 00001 00001
07 02 01777 01   158 0025 08 00000 00008 00008
07 02 01777 01   158 0025 09 00000 00008 00008
07 02 01777 01   158 0025 10 00000 00002 00002
07 02 01777 01   158 0008 08 00054 00012 00066
07 02 01777 01   158 0008 09 00024 00019 00043
07 02 01777 01   158 0008 10 00003 00001 00004
07 02 01777 01   158 0076 09 00000 00001 00001
07 02 01777 01   158 0017 09 00000 00001 00001
07 02 01777 01   158 0026 09 00001 00001 00002
07 02 01777 01   158 0026 10 00000 00010 00010
07 02 01777 01   158 0026 11 00000 00023 00023
07 02 01777 01   158 0026 12 00000 00009 00009
07 02 01777 01   158 0026 13 00000 00010 00010
07 02 01777 01   158 0026 14 00003 00000 00003
07 02 01777 01   158 0026 16 00000 00001 00001
07 02 01777 01   158 0047 09 00001 00000 00001
07 02 01777 01   158 0010 10 00000 00001 00001
07 02 01777 01   158 0010 11 00000 00001 00001
07 02 01777 01   158 0037 10 00000 00001 00001
07 02 01777 01   158 0064 10 00000 00001 00001
07 02 01777 01   158 0038 11 00000 00001 00001
07 02 01777 01   158 0048 11 00000 00001 00001
07 02 01777 01   158 0003 12 00002 00000 00002
07 02 01777 01   158 0003 13 00001 00001 00002
07 02 01777 01   158 0003 14 00001 00001 00002
07 02 01777 01   158 0005 12 00000 00002 00002
07 02 01777 01   158 0005 13 00001 00002 00003
07 02 01777 01   158 0005 14 00001 00000 00001
07 02 01777 01   158 0005 16 00000 00001 00001
07 02 01777 01   158 0103 15 00000 00001 00001
07 02 01777 01   158 0011 17 00000 00005 00005
07 02 01777 01   158 0011 18 00000 00001 00001
07 02 01777 01   158 0006 20 00006 00005 00011
07 02 01777 01   158 0006 21 00013 00007 00020
07 02 01777 01   158 0004 22 00000 00003 00003
07 02 01777 01   158 0028 22 00000 00001 00001
07 02 01777 01   158 0019 22 00001 00000 00001
07 03 01777 01   153 0101 01 00000 00001 00001
07 03 01777 01   153 0059 02 00000 00002 00002
07 03 01777 01   153 0059 03 00000 00003 00003
07 03 01777 01   153 0059 04 00003 00005 00008
07 03 01777 01   153 0059 05 00000 00001 00001
07 03 01777 01   153 0007 02 00003 00000 00003
07 03 01777 01   153 0025 02 00000 00002 00002
07 03 01777 01   153 0025 03 00000 00001 00001
07 03 01777 01   153 0025 05 00000 00001 00001
07 03 01777 01   153 0025 10 00000 00019 00019
07 03 01777 01   153 0025 11 00000 00007 00007
07 03 01777 01   153 0025 12 00000 00001 00001
07 03 01777 01   153 0029 02 00000 00002 00002
07 03 01777 01   153 0029 03 00000 00001 00001
07 03 01777 01   153 0029 04 00000 00001 00001
07 03 01777 01   153 0029 06 00000 00005 00005
07 03 01777 01   153 0029 08 00000 00008 00008
07 03 01777 01   153 0029 09 00000 00011 00011
07 03 01777 01   153 0029 10 00000 00003 00003
07 03 01777 01   153 0001 07 00000 00001 00001
07 03 01777 01   153 0001 08 00000 00003 00003
07 03 01777 01   153 0065 09 00000 00005 00005
07 03 01777 01   153 0065 10 00000 00028 00028
07 03 01777 01   153 0065 11 00000 00005 00005
07 03 01777 01   153 0065 12 00000 00002 00002
07 03 01777 01   153 0024 10 00000 00013 00013
07 03 01777 01   153 0024 13 00000 00001 00001
07 03 01777 01   153 0047 10 00001 00000 00001
07 03 01777 01   153 0026 13 00000 00003 00003
```

5

```
07 04 02780 01   149 0026 16 00000 00003 00003
07 04 02780 01   149 0087 14 00001 00000 00001
07 04 02780 01   149 0087 17 00001 00000 00001
07 04 02780 01   149 0019 22 00001 00001 00002
07 05 02780 02   140 0007 01 00033 00080 00113
07 05 02780 02   140 0007 02 00016 00112 00128
07 05 02780 02   140 0007 03 00001 00021 00022
07 05 02780 02   140 0007 04 00006 00077 00083
07 05 02780 02   140 0007 05 00009 00092 00101
07 05 02780 02   140 0007 06 00005 00126 00131
07 05 02780 02   140 0007 07 00006 00437 00443
07 05 02780 02   140 0007 08 00001 00136 00137
07 05 02780 02   140 0001 01 00000 00003 00003
07 05 02780 02   140 0001 02 00000 00002 00002
07 05 02780 02   140 0001 03 00000 00003 00003
07 05 02780 02   140 0001 05 00000 00001 00001
07 05 02780 02   140 0001 07 00000 00001 00001
07 05 02780 02   140 0016 01 00000 00001 00001
07 05 02780 02   140 0016 02 00000 00013 00013
07 05 02780 02   140 0016 03 00013 00032 00045
07 05 02780 02   140 0016 04 00005 00046 00051
07 05 02780 02   140 0016 05 00009 00044 00053
07 05 02780 02   140 0016 06 00006 00010 00016
07 05 02780 02   140 0016 07 00000 00021 00021
07 05 02780 02   140 0016 08 00000 00002 00002
07 05 02780 02   140 0025 02 00000 00001 00001
07 05 02780 02   140 0025 04 00000 00002 00002
07 05 02780 02   140 0025 05 00000 00003 00003
07 05 02780 02   140 0025 07 00000 00002 00002
07 05 02780 02   140 0025 08 00000 00012 00012
07 05 02780 02   140 0059 05 00001 00000 00001
07 05 02780 02   140 0002 05 00003 00000 00003
07 05 02780 02   140 0036 09 00000 00001 00001
07 05 02780 02   140 0031 09 00000 00001 00001
07 05 02780 02   140 0067 09 00001 00000 00001
07 05 02780 02   140 0067 10 00001 00000 00001
07 05 02780 02   140 0067 13 00000 00001 00001
07 05 02780 02   140 0028 09 00000 00007 00007
07 05 02780 02   140 0028 12 00000 00002 00002
07 05 02780 02   140 0028 14 00000 00001 00001
07 05 02780 02   140 0012 12 00000 00001 00001
07 05 02780 02   140 0026 13 00000 00001 00001
07 05 02780 02   140 0026 15 00000 00002 00002
07 05 02780 02   140 0026 16 00000 00003 00003
07 05 02780 02   140 0026 18 00000 00001 00001
07 05 02780 02   140 0010 15 00000 00002 00002
07 05 02780 02   140 0003 16 00000 00001 00001
07 05 02780 02   140 0019 22 00000 00033 00033
07 06 02780 01   128 0001 01 00000 00015 00015
07 06 02780 01   128 0001 02 00000 00043 00043
07 06 02780 01   128 0001 03 00000 00011 00011
07 06 02780 01   128 0001 04 00000 00006 00006
07 06 02780 01   128 0001 05 00000 00001 00001
07 06 02780 01   128 0025 01 00000 00003 00003
07 06 02780 01   128 0025 02 00000 00006 00006
07 06 02780 01   128 0025 03 00000 00009 00009
07 06 02780 01   128 0025 04 00000 00004 00004
07 06 02780 01   128 0025 05 00000 00004 00004
07 06 02780 01   128 0025 06 00000 00006 00006
07 06 02780 01   128 0025 07 00000 00005 00005
07 06 02780 01   128 0025 08 00000 00003 00003
07 06 02780 01   128 0008 01 00000 00004 00004
07 06 02780 01   128 0008 02 00000 00014 00014
07 06 02780 01   128 0008 04 00000 00001 00001
07 06 02780 01   128 0008 06 00003 00011 00014
07 06 02780 01   128 0008 07 00001 00042 00043
07 06 02780 01   128 0008 08 00000 00145 00145
07 06 02780 01   128 0008 09 00000 00023 00023
07 06 02780 01   128 0008 10 00000 00002 00002
07 06 02780 01   128 0016 02 00000 00004 00004
07 06 02780 01   128 0016 03 00000 00001 00001
07 06 02780 01   128 0059 03 00001 00003 00004
```

```
07 06 02780 01   128 0074 05 00000 00001 00001
07 06 02780 01   128 0074 06 00003 00007 00010
07 06 02780 01   128 0074 07 00000 00001 00001
07 06 02780 01   128 0036 11 00000 00001 00001
07 06 02780 01   128 0003 08 00000 00001 00001
07 06 02780 01   128 0026 16 00000 00001 00001
07 06 02780 01   128 0026 17 00000 00001 00001
07 06 02780 01   128 0026 18 00000 00003 00003
07 06 02780 01   128 0026 19 00000 00004 00004
07 06 02780 01   128 0026 20 00000 00002 00002
07 06 02780 01   128 0005 08 00000 00001 00001
07 06 02780 01   128 0006 21 00026 00013 00039
07 06 02780 01   128 0004 22 00006 00006 00012
```

```
08 01 09677 01   109 0055 01 00000 00002 00002
08 01 09677 01   109 0055 02 00000 00001 00001
08 01 09677 01   109 0055 03 00000 00001 00001
08 01 09677 01   109 0007 01 00007 00018 00025
08 01 09677 01   109 0007 02 00006 00007 00013
08 01 09677 01   109 0007 09 00001 00000 00001
08 01 09677 01   109 0002 01 00004 00014 00018
08 01 09677 01   109 0002 02 00000 00019 00019
08 01 09677 01   109 0002 04 00000 00003 00003
08 01 09677 01   109 0002 05 00001 00000 00001
08 01 09677 01   109 0002 06 00002 00022 00024
08 01 09677 01   109 0002 07 00001 00054 00055
08 01 09677 01   109 0002 08 00000 00029 00029
08 01 09677 01   109 0002 09 00000 00034 00034
08 01 09677 01   109 0002 10 00000 00034 00034
08 01 09677 01   109 0002 11 00000 00012 00012
08 01 09677 01   109 0051 03 00000 00001 00001
08 01 09677 01   109 0001 08 00001 00000 00001
08 01 09677 01   109 0036 11 00001 00000 00001
08 01 09677 01   109 0020 11 00000 00012 00012
08 01 09677 01   109 0020 12 00000 00002 00002
08 01 09677 01   109 0020 13 00000 00035 00035
08 01 09677 01   109 0020 14 00000 00033 00033
08 01 09677 01   109 0020 15 00000 00019 00019
08 01 09677 01   109 0020 16 00000 00003 00003
08 01 09677 01   109 0020 17 00000 00007 00007
08 01 09677 01   109 0020 18 00000 00004 00004
08 01 09677 01   109 0020 19 00000 00002 00002
08 01 09677 01   109 0020 20 00000 00002 00002
08 01 09677 01   109 0020 21 00000 00001 00001
08 01 09677 01   109 0037 18 00000 00001 00001
08 01 09677 01   109 0026 18 00000 00001 00001
08 01 09677 01   109 0004 22 00001 00001 00002
08 02 09677 01   097 0055 01 00020 00010 00030
08 02 09677 01   097 0055 02 00030 00016 00046
08 02 09677 01   097 0055 03 00030 00012 00042
08 02 09677 01   097 0055 04 00026 00012 00038
08 02 09677 01   097 0055 05 00003 00001 00004
08 02 09677 01   097 0020 03 00000 00002 00002
08 02 09677 01   097 0020 06 00000 00001 00001
08 02 09677 01   097 0020 07 00000 00007 00007
08 02 09677 01   097 0020 08 00000 00011 00011
08 02 09677 01   097 0036 10 00002 00000 00002
08 03 09677 02   104 0055 01 00001 00000 00001
08 03 09677 02   104 0055 03 00002 00000 00002
08 03 09677 02   104 0055 06 00000 00001 00001
08 03 09677 02   104 0002 01 00000 00010 00010
08 03 09677 02   104 0002 02 00007 00018 00025
08 03 09677 02   104 0002 03 00001 00004 00005
08 03 09677 02   104 0007 02 00001 00000 00001
08 03 09677 02   104 0001 03 00000 00001 00001
08 03 09677 02   104 0044 04 00000 00001 00001
08 03 09677 02   104 0020 05 00000 00002 00002
08 03 09677 02   104 0020 06 00000 00006 00006
08 03 09677 02   104 0020 07 00000 00021 00021
08 03 09677 02   104 0020 08 00000 00017 00017
08 03 09677 02   104 0020 09 00000 00019 00019
08 03 09677 02   104 0020 10 00000 00004 00004
08 03 09677 02   104 0020 11 00000 00012 00012
08 03 09677 02   104 0020 12 00000 00007 00007
08 03 09677 02   104 0020 13 00000 00002 00002
08 03 09677 02   104 0036 08 00001 00000 00001
08 03 09677 02   104 0036 09 00001 00000 00001
08 03 09677 02   104 0047 08 00001 00000 00001
08 03 09677 02   104 0047 10 00001 00000 00001
08 03 09677 02   104 0047 16 00002 00000 00002
08 03 09677 02   104 0041 14 00000 00002 00002
08 03 09677 02   104 0041 15 00000 00003 00003
08 03 09677 02   104 0046 16 00001 00000 00001
```

```
08 03 09677 02  104 0006 17 00000 00001 00001
08 03 09677 02  104 0019 22 00000 00001 00001
08 04 09679 01  096 0001 01 00000 00001 00001
08 04 09679 01  096 0001 02 00000 00001 00001
08 04 09679 01  096 0002 01 00001 00000 00001
08 04 09679 01  096 0002 02 00002 00001 00003
08 04 09679 01  096 0036 10 00002 00000 00002
08 04 09679 01  096 0026 16 00000 00003 00003
08 04 09679 01  096 0046 20 00001 00000 00001
08 04 09679 01  096 0004 22 00000 00001 00001
08 04 09679 01  096 0019 21 00001 00000 00001
08 04 09679 01  096 0019 22 00001 00000 00001
08 04 09679 01  096 0015 22 00002 00000 00002
08 05 09679 02  100 0007 01 00001 00003 00004
08 05 09679 02  100 0007 02 00013 00001 00014
08 05 09679 02  100 0002 01 00001 00000 00001
08 05 09679 02  100 0002 02 00001 00000 00001
08 05 09679 02  100 0036 03 00001 00000 00001
08 05 09679 02  100 0036 04 00001 00000 00001
08 05 09679 02  100 0047 18 00001 00000 00001
08 06 09679 02  097 0025 02 00000 00001 00001
08 06 09679 02  097 0025 03 00000 00001 00001
08 06 09679 02  097 0025 04 00000 00001 00001
08 06 09679 02  097 0055 03 00000 00001 00001
08 06 09679 02  097 0055 05 00000 00001 00001
08 06 09679 02  097 0007 01 00001 00000 00001
08 06 09679 02  097 0051 01 00000 00001 00001
08 06 09679 02  097 0051 04 00000 00007 00007
08 06 09679 02  097 0051 05 00000 00002 00002
08 06 09679 02  097 0036 09 00001 00000 00001
08 06 09679 02  097 0036 10 00001 00000 00001
08 06 09679 02  097 0026 16 00000 00001 00001
08 06 09679 02  097 0015 22 00004 00001 00004
08 06 09679 02  097 0028 22 00000 00001 00001
08 06 09679 02  097 0087 22 00000 00001 00001
```

```
09 01 10778 01  191 0030 01 00469 00618 01087
09 01 10778 01  191 0030 02 00251 00146 00397
09 01 10778 01  191 0030 03 00074 00132 00206
09 01 10778 01  191 0030 04 00070 00134 00204
09 01 10778 01  191 0030 05 00011 00088 00099
09 01 10778 01  191 0030 06 00035 00133 00168
09 01 10778 01  191 0030 07 00084 00242 00326
09 01 10778 01  191 0030 08 00150 00409 00559
09 01 10778 01  191 0030 09 00110 00566 00676
09 01 10778 01  191 0030 10 00139 00421 00560
09 01 10778 01  191 0030 11 00053 00379 00432
09 01 10778 01  191 0030 12 00051 00378 00429
09 01 10778 01  191 0030 13 00003 00198 00201
09 01 10778 01  191 0030 14 0000C 00025 00025
09 01 10778 01  191 0030 19 00000 00010 00010
09 01 10778 01  191 0030 20 00000 00005 00005
09 01 10778 01  191 0001 01 00000 00169 00169
09 01 10778 01  191 0001 02 00000 00048 00048
09 01 10778 01  191 0001 03 00000 00006 00006
09 01 10778 01  191 0001 04 00004 00008 00012
09 01 10778 01  191 0001 05 00000 00008 00008
09 01 10778 01  191 0001 06 00000 00006 00006
09 01 10778 01  191 0001 07 00000 00001 00001
09 01 10778 01  191 0001 08 00000 00001 00001
09 01 10778 01  191 0040 01 00010 00020 00030
09 01 10778 01  191 0040 02 00004 00006 00010
09 01 10778 01  191 0040 03 00003 00007 00010
09 01 10778 01  191 0040 04 00004 00008 00012
09 01 10778 01  191 0040 05 00009 00014 00023
09 01 10778 01  191 0040 06 00012 00013 00025
09 01 10778 01  191 0040 07 00030 00023 00053
09 01 10778 01  191 0040 08 00051 00051 00102
09 01 10778 01  191 0040 09 00074 00083 00157
09 01 10778 01  191 0040 10 00058 00088 00146
09 01 10778 01  191 0040 11 00061 00059 00120
09 01 10778 01  191 0040 12 00017 00019 00036
09 01 10778 01  191 0040 13 00000 00005 00005
09 01 10778 01  191 0040 17 00000 00001 00001
09 01 10778 01  191 0018 01 00000 00001 00001
09 01 10778 01  191 0018 16 00000 00005 00005
09 01 10778 01  191 0012 01 00000 00013 00013
09 01 10778 01  191 0012 04 00000 00004 00004
09 01 10778 01  191 0012 05 00000 00003 00003
09 01 10778 01  191 0012 06 00000 00005 00005
09 01 10778 01  191 0012 07 00000 00002 00002
09 01 10778 01  191 0012 08 00000 00002 00002
09 01 10778 01  191 0012 09 00000 00007 00007
09 01 10778 01  191 0012 10 00000 00053 00053
09 01 10778 01  191 0012 11 00032 00138 00170
09 01 10778 01  191 0012 12 00140 00470 00610
09 01 10778 01  191 0012 13 00353 01082 01435
09 01 10778 01  191 0012 14 00880 01635 02515
09 01 10778 01  191 0012 15 00745 01430 02175
09 01 10778 01  191 0012 16 00930 01385 02315
09 01 10778 01  191 0012 17 01440 02155 03595
09 01 10778 01  191 0012 18 01550 02095 03645
09 01 10778 01  191 0012 19 01370 01645 03015
09 01 10778 01  191 0012 20 00271 00251 00522
09 01 10778 01  191 0032 01 00000 00006 00006
09 01 10778 01  191 0032 02 00000 00007 00007
09 01 10778 01  191 0032 04 00000 00002 00002
09 01 10778 01  191 0032 05 00000 00002 00002
09 01 10778 01  191 0032 06 00000 00001 00001
09 01 10778 01  191 0032 09 00000 00003 00003
09 01 10778 01  191 0032 14 00000 00010 00010
09 01 10778 01  191 0053 08 00001 00000 00001
09 01 10778 01  191 0053 21 00001 00000 00001
09 01 10778 01  191 0042 14 00000 00003 00003
```

```
09 01 10778 01  191 0042 15 00000 00005 00005
09 01 10778 01  191 0042 16 00000 00004 00004
09 01 10778 01  191 0042 17 00000 00023 00023
09 01 10778 01  191 0023 16 00000 00090 00090
09 01 10778 01  191 0023 17 00000 00100 00100
09 01 10778 01  191 0023 19 00000 00075 00075
09 01 10778 01  191 0023 20 00000 00095 00095
09 01 10778 01  191 0009 16 00000 00001 00001
09 01 10778 01  191 0009 19 00000 00015 00015
09 01 10778 01  191 0049 16 00000 00001 00001
09 01 10778 01  191 0011 19 00000 00045 00045
09 01 10778 01  191 0011 20 00000 00090 00090
09 01 10778 01  191 0011 21 00000 00002 00002
09 01 10778 01  191 0021 19 00010 00000 00010
09 01 10778 01  191 0021 20 00039 00007 00046
09 01 10778 01  191 0021 21 00001 00000 00001
09 01 10778 01  191 0021 22 00014 00002 00016
09 01 10778 01  191 0111 20 00001 00000 00001
09 01 10778 01  191 0111 21 00000 00014 00014
09 01 10778 01  191 0111 22 00027 00003 00030
09 01 10778 01  191 0072 21 00001 00000 00001
09 01 10778 01  191 0004 22 00000 00056 00056
09 02 10778 01  232 0030 01 00150 00830 00980
09 02 10778 01  232 0030 02 00067 00522 00589
09 02 10778 01  232 0030 03 00065 00357 00422
09 02 10778 01  232 0030 04 00027 00301 00328
09 02 10778 01  232 0030 05 00018 00283 00301
09 02 10778 01  232 0030 06 00053 00447 00500
09 02 10778 01  232 0030 07 00237 00669 00906
09 02 10778 01  232 0030 08 01100 01526 02626
09 02 10778 01  232 0030 09 01370 01065 02435
09 02 10778 01  232 0030 10 00985 01350 02335
09 02 10778 01  232 0030 11 00505 01676 02181
09 02 10778 01  232 0030 12 00193 01245 01438
09 02 10778 01  232 0030 13 00130 00980 01110
09 02 10778 01  232 0030 14 00049 00649 00698
09 02 10778 01  232 0030 15 00002 00224 00226
09 02 10778 01  232 0030 16 00000 00020 00020
09 02 10778 01  232 0030 19 00000 00005 00005
09 02 10778 01  232 0031 01 00000 00005 00005
09 02 10778 01  232 0031 08 00000 00035 00035
09 02 10778 01  232 0031 09 00000 00035 00035
09 02 10778 01  232 0031 10 00005 00270 00275
09 02 10778 01  232 0031 11 00000 00206 00206
09 02 10778 01  232 0031 12 00000 00095 00095
09 02 10778 01  232 0031 13 00000 00085 00085
09 02 10778 01  232 0031 14 00000 00027 00027
09 02 10778 01  232 0031 15 00000 00001 00001
09 02 10778 01  232 0008 01 00000 00060 00060
09 02 10778 01  232 0008 02 00000 00029 00029
09 02 10778 01  232 0008 03 00000 00009 00009
09 02 10778 01  232 0008 10 00000 00045 00045
09 02 10778 01  232 0008 11 00000 00160 00160
09 02 10778 01  232 0008 12 00000 00075 00075
09 02 10778 01  232 0008 13 0000C 00170 00170
09 02 10778 01  232 0008 14 00003 00132 00132
09 02 10778 01  232 0008 15 00001 00052 00053
09 02 10778 01  232 0008 16 00000 00041 00041
09 02 10778 01  232 0008 17 00000 00018 00018
09 02 10778 01  232 0008 18 00000 00012 00012
09 02 10778 01  232 0008 19 00000 00005 00005
09 02 10778 01  232 0018 01 00000 00005 00005
09 02 10778 01  232 0018 13 00000 00070 00070
09 02 10778 01  232 0018 14 00000 00012 00012
09 02 10778 01  232 0018 15 00000 00012 00012
09 02 10778 01  232 0012 01 00000 00015 00015
09 02 10778 01  232 0012 02 00000 00011 00011
09 02 10778 01  232 0012 09 00000 00001 00001
09 02 10778 01  232 0012 10 00000 00010 00010
09 02 10778 01  232 0032 01 00000 00135 00135
```

```
09 02 10778 01  232 0032 02 00000 00009 00009
09 02 10778 01  232 0032 03 00000 00034 00034
09 02 10778 01  232 0032 04 00000 00012 00012
09 02 10778 01  232 0032 05 00000 00003 00003
09 02 10778 01  232 0032 06 00000 00006 00006
09 02 10778 01  232 0032 07 00000 00016 00016
09 02 10778 01  232 0032 08 00000 00045 00045
09 02 10778 01  232 0032 09 00000 00055 00055
09 02 10778 01  232 0032 10 00000 00015 00015
09 02 10778 01  232 0032 11 00000 00040 00040
09 02 10778 01  232 0001 01 00000 00015 00015
09 02 10778 01  232 0001 02 00000 00016 00016
09 02 10778 01  232 0001 03 00000 00016 00016
09 02 10778 01  232 0001 04 00000 00011 00011
09 02 10778 01  232 0001 05 00000 00003 00003
09 02 10778 01  232 0001 06 00000 00007 00007
09 02 10778 01  232 0001 07 00000 00002 00002
09 02 10778 01  232 0001 08 00000 00001 00001
09 02 10778 01  232 0001 09 00000 00005 00005
09 02 10778 01  232 0040 08 00000 00001 00001
09 02 10778 01  232 0040 09 00000 00001 00001
09 02 10778 01  232 0040 11 00000 00002 00002
09 02 10778 01  232 0033 09 00000 00006 00006
09 02 10778 01  232 0033 10 00000 00001 00001
09 02 10778 01  232 0033 11 00000 00001 00001
09 02 10778 01  232 0033 12 00000 00001 00001
09 02 10778 01  232 0033 13 00000 00002 00002
09 02 10778 01  232 0063 09 00000 00002 00002
09 02 10778 01  232 0023 12 00000 00020 00020
09 02 10778 01  232 0023 14 00000 00057 00057
09 02 10778 01  232 0023 15 00000 00012 00012
09 02 10778 01  232 0053 13 00001 00000 00001
09 02 10778 01  232 0053 14 00005 00000 00005
09 02 10778 01  232 0053 15 00001 00000 00001
09 02 10778 01  232 0053 16 00004 00000 00004
09 02 10778 01  232 0053 17 00004 00000 00004
09 02 10778 01  232 0053 18 00002 00000 00002
09 02 10778 01  232 0053 19 00002 00000 00002
09 02 10778 01  232 0053 20 00003 00001 00003
09 02 10778 01  232 0049 14 00015 00001 00015
09 02 10778 01  232 0049 15 00136 00001 00136
09 02 10778 01  232 0049 16 00086 00001 00086
09 02 10778 01  232 0049 17 00010 00002 00012
09 02 10778 01  232 0009 14 00000 00006 00006
09 02 10778 01  232 0009 15 00000 00021 00021
09 02 10778 01  232 0009 16 00000 00014 00014
09 02 10778 01  232 0009 17 00000 00010 00010
09 02 10778 01  232 0009 18 00000 00006 00006
09 02 10778 01  232 0003 15 00000 00001 00001
09 02 10778 01  232 0005 15 00000 00001 00001
09 02 10778 01  232 0005 21 00006 00003 00009
09 02 10778 01  232 0021 16 00017 00054 00071
09 02 10778 01  232 0021 17 00356 00319 00675
09 02 10778 01  232 0021 18 00238 00198 00436
09 02 10778 01  232 0021 19 00442 00315 00757
09 02 10778 01  232 0021 20 00516 00315 00831
09 02 10778 01  232 0042 16 00000 00027 00027
09 02 10778 01  232 0042 17 00000 00001 00001
09 02 10778 01  232 0027 18 00009 00001 00010
09 02 10778 01  232 0027 19 00005 00002 00007
09 02 10778 01  232 0027 20 00005 00000 00005
09 02 10778 01  232 0004 22 00000 00001 00001
09 03 10778 01  240 0030 01 00080 02330 02410
09 03 10778 01  240 0030 02 00110 02480 02590
09 03 10778 01  240 0030 03 00125 02190 02315
09 03 10778 01  240 0030 04 00120 01780 01900
09 03 10778 01  240 0030 05 00140 01315 01455
09 03 10778 01  240 0030 06 00110 01455 01565
09 03 10778 01  240 0030 07 00085 01180 01265
09 03 10778 01  240 0030 08 00060 00875 00935
```

```
09 03 10778 01  240 0030 09 00000 00410 00410
09 03 10778 01  240 0030 10 00000 00295 00295
09 03 10778 01  240 0030 11 00000 00270 00270
09 03 10778 01  240 0030 12 00000 00030 00030
09 03 10778 01  240 0030 13 00000 00005 00005
09 03 10778 01  240 0030 14 00000 00005 00005
09 03 10778 01  240 0030 17 00000 00003 00003
09 03 10778 01  240 0030 19 00000 00002 00002
09 03 10778 01  240 0030 20 00000 00001 00001
09 03 10778 01  240 0008 01 00000 00049 00049
09 03 10778 01  240 0008 02 00000 00010 00010
09 03 10778 01  240 0008 03 00000 00015 00015
09 03 10778 01  240 0008 04 00000 00020 00020
09 03 10778 01  240 0008 08 00000 00032 00032
09 03 10778 01  240 0008 09 00140 00460 00600
09 03 10778 01  240 0008 10 00710 00630 01340
09 03 10778 01  240 0008 11 00780 00410 01190
09 03 10778 01  240 0008 12 00805 00655 01460
09 03 10778 01  240 0008 13 01255 00415 01670
09 03 10778 01  240 0008 14 00455 00285 00740
09 03 10778 01  240 0008 15 00050 00345 00395
09 03 10778 01  240 0008 16 00000 00062 00062
09 03 10778 01  240 0008 17 00000 00023 00023
09 03 10778 01  240 0008 18 00000 00002 00002
09 03 10778 01  240 0008 19 00000 00001 00001
09 03 10778 01  240 0018 01 00000 00001 00001
09 03 10778 01  240 0018 02 00000 00050 00050
09 03 10778 01  240 0018 03 00000 00080 00080
09 03 10778 01  240 0018 04 00000 00050 00050
09 03 10778 01  240 0018 05 00000 00145 00145
09 03 10778 01  240 0018 06 00000 00125 00125
09 03 10778 01  240 0018 07 00000 00045 00045
09 03 10778 01  240 0018 08 00000 00046 00046
09 03 10778 01  240 0018 09 00000 00020 00020
09 03 10778 01  240 0013 02 00000 00001 00001
09 03 10778 01  240 0013 04 00000 00002 00002
09 03 10778 01  240 0013 05 00000 00001 00001
09 03 10778 01  240 0013 06 00000 00002 00002
09 03 10778 01  240 0013 08 00000 00003 00003
09 03 10778 01  240 0013 09 00000 00002 00002
09 03 10778 01  240 0013 13 00000 00001 00001
09 03 10778 01  240 0031 04 00000 00020 00020
09 03 10778 01  240 0031 05 00000 00005 00005
09 03 10778 01  240 0031 06 00001 00045 00046
09 03 10778 01  240 0031 07 00015 00095 00110
09 03 10778 01  240 0031 08 00080 00165 00245
09 03 10778 01  240 0031 09 00020 00310 00330
09 03 10778 01  240 0031 10 00000 00170 00170
09 03 10778 01  240 0031 11 00000 00040 00040
09 03 10778 01  240 0001 04 00000 00001 00001
09 03 10778 01  240 0001 05 00000 00005 00005
09 03 10778 01  240 0001 10 00000 00001 00001
09 03 10778 01  240 0040 04 00000 00006 00006
09 03 10778 01  240 0040 06 00000 00005 00005
09 03 10778 01  240 0002 04 00002 00000 00002
09 03 10778 01  240 0002 05 00006 00000 00006
09 03 10778 01  240 0002 06 00003 00001 00004
09 03 10778 01  240 0002 07 00033 00000 00033
09 03 10778 01  240 0002 08 00015 00000 00015
09 03 10778 01  240 0002 09 00024 00002 00026
09 03 10778 01  240 0002 10 00025 00000 00025
09 03 10778 01  240 0002 11 00028 00000 00028
09 03 10778 01  240 0002 12 00041 00000 00041
09 03 10778 01  240 0002 13 00028 00000 00028
09 03 10778 01  240 0002 14 00014 00000 00014
09 03 10778 01  240 0002 15 00011 00000 00011
09 03 10778 01  240 0002 16 00002 00000 00002
09 03 10778 01  240 0033 06 00000 00001 00001
09 03 10778 01  240 0033 08 00000 00002 00002
09 03 10778 01  240 0033 09 00000 00002 00002
09 03 10778 01  240 0033 10 00000 00004 00004
09 03 10778 01  240 0033 11 00000 00002 00002
```

```
09 03 10778 01  240 0033 12 00000 00002 00002
09 03 10778 01  240 0033 16 00000 00001 00001
09 03 10778 01  240 0053 11 00001 00000 00001
09 03 10778 01  240 0053 20 00001 00000 00001
09 03 10778 01  240 0049 11 00001 00000 00001
09 03 10778 01  240 0049 12 00001 00000 00001
09 03 10778 01  240 0049 14 00010 00000 00010
09 03 10778 01  240 0049 15 00036 00000 00036
09 03 10778 01  240 0049 16 00043 00000 00043
09 03 10778 01  240 0049 17 00010 00000 00010
09 03 10778 01  240 0049 18 00001 00000 00001
09 03 10778 01  240 0043 12 00000 00115 00115
09 03 10778 01  240 0043 13 00000 00080 00080
09 03 10778 01  240 0043 14 00000 00040 00040
09 03 10778 01  240 0043 15 00000 00065 00065
09 03 10778 01  240 0043 16 00000 00005 00005
09 03 10778 01  240 0017 14 00000 00015 00015
09 03 10778 01  240 0017 15 00000 00001 00001
09 03 10778 01  240 0110 12 00005 00000 00005
09 03 10778 01  240 0071 13 00000 00040 00040
09 03 10778 01  240 0071 14 00000 00040 00040
09 03 10778 01  240 0071 15 00000 00060 00060
09 03 10778 01  240 0071 16 00000 00107 00107
09 03 10778 01  240 0071 17 00000 00025 00025
09 03 10778 01  240 0071 18 00000 00010 00010
09 03 10778 01  240 0071 19 00000 00002 00002
09 03 10778 01  240 0071 20 00000 00001 00001
09 03 10778 01  240 0009 13 00000 00045 00045
09 03 10778 01  240 0009 14 00000 00075 00075
09 03 10778 01  240 0009 15 00000 00055 00055
09 03 10778 01  240 0009 16 00000 00114 00114
09 03 10778 01  240 0009 17 00000 00115 00115
09 03 10778 01  240 0009 18 00000 00036 00036
09 03 10778 01  240 0009 19 00000 00013 00013
09 03 10778 01  240 0009 20 00000 00001 00001
09 03 10778 01  240 0012 13 00000 00010 00010
09 03 10778 01  240 0012 14 00010 00105 00115
09 03 10778 01  240 0012 15 00030 00085 00115
09 03 10778 01  240 0012 16 00010 00077 00087
09 03 10778 01  240 0012 17 00000 00018 00018
09 03 10778 01  240 0012 18 00000 00003 00003
09 03 10778 01  240 0012 19 00001 00001 00002
09 03 10778 01  240 0109 13 00000 00005 00005
09 03 10778 01  240 0005 15 00000 00001 00001
09 03 10778 01  240 0005 17 00000 00003 00003
09 03 10778 01  240 0005 18 00000 00002 00002
09 03 10778 01  240 0005 19 00001 00000 00001
09 03 10778 01  240 0005 20 00000 00001 00001
09 03 10778 01  240 0072 15 00010 00000 00010
09 03 10778 01  240 0072 16 00023 00000 00023
09 03 10778 01  240 0072 17 00094 00000 00094
09 03 10778 01  240 0072 18 00096 00000 00096
09 03 10778 01  240 0072 19 00097 00000 00097
09 03 10778 01  240 0072 20 00118 00000 00118
09 03 10778 01  240 0072 21 00008 00000 00008
09 03 10778 01  240 0021 16 00000 00001 00001
09 03 10778 01  240 0021 17 00001 00012 00013
09 03 10778 01  240 0021 18 00006 00018 00024
09 03 10778 01  240 0021 19 00037 00058 00095
09 03 10778 01  240 0021 20 00059 00030 00089
09 03 10778 01  240 0021 22 00044 00002 00046
09 03 10778 01  240 0022 16 00001 00000 00001
09 03 10778 01  240 0022 17 00002 00000 00002
09 03 10778 01  240 0003 16 00000 00001 00001
09 03 10778 01  240 0003 19 00000 00001 00001
09 03 10778 01  240 0011 19 00000 00003 00003
09 03 10778 01  240 0005 21 00001 00002 00003
09 03 10778 01  240 0004 22 00024 00024 00048
09 03 10778 01  240 0014 22 00003 00007 00010
09 04 04677 02  191 0030 01 00315 00695 01000
09 04 04677 02  191 0030 02 00225 00035 00260
09 04 04677 02  191 0030 03 00060 00220 00280
09 04 04677 02  191 0030 04 00100 00280 00380
```

```
09 04 04677 02   191 0030 05 00070 00220 00290
09 04 04677 02   191 0030 06 00000 00230 00230
09 04 04677 02   191 0030 07 00097 00294 00391
09 04 04677 02   191 0030 08 00145 00505 00650
09 04 04677 02   191 0030 09 00075 01025 01100
09 04 04677 02   191 0030 10 00000 00205 00205
09 04 04677 02   191 0030 11 00000 00025 00025
09 04 04677 02   191 0030 12 00000 00010 00010
09 04 04677 02   191 0008 01 00000 05770 05770
09 04 04677 02   191 0008 02 00000 03247 03247
09 04 04677 02   191 0008 03 00000 01705 01705
09 04 04677 02   191 0008 04 00000 02390 02390
09 04 04677 02   191 0008 05 00000 07150 07150
09 04 04677 02   191 0008 06 00000 07750 07750
09 04 04677 02   191 0008 07 00000 09311 09311
09 04 04677 02   191 0008 08 00000 11120 11120
09 04 04677 02   191 0008 09 00000 10580 10580
09 04 04677 02   191 0008 10 00000 13590 13590
09 04 04677 02   191 0008 11 00000 06285 06285
09 04 04677 02   191 0008 12 00000 00705 00705
09 04 04677 02   191 0008 13 00000 00455 00455
09 04 04677 02   191 0008 14 00000 00140 00140
09 04 04677 02   191 0008 15 00000 00085 00085
09 04 04677 02   191 0018 01 00000 03015 03015
09 04 04677 02   191 0018 02 00000 01227 01227
09 04 04677 02   191 0018 03 00000 01190 01190
09 04 04677 02   191 0018 04 00000 03120 03120
09 04 04677 02   191 0018 05 00000 02050 02050
09 04 04677 02   191 0018 06 00000 01605 01605
09 04 04677 02   191 0018 07 00000 03175 03175
09 04 04677 02   191 0018 08 00000 01990 01990
09 04 04677 02   191 0018 09 00000 02230 02230
09 04 04677 02   191 0018 10 00000 01755 01755
09 04 04677 02   191 0018 11 00000 01380 01380
09 04 04677 02   191 0018 12 00000 00660 00660
09 04 04677 02   191 0018 13 00000 01490 01490
09 04 04677 02   191 0018 14 00000 00915 00915
09 04 04677 02   191 0018 15 00000 00420 00420
09 04 04677 02   191 0018 16 00000 00016 00016
09 04 04677 02   191 0018 17 00000 00004 00004
09 04 04677 02   191 0001 01 00000 00120 00120
09 04 04677 02   191 0001 02 00000 00165 00165
09 04 04677 02   191 0001 03 00000 00130 00130
09 04 04677 02   191 0001 04 00000 00144 00144
09 04 04677 02   191 0001 05 00000 00287 00287
09 04 04677 02   191 0001 06 00000 00188 00188
09 04 04677 02   191 0001 07 00000 00053 00053
09 04 04677 02   191 0001 08 00000 00086 00086
09 04 04677 02   191 0001 09 00000 00015 00015
09 04 04677 02   191 0001 10 00000 00020 00020
09 04 04677 02   191 0040 01 00055 00090 00145
09 04 04677 02   191 0040 02 00010 00020 00030
09 04 04677 02   191 0040 03 00007 00035 00042
09 04 04677 02   191 0040 04 00035 00091 00126
09 04 04677 02   191 0040 05 00007 00140 00147
09 04 04677 02   191 0040 06 00060 00230 00290
09 04 04677 02   191 0040 07 00030 00185 00215
09 04 04677 02   191 0040 08 00060 00355 00415
09 04 04677 02   191 0040 09 00025 00340 00365
09 04 04677 02   191 0040 10 00003 00045 00048
09 04 04677 02   191 0040 11 00000 00005 00005
09 04 04677 02   191 0031 02 00000 00002 00002
09 04 04677 02   191 0031 03 00000 00002 00002
09 04 04677 02   191 0031 04 00007 00057 00064
09 04 04677 02   191 0031 05 00017 00087 00104
09 04 04677 02   191 0031 06 00015 00131 00146
09 04 04677 02   191 0031 07 00025 00146 00171
09 04 04677 02   191 0031 08 00000 00215 00215
09 04 04677 02   191 0031 09 00000 00100 00100
09 04 04677 02   191 0031 10 00000 00005 00005
09 04 04677 02   191 0062 07 00000 00190 00190
09 04 04677 02   191 0013 04 00000 00001 00001
```

```
09 04 04677 02   191 0013 05 00000 00060 00060
09 04 04677 02   191 0013 06 00000 00110 00110
09 04 04677 02   191 0013 07 00000 00021 00021
09 04 04677 02   191 0013 08 00000 00003 00003
09 04 04677 02   191 0013 09 00000 00001 00001
09 04 04677 02   191 0013 10 00000 00005 00005
09 04 04677 02   191 0013 11 00000 00006 00006
09 04 04677 02   191 0013 12 00000 00010 00010
09 04 04677 02   191 0013 13 00000 00010 00010
09 04 04677 02   191 0013 14 00000 00014 00014
09 04 04677 02   191 0013 15 00000 00015 00015
09 04 04677 02   191 0013 16 00000 00002 00002
09 04 04677 02   191 0013 17 00000 00001 00001
09 04 04677 02   191 0033 06 00000 00001 00001
09 04 04677 02   191 0033 07 00000 00006 00006
09 04 04677 02   191 0033 08 00000 00020 00020
09 04 04677 02   191 0033 09 00000 00013 00013
09 04 04677 02   191 0033 10 00000 00003 00003
09 04 04677 02   191 0033 11 00000 00001 00001
09 04 04677 02   191 0033 12 00000 00007 00007
09 04 04677 02   191 0033 13 00000 00001 00001
09 04 04677 02   191 0033 14 00000 00001 00001
09 04 04677 02   191 0023 07 00000 00150 00150
09 04 04677 02   191 0023 10 00000 00335 00335
09 04 04677 02   191 0023 11 00000 01045 01045
09 04 04677 02   191 0023 12 00000 00940 00940
09 04 04677 02   191 0023 13 00000 01690 01690
09 04 04677 02   191 0023 14 00000 00940 00940
09 04 04677 02   191 0023 15 00000 00560 00560
09 04 04677 02   191 0023 16 00000 00056 00056
09 04 04677 02   191 0023 17 00000 00010 00010
09 04 04677 02   191 0023 18 00000 00003 00003
09 04 04677 02   191 0023 19 00000 00031 00031
09 04 04677 02   191 0023 20 00000 00027 00027
09 04 04677 02   191 0009 12 00000 00015 00015
09 04 04677 02   191 0012 11 00000 00290 00290
09 04 04677 02   191 0012 12 00000 01500 01500
09 04 04677 02   191 0012 13 00000 01295 01295
09 04 04677 02   191 0012 14 00000 01035 01035
09 04 04677 02   191 0012 15 00000 00625 00625
09 04 04677 02   191 0012 16 00000 00163 00163
09 04 04677 02   191 0012 17 00000 00031 00031
09 04 04677 02   191 0012 18 00000 00005 00005
09 04 04677 02   191 0012 19 00000 00007 00007
09 04 04677 02   191 0032 11 00000 00015 00015
09 04 04677 02   191 0032 12 00000 00205 00205
09 04 04677 02   191 0032 13 00000 00405 00405
09 04 04677 02   191 0032 14 00000 00335 00335
09 04 04677 02   191 0032 15 00000 00145 00145
09 04 04677 02   191 0032 16 00000 00032 00032
09 04 04677 02   191 0032 17 00000 00013 00013
09 04 04677 02   191 0032 18 00000 00007 00007
09 04 04677 02   191 0032 19 00000 00003 00003
09 04 04677 02   191 0017 11 00000 00010 00010
09 04 04677 02   191 0043 11 00000 00020 00020
09 04 04677 02   191 0071 12 00000 00030 00030
09 04 04677 02   191 0071 13 00000 00050 00050
09 04 04677 02   191 0071 14 00000 00060 00060
09 04 04677 02   191 0071 15 00000 00070 00070
09 04 04677 02   191 0071 16 00000 00023 00023
09 04 04677 02   191 0071 17 00000 00004 00004
09 04 04677 02   191 0071 20 00000 00002 00002
09 04 04677 02   191 0005 12 00000 00001 00001
09 04 04677 02   191 0005 13 00000 00001 00001
09 04 04677 02   191 0005 14 00000 00009 00009
09 04 04677 02   191 0005 15 00000 00014 00014
09 04 04677 02   191 0005 16 00000 00031 00031
09 04 04677 02   191 0005 17 00000 00022 00022
09 04 04677 02   191 0005 18 00000 00022 00022
09 04 04677 02   191 0005 19 00000 00018 00018
```

```
09 04 04677 02   191 0005 20 00000 00007 00007
09 04 04677 02   191 0005 21 00000 00001 00001
09 04 04677 02   191 0053 16 00001 00000 00001
09 04 04677 02   191 0053 18 00001 00000 00001
09 04 04677 02   191 0053 19 00002 00000 00002
09 04 04677 02   191 0053 20 00001 00000 00001
09 04 04677 02   191 0053 21 00001 00000 00001
09 04 04677 02   191 0027 16 00000 00001 00001
09 04 04677 02   191 0027 17 00000 00003 00003
09 04 04677 02   191 0003 17 00000 00002 00002
09 04 04677 02   191 0003 18 00000 00002 00002
09 04 04677 02   191 0042 19 00000 00001 00001
09 04 04677 02   191 0011 20 00000 00010 00010
09 04 04677 02   191 0069 18 00000 00008 00008
09 04 04677 02   191 0069 19 00000 00144 00144
09 04 04677 02   191 0069 20 00000 00119 00119
09 04 04677 02   191 0021 19 00000 00064 00064
09 04 04677 02   191 0021 20 00000 00167 00167
09 04 04677 02   191 0021 22 00000 00044 00044
09 04 04677 02   191 0004 22 00000 00055 00055
09 04 04677 02   191 0072 22 00002 00000 00002
09 05 04677 01   231 0030 01 00133 00656 00789
09 05 04677 01   231 0030 02 00045 00370 00415
09 05 04677 01   231 0030 03 00026 00183 00209
09 05 04677 01   231 0030 04 00010 00200 00210
09 05 04677 01   231 0030 05 00002 00097 00099
09 05 04677 01   231 0030 06 00004 00081 00085
09 05 04677 01   231 0030 07 00005 00092 00097
09 05 04677 01   231 0030 08 00031 00143 00174
09 05 04677 01   231 0030 09 00075 00335 00410
09 05 04677 01   231 0030 10 00010 00325 00335
09 05 04677 01   231 0030 11 00000 00075 00075
09 05 04677 01   231 0030 12 00000 00005 00005
09 05 04677 01   231 0018 01 00000 00209 00209
09 05 04677 01   231 0018 02 00000 00740 00740
09 05 04677 01   231 0018 03 00000 00650 00650
09 05 04677 01   231 0018 04 00000 01470 01470
09 05 04677 01   231 0018 05 00000 00677 00677
09 05 04677 01   231 0018 06 00000 00188 00188
09 05 04677 01   231 0018 07 00000 00394 00394
09 05 04677 01   231 0018 08 00000 00360 00360
09 05 04677 01   231 0018 09 00000 00930 00930
09 05 04677 01   231 0018 10 00000 01050 01050
09 05 04677 01   231 0018 11 00000 00670 00670
09 05 04677 01   231 0018 12 00000 00465 00465
09 05 04677 01   231 0018 13 00000 00350 00350
09 05 04677 01   231 0018 14 00000 00062 00062
09 05 04677 01   231 0018 15 00000 00140 00140
09 05 04677 01   231 0018 16 00000 00105 00105
09 05 04677 01   231 0018 17 00000 00040 00040
09 05 04677 01   231 0018 18 00000 00055 00055
09 05 04677 01   231 0018 19 00000 00015 00015
09 05 04677 01   231 0018 20 00000 00024 00024
09 05 04677 01   231 0018 21 00000 00001 00001
09 05 04677 01   231 0040 01 00000 00002 00002
09 05 04677 01   231 0040 02 00000 00005 00005
09 05 04677 01   231 0040 03 00000 00012 00012
09 05 04677 01   231 0040 04 00018 00028 00046
09 05 04677 01   231 0040 05 00016 00022 00038
09 05 04677 01   231 0040 06 00032 00053 00085
09 05 04677 01   231 0040 07 00065 00059 00124
09 05 04677 01   231 0040 08 00180 00184 00364
09 05 04677 01   231 0040 09 00420 00375 00785
09 05 04677 01   231 0040 10 00135 00390 00525
09 05 04677 01   231 0040 11 00000 00042 00042
09 05 04677 01   231 0040 13 00001 00001 00002
09 05 04677 01   231 0013 03 00000 00001 00001
09 05 04677 01   231 0013 05 00000 00001 00001
09 05 04677 01   231 0002 06 00000 00003 00003
09 05 04677 01   231 0002 07 00000 00001 00001
09 05 04677 01   231 0002 09 00000 00001 00001
09 05 04677 01   231 0002 11 00003 00001 00004
09 05 04677 01   231 0002 13 00001 00000 00001
```

```
09 05 04677 01  231 0001 06 00000 00001 00001
09 05 04677 01  231 0033 08 00000 00001 00001
09 05 04677 01  231 0033 13 00001 00002 00003
09 05 04677 01  231 0012 08 00007 00006 00013
09 05 04677 01  231 0012 09 00004 00040 00044
09 05 04677 01  231 0012 10 00415 00270 00685
09 05 04677 01  231 0012 11 01010 00870 01880
09 05 04677 01  231 0012 12 00970 00875 01845
09 05 04677 01  231 0012 13 01355 01305 02660
09 05 04677 01  231 0012 14 01910 01745 03655
09 05 04677 01  231 0012 15 01280 02075 03355
09 05 04677 01  231 0012 16 01360 01750 03110
09 05 04677 01  231 0012 17 01690 02560 04250
09 05 04677 01  231 0012 18 02020 02580 04600
09 05 04677 01  231 0012 19 00985 01809 02794
09 05 04677 01  231 0012 20 00046 00227 00273
09 05 04677 01  231 0032 12 00000 00154 00154
09 05 04677 01  231 0032 13 00000 00077 00077
09 05 04677 01  231 0023 10 00000 00400 00400
09 05 04677 01  231 0023 11 00000 00845 00845
09 05 04677 01  231 0023 12 00000 00650 00650
09 05 04677 01  231 0023 13 00000 00357 00357
09 05 04677 01  231 0023 14 00000 00093 00093
09 05 04677 01  231 0023 15 00000 00085 00085
09 05 04677 01  231 0023 16 00000 00185 00185
09 05 04677 01  231 0023 17 00000 00130 00130
09 05 04677 01  231 0023 18 00000 00250 00250
09 05 04677 01  231 0023 19 00000 00310 00310
09 05 04677 01  231 0023 20 00000 00300 00300
09 05 04677 01  231 0003 15 00002 00001 00003
09 05 04677 01  231 0003 20 00000 00001 00001
09 05 04677 01  231 0005 16 00000 00015 00015
09 05 04677 01  231 0005 17 00000 00045 00045
09 05 04677 01  231 0005 18 00000 00031 00031
09 05 04677 01  231 0005 19 00000 00022 00022
09 05 04677 01  231 0005 20 00000 00009 00009
09 05 04677 01  231 0005 21 00000 00004 00004
09 05 04677 01  231 0069 19 00000 00045 00045
09 05 04677 01  231 0069 20 00000 00026 00026
09 05 04677 01  231 0071 20 00000 00004 00004
09 05 04677 01  231 0011 20 00000 00001 00001
09 05 04677 01  231 0053 20 00000 00001 00001
09 05 04677 01  231 0053 21 00002 00000 00002
09 05 04677 01  231 0004 21 00000 00002 00002
09 05 04677 01  231 0004 22 00000 00055 00055
09 05 04677 01  231 0021 20 00003 00017 00020
09 05 04677 01  231 0021 21 00000 00002 00002
09 05 04677 01  231 0014 22 00006 00001 00007
09 06 04677 01  213 0030 01 00105 01160 01265
09 06 04677 01  213 0030 02 00010 00395 00405
09 06 04677 01  213 0030 03 00065 00310 00375
09 06 04677 01  213 0030 04 00065 00290 00355
09 06 04677 01  213 0030 05 00030 00315 00345
09 06 04677 01  213 0030 06 00005 00230 00235
09 06 04677 01  213 0030 07 00000 00400 00400
09 06 04677 01  213 0030 08 00000 00155 00155
09 06 04677 01  213 0030 09 00000 00320 00320
09 06 04677 01  213 0030 10 00000 00225 00225
09 06 04677 01  213 0030 11 00000 00025 00025
09 06 04677 01  213 0030 12 00000 00010 00010
09 06 04677 01  213 0008 01 00000 02295 02295
09 06 04677 01  213 0008 02 00000 03090 03090
09 06 04677 01  213 0008 03 00000 01100 01100
09 06 04677 01  213 0008 04 00000 01410 01410
09 06 04677 01  213 0008 05 00000 01870 01870
09 06 04677 01  213 0008 06 00000 01030 01030
09 06 04677 01  213 0008 07 00000 01680 01680
09 06 04677 01  213 0008 08 00000 01460 01460
09 06 04677 01  213 0008 09 00040 03270 03270
09 06 04677 01  213 0008 10 00175 03005 03180
09 06 04677 01  213 0008 11 00005 01615 01620
09 06 04677 01  213 0008 13 00000 00001 00001
```

```
09 06 04677 01  213 0008 15 00000 00001 00001
09 06 04677 01  213 0018 05 00000 00330 00330
09 06 04677 01  213 0018 06 00000 01365 01365
09 06 04677 01  213 0018 07 00000 01130 01130
09 06 04677 01  213 0018 08 00000 01210 01210
09 06 04677 01  213 0018 09 00000 00825 00825
09 06 04677 01  213 0018 10 00000 00920 00920
09 06 04677 01  213 0018 11 00000 00480 00480
09 06 04677 01  213 0018 12 00000 00160 00160
09 06 04677 01  213 0031 01 00000 00005 00005
09 06 04677 01  213 0031 02 00001 00012 00013
09 06 04677 01  213 0031 03 00000 00020 00020
09 06 04677 01  213 0031 04 00000 00090 00090
09 06 04677 01  213 0031 05 00000 00060 00060
09 06 04677 01  213 0031 06 00000 00065 00065
09 06 04677 01  213 0031 07 00000 00095 00095
09 06 04677 01  213 0031 08 00000 00135 00135
09 06 04677 01  213 0031 09 00000 00155 00155
09 06 04677 01  213 0031 10 00000 00015 00015
09 06 04677 01  213 0040 01 00000 00160 00160
09 06 04677 01  213 0040 02 00000 00060 00060
09 06 04677 01  213 0040 03 00020 00060 00060
09 06 04677 01  213 0040 04 00010 00070 00080
09 06 04677 01  213 0040 05 00010 00080 00090
09 06 04677 01  213 0040 06 00000 00098 00098
09 06 04677 01  213 0040 07 00000 00205 00205
09 06 04677 01  213 0040 08 00005 00145 00145
09 06 04677 01  213 0040 09 00040 00075 00115
09 06 04677 01  213 0040 10 00017 00029 00046
09 06 04677 01  213 0040 12 00000 00001 00001
09 06 04677 01  213 0001 01 00000 00015 00015
09 06 04677 01  213 0001 06 00000 00010 00010
09 06 04677 01  213 0001 07 00000 00010 00010
09 06 04677 01  213 0001 08 00000 00015 00015
09 06 04677 01  213 0001 09 00000 00010 00010
09 06 04677 01  213 0013 03 00000 00003 00003
09 06 04677 01  213 0013 04 00000 00002 00002
09 06 04677 01  213 0013 05 00000 00012 00012
09 06 04677 01  213 0013 06 00000 00037 00037
09 06 04677 01  213 0013 07 00000 00013 00013
09 06 04677 01  213 0013 08 00000 00011 00011
09 06 04677 01  213 0013 10 00000 00002 00002
09 06 04677 01  213 0013 11 00000 00001 00001
09 06 04677 01  213 0013 12 00000 00003 00003
09 06 04677 01  213 0002 08 00001 00000 00001
09 06 04677 01  213 0033 09 00000 00002 00002
09 06 04677 01  213 0033 11 00000 00004 00004
09 06 04677 01  213 0033 12 00000 00001 00001
09 06 04677 01  213 0009 13 00000 00020 00020
09 06 04677 01  213 0009 14 00000 00005 00005
09 06 04677 01  213 0023 10 00000 00270 00270
09 06 04677 01  213 0023 11 00000 00350 00350
09 06 04677 01  213 0023 12 00000 00485 00485
09 06 04677 01  213 0023 13 00000 01540 01540
09 06 04677 01  213 0023 14 00000 00305 00305
09 06 04677 01  213 0023 15 00000 00078 00078
09 06 04677 01  213 0023 16 00000 00027 00027
09 06 04677 01  213 0023 17 00000 00019 00019
09 06 04677 01  213 0023 18 00000 00015 00015
09 06 04677 01  213 0023 19 00000 00002 00002
09 06 04677 01  213 0023 20 00000 00002 00002
09 06 04677 01  213 0012 10 00000 00005 00005
09 06 04677 01  213 0012 11 00170 00430 00600
09 06 04677 01  213 0012 12 00105 01055 01160
09 06 04677 01  213 0012 13 00080 00840 00920
09 06 04677 01  213 0012 14 00000 00407 00407
09 06 04677 01  213 0012 15 00000 00092 00092
09 06 04677 01  213 0012 16 00000 00013 00013
09 06 04677 01  213 0032 11 00000 00100 00100
09 06 04677 01  213 0032 12 00000 00140 00140
09 06 04677 01  213 0032 13 00000 00135 00135
09 06 04677 01  213 0032 14 00000 00050 00050
09 06 04677 01  213 0032 15 00000 00004 00004
09 06 04677 01  213 0032 16 00000 00001 00001
```

```
09 06 04677 01  213 0032 17 00000 00002 00002
09 06 04677 01  213 0032 18 00000 00001 00001
09 06 04677 01  213 0049 12 00001 00007 00008
09 06 04677 01  213 0049 13 00000 00007 00007
09 06 04677 01  213 0049 15 00000 00002 00002
09 06 04677 01  213 0005 12 00000 00003 00003
09 06 04677 01  213 0005 13 00000 00001 00001
09 06 04677 01  213 0005 14 00000 00002 00002
09 06 04677 01  213 0005 15 00000 00013 00013
09 06 04677 01  213 0005 16 00000 00010 00010
09 06 04677 01  213 0005 17 00000 00014 00014
09 06 04677 01  213 0005 18 00000 00008 00008
09 06 04677 01  213 0005 19 00001 00003 00004
09 06 04677 01  213 0005 20 00000 00002 00002
09 06 04677 01  213 0071 13 00000 00060 00060
09 06 04677 01  213 0071 14 00000 00020 00020
09 06 04677 01  213 0071 15 00000 00014 00014
09 06 04677 01  213 0071 16 00000 00004 00004
09 06 04677 01  213 0071 17 00000 00001 00001
09 06 04677 01  213 0027 14 00000 00001 00001
09 06 04677 01  213 0027 15 00000 00002 00002
09 06 04677 01  213 0027 16 00000 00001 00001
09 06 04677 01  213 0003 14 00000 00001 00001
09 06 04677 01  213 0003 15 00000 00001 00001
09 06 04677 01  213 0003 16 00000 00001 00001
09 06 04677 01  213 0003 17 00000 00001 00001
09 06 04677 01  213 0042 15 00000 00001 00001
09 06 04677 01  213 0042 16 00000 00002 00002
09 06 04677 01  213 0042 17 00000 00001 00001
09 06 04677 01  213 0042 18 00000 00001 00001
09 06 04677 01  213 0069 18 00000 00013 00013
09 06 04677 01  213 0069 19 00000 00010 00010
09 06 04677 01  213 0069 20 00000 00003 00003
09 06 04677 01  213 0021 18 00000 00002 00002
09 06 04677 01  213 0021 19 00000 00007 00007
09 06 04677 01  213 0021 20 00004 00014 00018
09 06 04677 01  213 0021 22 00012 00037 00049
09 06 04677 01  213 0053 19 00001 00000 00001
09 06 04677 01  213 0053 21 00001 00000 00001
09 06 04677 01  213 0053 22 00001 00000 00001
09 06 04677 01  213 0006 21 00000 00001 00001
09 06 04677 01  213 0004 22 00009 00004 00013
09 07 02679 01  220 0030 01 00054 00140 00194
09 07 02679 01  220 0030 02 00043 00148 00191
09 07 02679 01  220 0030 03 00028 00151 00179
09 07 02679 01  220 0030 04 00032 00193 00225
09 07 02679 01  220 0030 05 00029 00242 00271
09 07 02679 01  220 0030 06 00074 00349 00423
09 07 02679 01  220 0030 07 00065 00397 00462
09 07 02679 01  220 0030 08 00153 00377 00530
09 07 02679 01  220 0030 09 00073 00300 00373
09 07 02679 01  220 0030 10 00045 00398 00443
09 07 02679 01  220 0030 11 00030 00318 00348
09 07 02679 01  220 0030 12 00002 00024 00026
09 07 02679 01  220 0030 13 00000 00003 00003
09 07 02679 01  220 0030 15 00000 00001 00001
09 07 02679 01  220 0030 16 00000 00001 00001
09 07 02679 01  220 0030 17 00000 00001 00001
09 07 02679 01  220 0030 18 00000 00007 00007
09 07 02679 01  220 0030 19 00000 00010 00010
09 07 02679 01  220 0001 02 00000 00018 00018
09 07 02679 01  220 0001 03 00000 00012 00012
09 07 02679 01  220 0001 04 00000 00007 00007
09 07 02679 01  220 0001 05 00000 00007 00007
09 07 02679 01  220 0001 06 00000 00001 00001
09 07 02679 01  220 0044 02 00000 00001 00001
09 07 02679 01  220 0044 03 00000 00018 00018
09 07 02679 01  220 0044 04 00000 00009 00009
09 07 02679 01  220 0044 05 00000 00005 00005
09 07 02679 01  220 0044 06 00000 00010 00010
09 07 02679 01  220 0044 07 00000 00013 00013
09 07 02679 01  220 0044 08 00000 00008 00008
09 07 02679 01  220 0044 09 00000 00002 00002
```

```
09 07 02679 01  220 0044 10 00000 00005 00005
09 07 02679 01  220 0044 11 00000 00006 00006
09 07 02679 01  220 0044 12 00000 00001 00001
09 07 02679 01  220 0044 13 00000 00002 00002
09 07 02679 01  220 0044 14 00000 00001 00001
09 07 02679 01  220 0044 18 00000 00001 00001
09 07 02679 01  220 0033 03 00000 00001 00001
09 07 02679 01  220 0033 07 00000 00004 00004
09 07 02679 01  220 0033 08 00000 00005 00005
09 07 02679 01  220 0033 09 00000 00003 00003
09 07 02679 01  220 0033 10 00000 00001 00001
09 07 02679 01  220 0033 13 00000 00001 00001
09 07 02679 01  220 0033 16 00000 00001 00001
09 07 02679 01  220 0018 03 00000 00009 00009
09 07 02679 01  220 0018 04 00000 00006 00006
09 07 02679 01  220 0018 05 00000 00008 00008
09 07 02679 01  220 0018 06 00000 00009 00009
09 07 02679 01  220 0018 07 00000 00005 00005
09 07 02679 01  220 0018 08 00000 00007 00007
09 07 02679 01  220 0018 09 00000 00012 00012
09 07 02679 01  220 0018 10 00000 00007 00007
09 07 02679 01  220 0018 11 00000 00007 00007
09 07 02679 01  220 0018 12 00000 00008 00008
09 07 02679 01  220 0018 13 00000 00005 00005
09 07 02679 01  220 0018 16 00000 00002 00002
09 07 02679 01  220 0018 17 00000 00002 00002
09 07 02679 01  220 0012 04 00001 00000 00001
09 07 02679 01  220 0012 05 00001 00000 00001
09 07 02679 01  220 0012 06 00014 00003 00017
09 07 02679 01  220 0012 07 00011 00003 00014
09 07 02679 01  220 0012 08 00009 00002 00011
09 07 02679 01  220 0012 09 00069 00015 00074
09 07 02679 01  220 0012 10 00145 00051 00196
09 07 02679 01  220 0012 11 00175 00064 00239
09 07 02679 01  220 0012 12 00111 00049 00160
09 07 02679 01  220 0012 13 00072 00056 00128
09 07 02679 01  220 0012 14 00025 00054 00079
09 07 02679 01  220 0012 15 00004 00009 00013
09 07 02679 01  220 0012 16 00001 00002 00003
09 07 02679 01  220 0012 20 00000 00001 00001
09 07 02679 01  220 0025 05 00000 00007 00007
09 07 02679 01  220 0025 06 00000 00001 00001
09 07 02679 01  220 0025 07 00000 00004 00004
09 07 02679 01  220 0025 08 00000 00005 00005
09 07 02679 01  220 0025 09 00000 00001 00001
09 07 02679 01  220 0013 07 00000 00005 00005
09 07 02679 01  220 0013 08 00000 00006 00006
09 07 02679 01  220 0013 09 00000 00008 00008
09 07 02679 01  220 0013 10 00000 00006 00006
09 07 02679 01  220 0013 11 00000 00005 00005
09 07 02679 01  220 0013 12 00000 00001 00001
09 07 02679 01  220 0013 13 00000 00001 00001
09 07 02679 01  220 0040 05 00000 00001 00001
09 07 02679 01  220 0040 08 00000 00005 00005
09 07 02679 01  220 0063 10 00000 00001 00001
09 07 02679 01  220 0003 09 00000 00001 00001
09 07 02679 01  220 0003 11 00000 00001 00001
09 07 02679 01  220 0049 10 00001 00000 00001
09 07 02679 01  220 0049 11 00001 00000 00001
09 07 02679 01  220 0049 12 00004 00000 00004
09 07 02679 01  220 0049 13 00004 00000 00004
09 07 02679 01  220 0049 14 00001 00000 00001
09 07 02679 01  220 0002 11 00000 00001 00001
09 07 02679 01  220 0002 12 00000 00002 00002
09 07 02679 01  220 0023 12 00000 00005 00005
09 07 02679 01  220 0023 13 00000 00005 00005
09 07 02679 01  220 0023 14 00000 00003 00003
09 07 02679 01  220 0023 16 00000 00002 00002
09 07 02679 01  220 0023 17 00000 00003 00003
09 07 02679 01  220 0023 18 00000 00001 00001
```

```
09 07 02679 01  220 0023 19 00000 00004 00004
09 07 02679 01  220 0005 13 00000 00002 00002
09 07 02679 01  220 0005 14 00000 00002 00002
09 07 02679 01  220 0005 15 00000 00004 00004
09 07 02679 01  220 0005 16 00000 00006 00006
09 07 02679 01  220 0005 19 00000 00001 00001
09 07 02679 01  220 0005 20 00000 00001 00001
09 07 02679 01  220 0005 21 00000 00003 00003
09 07 02679 01  220 0005 22 00000 00001 00001
09 07 02679 01  220 0027 13 00000 00001 00001
09 07 02679 01  220 0027 15 00000 00001 00001
09 07 02679 01  220 0042 14 00000 00002 00002
09 07 02679 01  220 0021 17 00018 00022 00030
09 07 02679 01  220 0021 18 00038 00037 00075
09 07 02679 01  220 0021 19 00136 00046 00182
09 07 02679 01  220 0021 20 00302 00116 00418
09 07 02679 01  220 0004 22 00001 00018 00019
09 07 02679 01  220 0009 18 00000 00002 00002
09 08 02679 01  204 0001 01 00000 00003 00003
09 08 02679 01  204 0001 02 00000 00006 00006
09 08 02679 01  204 0001 07 00000 00001 00001
09 08 02679 01  204 0040 01 00031 00077 00108
09 08 02679 01  204 0040 02 00003 00039 00042
09 08 02679 01  204 0040 03 00003 00028 00031
09 08 02679 01  204 0040 04 00004 00009 00013
09 08 02679 01  204 0040 05 00010 00015 00025
09 08 02679 01  204 0040 06 00012 00012 00024
09 08 02679 01  204 0040 07 00000 00027 00035
09 08 02679 01  204 0040 08 00016 00057 00073
09 08 02679 01  204 0040 09 00005 00039 00044
09 08 02679 01  204 0040 10 00000 00008 00008
09 08 02679 01  204 0040 11 00000 00002 00002
09 08 02679 01  204 0040 15 00000 00001 00001
09 08 02679 01  204 0040 20 00000 00001 00001
09 08 02679 01  204 0030 01 00079 00112 00191
09 08 02679 01  204 0030 02 00011 00071 00083
09 08 02679 01  204 0030 03 00006 00081 00087
09 08 02679 01  204 0030 04 00001 00128 00129
09 08 02679 01  204 0030 05 00002 00124 00126
09 08 02679 01  204 0030 06 00001 00179 00180
09 08 02679 01  204 0030 07 00000 00206 00206
09 08 02679 01  204 0030 08 00001 00217 00218
09 08 02679 01  204 0030 09 00000 00174 00174
09 08 02679 01  204 0030 10 00000 00054 00054
09 08 02679 01  204 0030 11 00000 00048 00048
09 08 02679 01  204 0030 12 00000 00017 00017
09 08 02679 01  204 0030 13 00000 00017 00017
09 08 02679 01  204 0030 14 00000 00018 00018
09 08 02679 01  204 0030 15 00000 00004 00004
09 08 02679 01  204 0030 16 00000 00001 00001
09 08 02679 01  204 0030 17 00000 00001 00001
09 08 02679 01  204 0030 18 00000 00001 00001
09 08 02679 01  204 0012 01 00003 00023 00026
09 08 02679 01  204 0012 02 00000 00010 00010
09 08 02679 01  204 0012 03 00000 00002 00002
09 08 02679 01  204 0012 04 00000 00004 00004
09 08 02679 01  204 0012 05 00000 00003 00003
09 08 02679 01  204 0012 06 00000 00001 00001
09 08 02679 01  204 0012 07 00000 00010 00010
09 08 02679 01  204 0012 08 00000 00009 00009
09 08 02679 01  204 0012 09 00029 00053 00082
09 08 02679 01  204 0012 10 00080 00154 00234
09 08 02679 01  204 0012 11 00083 00229 00312
09 08 02679 01  204 0012 12 00107 00294 00401
09 08 02679 01  204 0012 13 00358 00534 00892
09 08 02679 01  204 0012 14 00609 00701 01310
09 08 02679 01  204 0012 15 00423 00883 01306
09 08 02679 01  204 0012 16 00522 00925 01447
09 08 02679 01  204 0012 17 00328 00889 01217
09 08 02679 01  204 0012 18 00370 01082 01452
09 08 02679 01  204 0012 19 00140 00787 00927
```

```
09 08 02679 01  204 0012 20 00022 00151 00160
09 08 02679 01  204 0012 21 00000 00004 00004
09 08 02679 01  204 0032 12 00000 00001 00001
09 08 02679 01  204 0032 13 00000 00002 00002
09 08 02679 01  204 0018 01 00000 00010 00010
09 08 02679 01  204 0018 02 00000 00007 00007
09 08 02679 01  204 0018 03 00000 00002 00002
09 08 02679 01  204 0018 04 00000 00007 00007
09 08 02679 01  204 0018 05 00000 00008 00008
09 08 02679 01  204 0018 06 00000 00018 00018
09 08 02679 01  204 0018 07 00000 00012 00012
09 08 02679 01  204 0018 08 00000 00036 00036
09 08 02679 01  204 0018 09 00000 00068 00068
09 08 02679 01  204 0018 10 00000 00040 00040
09 08 02679 01  204 0018 11 00000 00035 00035
09 08 02679 01  204 0018 12 00000 00039 00039
09 08 02679 01  204 0018 13 00000 00012 00012
09 08 02679 01  204 0018 14 00000 00010 00010
09 08 02679 01  204 0013 07 00000 00001 00001
09 08 02679 01  204 0013 08 00000 00004 00004
09 08 02679 01  204 0013 09 00000 00009 00009
09 08 02679 01  204 0013 10 00000 00010 00010
09 08 02679 01  204 0013 11 00000 00009 00009
09 08 02679 01  204 0013 12 00000 00006 00006
09 08 02679 01  204 0013 13 00000 00002 00002
09 08 02679 01  204 0013 14 00000 00004 00004
09 08 02679 01  204 0013 15 00000 00004 00004
09 08 02679 01  204 0013 16 00000 00003 00003
09 08 02679 01  204 0013 19 00000 00001 00001
09 08 02679 01  204 0013 21 00000 00001 00001
09 08 02679 01  204 0033 10 00000 00001 00001
09 08 02679 01  204 0033 12 00000 00003 00003
09 08 02679 01  204 0005 10 00000 00001 00001
09 08 02679 01  204 0005 13 00000 00001 00001
09 08 02679 01  204 0005 15 00000 00001 00001
09 08 02679 01  204 0005 16 00000 00004 00004
09 08 02679 01  204 0005 17 00000 00004 00004
09 08 02679.01  204 0005 18 00000 00003 00003
09 08 02679 01  204 0005 19 00000 00001 00001
09 08 02679 01  204 0005 20 00000 00004 00004
09 08 02679 01  204 0023 11 00000 00011 00011
09 08 02679 01  204 0023 12 00000 00040 00040
09 08 02679 01  204 0023 13 00000 00046 00046
09 08 02679 01  204 0023 14 00000 00081 00081
09 08 02679 01  204 0023 15 00000 00069 00069
09 08 02679 01  204 0023 16 00000 00079 00079
09 08 02679 01  204 0023 17 00000 00024 00024
09 08 02679 01  204 0023 18 00000 00021 00021
09 08 02679 01  204 0023 19 00000 00011 00011
09 08 02679 01  204 0023 20 00000 00008 00008
09 08 02679 01  204 0002 12 00000 00001 00001
09 08 02679 01  204 0046 13 00001 00000 00001
09 08 02679 01  204 0049 [illegible] 00002 00000 00002
09 08 02679 01  204 0049 [illegible] 00002 00000 00002
09 08 02679 01  204 0102 18 00000 00001 00001
09 08 02679 01  204 0021 19 00002 00002 00004
09 08 02679 01  204 0021 20 00032 00067 00099
09 08 02679 01  204 0042 19 00000 00001 00001
09 08 02679 01  204 0027 19 00000 00001 00001
09 08 02679 01  204 0003 21 00000 00002 00002
09 08 02679 01  204 0004 22 00000 00007 00007
09 09 02679 01  222 0030 01 00157 00302 00459
09 09 02679 01  222 0030 02 00103 00195 00298
09 09 02679 01  222 0030 03 00015 00053 00068
09 09 02679 01  222 0030 04 00012 00040 00052
09 09 02679 01  222 0030 05 00011 00041 00052
09 09 02679 01  222 0030 06 00005 00035 00040
09 09 02679 01  222 0030 07 00016 00039 00055
09 09 02679 01  222 0030 08 00057 00106 00163
09 09 02679 01  222 0030 09 00142 00206 00248
09 09 02679 01  222 0030 10 00089 00242 00331
09 09 02679 01  222 0030 11 00001 00123 00124
09 09 02679 01  222 0030 12 00000 00016 00016
```

```
09 09 02679 01  222 0030 13 00000 00001 00001
09 09 02679 01  222 0030 16 00000 00001 00001
09 09 02679 01  222 0030 19 00000 00002 00002
09 09 02679 01  222 0001 01 00000 00068 00068
09 09 02679 01  222 0001 02 00000 00066 00066
09 09 02679 01  222 0001 03 00000 00039 00039
09 09 02679 01  222 0001 04 00000 00056 00056
09 09 02679 01  222 0001 05 00000 00018 00018
09 09 02679 01  222 0001 06 00000 00017 00017
09 09 02679 01  222 0001 07 00000 00008 00008
09 09 02679 01  222 0001 08 00000 00022 00022
09 09 02679 01  222 0001 09 00000 00008 00008
09 09 02679 01  222 0001 10 00000 00001 00001
09 09 02679 01  222 0001 11 00000 00007 00007
09 09 02679 01  222 0001 13 00000 00001 00001
09 09 02679 01  222 0018 02 00000 00003 00003
09 09 02679 01  222 0018 03 00000 00031 00031
09 09 02679 01  222 0018 04 00000 00021 00021
09 09 02679 01  222 0018 05 00000 00059 00059
09 09 02679 01  222 0018 06 00000 00136 00136
09 09 02679 01  222 0018 07 00000 00253 00253
09 09 02679 01  222 0018 08 00000 00362 00362
09 09 02679 01  222 0018 09 00000 00253 00253
09 09 02679 01  222 0018 10 00000 00104 00104
09 09 02679 01  222 0018 11 00000 00167 00167
09 09 02679 01  222 0018 12 00000 00059 00059
09 09 02679 01  222 0018 13 00000 00041 00041
09 09 02679 01  222 0018 14 00000 00001 00001
09 09 02679 01  222 0012 02 00000 00004 00004
09 09 02679 01  222 0012 03 00001 00006 00007
09 09 02679 01  222 0012 04 00006 00010 00016
09 09 02679 01  222 0012 05 00006 00014 00020
09 09 02679 01  222 0012 06 00011 00026 00037
09 09 02679 01  222 0012 07 00028 00047 00075
09 09 02679 01  222 0012 08 00022 00054 00076
09 09 02679 01  222 0012 09 00002 00024 00026
09 09 02679 01  222 0012 10 00006 00008 00014
09 09 02679 01  222 0012 11 00098 00035 00133
09 09 02679 01  222 0012 12 00149 00058 00207
09 09 02679 01  222 0012 13 00132 00124 00256
09 09 02679 01  222 0012 14 00172 00222 00394
09 09 02679 01  222 0012 15 00108 00185 00293
09 09 02679 01  222 0012 16 00051 00157 00208
09 09 02679 01  222 0012 17 00043 00171 00214
09 09 02679 01  222 0012 18 00005 00057 00112
09 09 02679 01  222 0012 19 00000 00003 00003
09 09 02679 01  222 0032 06 00000 00002 00002
09 09 02679 01  222 0040 02 00000 00001 00001
09 09 02679 01  222 0040 06 00000 00010 00010
09 09 02679 01  222 0040 07 00000 00015 00015
09 09 02679 01  222 0040 08 00000 00016 00016
09 09 02679 01  222 0040 09 00000 00016 00016
09 09 02679 01  222 0040 10 00000 00004 00004
09 09 02679 01  222 0040 11 00000 00001 00001
09 09 02679 01  222 0044 03 00000 00005 00005
09 09 02679 01  222 0044 09 00000 00005 00005
09 09 02679 01  222 0044 10 00000 00003 00003
09 09 02679 01  222 0044 11 00000 00002 00002
09 09 02679 01  222 0044 18 00000 00001 00001
09 09 02679 01  222 0042 07 00000 00001 00001
09 09 02679 01  222 0118 03 00000 00001 00001
09 09 02679 01  222 0002 05 00000 00001 00001
09 09 02679 01  222 0002 10 00000 00001 00001
09 09 02679 01  222 0002 14 00001 00000 00001
09 09 02679 01  222 0025 06 00000 00003 00003
09 09 02679 01  222 0025 07 00000 00002 00002
09 09 02679 01  222 0025 11 00000 00001 00001
09 09 02679 01  222 0013 08 00000 00001 00001
09 09 02679 01  222 0033 09 00000 00001 00001
09 09 02679 01  222 0023 10 00000 00010 00010
09 09 02679 01  222 0023 11 00000 00234 00234
09 09 02679 01  222 0023 12 00000 00327 00327
09 09 02679 01  222 0023 13 00000 00324 00324
```

```
09 09 02679 01   222 0023 14 00000 00137 00137
09 09 02679 01   222 0023 15 00000 00059 00059
09 09 02679 01   222 0023 16 00000 00034 00034
09 09 02679 01   222 0023 17 00000 00033 00033
09 09 02679 01   222 0023 18 00000 00036 00036
09 09 02679 01   222 0023 19 00000 00045 00045
09 09 02679 01   222 0023 20 00000 00023 00023
09 09 02679 01   222 0003 11 00000 00001 00001
09 09 02679 01   222 0006 14 00000 00001 00001
09 09 02679 01   222 0006 21 00000 00008 00008
09 09 02679 01   222 0005 17 00000 00001 00001
09 09 02679 01   222 0005 18 00000 00001 00001
09 09 02679 01   222 0005 19 00000 00001 00001
09 09 02679 01   222 0021 18 00005 00005 00010
09 09 02679 01   222 0021 19 00104 00101 00205
09 09 02679 01   222 0021 20 00128 00203 00331
09 09 02679 01   222 0021 21 00009 00003 00012
09 09 02679 01   222 0108 18 00000 00001 00001
09 09 02679 01   222 0108 19 00000 00003 00003
09 09 02679 01   222 0108 20 00000 00002 00002
09 09 02679 01   222 0108 21 00000 00008 00008
09 09 02679 01   222 0004 22 00025 00023 00048
09 09 02679 01   222 0014 22 00001 00000 00001
09 10 02679 -0   233 0001 01 00000 00039 00039
09 10 02679 -0   233 0001 02 00000 00084 00084
09 10 02679 -0   233 0001 03 00000 00239 00239
09 10 02679 -0   233 0001 04 00000 00101 00101
09 10 02679 -0   233 0001 05 00000 00139 00139
09 10 02679 -0   233 0001 06 00000 00050 00050
09 10 02679 -0   233 0001 07 00000 00002 00002
09 10 02679 -0   233 0001 09 00000 00006 00006
09 10 02679 -0   233 0001 10 00000 00007 00007
09 10 02679 -0   233 0001 11 00000 00005 00005
09 10 02679 -0   233 0040 01 00002 00007 00009
09 10 02679 -0   233 0040 02 00000 00001 00001
09 10 02679 -0   233 0040 03 00001 00001 00002
09 10 02679 -0   233 0040 04 00004 00008 00012
09 10 02679 -0   233 0040 05 00003 00008 00011
09 10 02679 -0   233 0040 06 00006 00019 00025
09 10 02679 -0   233 0040 07 00011 00036 00047
09 10 02679 -0   233 0040 08 00045 00132 00177
09 10 02679 -0   233 0040 09 00073 00145 00218
09 10 02679 -0   233 0040 10 00016 00047 00063
09 10 02679 -0   233 0030 01 01035 00427 01462
09 10 02679 -0   233 0030 02 00372 00333 00705
09 10 02679 -0   233 0030 03 00196 00212 00408
09 10 02679 -0   233 0030 04 00242 00225 00467
09 10 02679 -0   233 0030 05 00265 00270 00535
09 10 02679 -0   233 0030 06 00237 00256 00493
09 10 02679 -0   233 0030 07 00137 00345 00482
09 10 02679 -0   233 0030 08 00253 00548 00801
09 10 02679 -0   233 0030 09 00283 00783 01066
09 10 02679 -0   233 0030 10 00013 00378 00391
09 10 02679 -0   233 0030 11 00003 00013 00016
09 10 02679 -0   233 0030 12 00001 00005 00006
09 10 02679 -0   233 0030 13 00000 00005 00006
09 10 02679 -0   233 0030 17 00000 00001 00001
09 10 02679 -0   233 0012 01 00000 00027 00027
09 10 02679 -0   233 0012 02 00000 00008 00008
09 10 02679 -0   233 0012 03 00000 00028 00028
09 10 02679 -0   233 0012 04 00000 00024 00024
09 10 02679 -0   233 0012 05 00000 00048 00048
09 10 02679 -0   233 0012 06 00003 00036 00039
09 10 02679 -0   233 0012 07 00004 00088 00092
09 10 02679 -0   233 0012 08 00004 00085 00089
09 10 02679 -0   233 0012 09 00092 00160 00252
09 10 02679 -0   233 0012 10 00700 00968 01668
09 10 02679 -0   233 0012 11 00841 01522 02363
09 10 02679 -0   233 0012 12 00350 01270 01620
09 10 02679 -0   233 0012 13 00235 01180 01415
09 10 02679 -0   233 0012 14 00280 01215 01495
09 10 02679 -0   233 0012 15 00105 01215 01320
09 10 02679 -0   233 0012 16 00005 00790 00795
```

```
09  10 02679  -0   233 0012  17 00020 00510 00530
09  10 02679  -0   233 0012  18 00000 00029 00029
09  10 02679  -0   233 0012  19 00000 00008 00008
09  10 02679  -0   233 0032  06 00000 00013 00013
09  10 02679  -0   233 0032  07 00000 00022 00022
09  10 02679  -0   233 0032  08 00000 00052 00052
09  10 02679  -0   233 0032  09 00000 00041 00041
09  10 02679  -0   233 0032  14 00000 00045 00045
09  10 02679  -0   233 0032  15 00000 00010 00010
09  10 02679  -0   233 0032  18 00000 00003 00003
09  10 02679  -0   233 0018  03 00000 00005 00005
09  10 02679  -0   233 0018  04 00000 00007 00007
09  10 02679  -0   233 0018  05 00000 00014 00014
09  10 02679  -0   233 0018  06 00000 00016 00016
09  10 02679  -0   233 0018  07 00000 00018 00018
09  10 02679  -0   233 0018  08 00000 00125 00125
09  10 02679  -0   233 0018  09 00000 00387 00387
09  10 02679  -0   233 0018  10 00000 00433 00433
09  10 02679  -0   233 0018  11 00000 00669 00669
09  10 02679  -0   233 0018  12 00000 00120 00120
09  10 02679  -0   233 0018  13 00000 00065 00065
09  10 02679  -0   233 0018  14 00000 00020 00020
09  10 02679  -0   233 0020  06 00000 00001 00001
09  10 02679  -0   233 0020  08 00000 00001 00001
09  10 02679  -0   233 0033  07 00000 00001 00001
09  10 02679  -0   233 0033  08 00000 00001 00001
09  10 02679  -0   233 0033  10 00000 00001 00001
09  10 02679  -0   233 0033  11 00000 00001 00001
09  10 02679  -0   233 0033  16 00000 00001 00001
09  10 02679  -0   233 0033  19 00000 00001 00001
09  10 02679  -0   233 0013  10 00000 00001 00001
09  10 02679  -0   233 0049  11 00007 00000 00007
09  10 02679  -0   233 0049  12 00007 00000 00007
09  10 02679  -0   233 0049  13 00005 00000 00005
09  10 02679  -0   233 0049  14 00003 00000 00003
09  10 02679  -0   233 0063  11 00000 00001 00001
09  10 02679  -0   233 0005  11 00000 00003 00003
09  10 02679  -0   233 0005  14 00000 00001 00001
09  10 02679  -0   233 0005  15 00000 00001 00001
09  10 02679  -0   233 0005  16 00000 00003 00003
09  10 02679  -0   233 0005  17 00000 00001 00001
09  10 02679  -0   233 0005  18 00000 00002 00002
09  10 02679  -0   233 0003  12 00000 00002 00002
09  10 02679  -0   233 0003  13 00000 00001 00001
09  10 02679  -0   233 0003  14 00000 00002 00002
09  10 02679  -0   233 0003  15 00000 00001 00001
09  10 02679  -0   233 0003  16 00000 00006 00006
09  10 02679  -0   233 0003  17 00000 00002 00002
09  10 02679  -0   233 0003  18 00000 00006 00006
09  10 02679  -0   233 0003  19 00000 00006 00006
09  10 02679  -0   233 0003  20 00000 00005 00005
09  10 02679  -0   233 0003  21 00000 00002 00002
09  10 02679  -0   233 0023  15 00000 00020 00020
09  10 02679  -0   233 0023  16 00000 00080 00080
09  10 02679  -0   233 0023  17 00000 00120 00120
09  10 02679  -0   233 0023  18 00000 00009 00009
09  10 02679  -0   233 0023  19 00000 00063 00063
09  10 02679  -0   233 0023  20 00000 00002 00002
09  10 02679  -0   233 0042  16 00000 00010 00010
09  10 02679  -0   233 0021  17 00030 00320 00350
09  10 02679  -0   233 0021  18 00008 00488 00496
09  10 02679  -0   233 0021  19 00028 00777 00805
09  10 02679  -0   233 0021  20 00011 00823 00834
09  10 02679  -0   233 0021  22 00000 00027 00027
09  10 02679  -0   233 0004  22 00008 00014 00022
09  10 02679  -0   233 0006  21 00000 00001 00001
09  11  11678 01   221 0001  01 00000 00002 00002
09  11  11678 01   221 0030  01 00021 00029 00050
09  11  11678 01   221 0030  02 00008 00028 00036
09  11  11678 01   221 0030  03 00001 00017 00018
09  11  11678 01   221 0030  04 00000 00017 00017
```

```
09 11 11678 01  221 0030 05 00000 00056 00056
09 11 11678 01  221 0030 06 00000 00032 00032
09 11 11678 01  221 0030 07 00005 00034 00039
09 11 11678 01  221 0030 08 00004 00053 00057
09 11 11678 01  221 0030 09 00007 00061 00068
09 11 11678 01  221 0030 10 00004 00033 00037
09 11 11678 01  221 0030 11 00000 00016 00016
09 11 11678 01  221 0030 12 00000 00009 00009
09 11 11678 01  221 0030 13 00000 00002 00002
09 11 11678 01  221 0030 14 00000 00001 00001
09 11 11678 01  221 0030 20 00000 00001 00001
09 11 11678 01  221 0030 21 00000 00001 00001
09 11 11678 01  221 0033 10 00000 00001 00001
09 11 11678 01  221 0033 11 00002 00011 00013
09 11 11678 01  221 0033 12 00002 00021 00023
09 11 11678 01  221 0033 13 00003 00045 00048
09 11 11678 01  221 0033 14 00006 00023 00029
09 11 11678 01  221 0033 15 00002 00015 00017
09 11 11678 01  221 0033 16 00234 00060 00294
09 11 11678 01  221 0033 17 00108 00055 00163
09 11 11678 01  221 0033 18 00004 00003 00007
09 11 11678 01  221 0033 19 00002 00001 00003
09 11 11678 01  221 0033 20 00001 00002 00003
09 11 11678 01  221 0033 21 00001 00000 00001
09 11 11678 01  221 0008 12 00000 00002 00002
09 11 11678 01  221 0027 18 00003 00000 00003
09 11 11678 01  221 0027 19 00009 00000 00009
09 11 11678 01  221 0027 20 00008 00000 00008
09 11 11678 01  221 0027 21 00001 00000 00001
09 11 11678 01  221 0021 20 00000 00015 00015
09 12 11678 01  207 0030 01 00006 00078 00084
09 12 11678 01  207 0030 02 00006 00033 00039
09 12 11678 01  207 0030 03 00006 00018 00024
09 12 11678 01  207 0030 04 00014 00031 00045
09 12 11678 01  207 0030 05 00011 00037 00048
09 12 11678 01  207 0030 06 00013 00082 00095
09 12 11678 01  207 0030 07 00053 00128 00181
09 12 11678 01  207 0030 08 00133 00279 00412
09 12 11678 01  207 0030 09 00170 00390 00560
09 12 11678 01  207 0030 10 00390 00410 00800
09 12 11678 01  207 0030 11 00011 00027 00038
09 12 11678 01  207 0030 12 00002 00003 00005
09 12 11678 01  207 0030 13 00000 00002 00002
09 12 11678 01  207 0030 15 00000 00002 00002
09 12 11678 01  207 0030 18 00000 00001 00001
09 12 11678 01  207 0001 01 00000 00001 00001
09 12 11678 01  207 0001 03 00000 00001 00001
09 12 11678 01  207 0033 07 00000 00001 00001
09 12 11678 01  207 0033 08 00000 00003 00004
09 12 11678 01  207 0033 09 00000 00007 00007
09 12 11678 01  207 0033 10 00003 00007 00010
09 12 11678 01  207 0033 11 00004 00009 00013
09 12 11678 01  207 0033 12 00002 00017 00019
09 12 11678 01  207 0033 13 00006 00014 00020
09 12 11678 01  207 0033 14 00014 00024 00038
09 12 11678 01  207 0033 15 00002 00008 00010
09 12 11678 01  207 0033 16 00004 00002 00006
09 12 11678 01  207 0033 17 00002 00000 00002
09 12 11678 01  207 0033 18 00002 00003 00005
09 12 11678 01  207 0033 19 00001 00002 00003
09 12 11678 01  207 0033 20 00001 00000 00001
09 12 11678 01  207 0012 11 00001 00003 00004
09 12 11678 01  207 0021 19 00000 00008 00008
09 12 11678 01  207 0021 21 00000 00002 00002
09 12 11678 01  207 0021 22 00000 00003 00003
09 12 11678 01  207 0027 19 00003 00000 00003
09 12 11678 01  207 0027 21 00001 00000 00001
09 12 11678 01  207 0027 22 00000 00001 00001
09 12 11678 01  207 0006 21 00000 00001 00001
09 12 11678 01  207 0005 19 00000 00002 00002
```

```
09 12 11678 01  207 0005 20 00000 00026 00026
09 13 11678 01  203 0030 01 00346 00162 00508
09 13 11678 01  203 0030 02 00320 00190 00510
09 13 11678 01  203 0030 03 00231 00102 00333
09 13 11678 01  203 0030 04 00170 00250 00420
09 13 11678 01  203 0030 05 00170 00300 00470
09 13 11678 01  203 0030 06 00060 00310 00370
09 13 11678 01  203 0030 07 00070 00270 00340
09 13 11678 01  203 0030 08 00145 00300 00445
09 13 11678 01  203 0030 09 00280 00310 00590
09 13 11678 01  203 0030 10 00150 00130 00280
09 13 11678 01  203 0030 11 00000 00005 00005
09 13 11678 01  203 0030 12 00013 00000 00013
09 13 11678 01  203 0030 13 00002 00001 00003
09 13 11678 01  203 0031 01 00094 00034 00128
09 13 11678 01  203 0031 02 00260 00230 00490
09 13 11678 01  203 0031 03 00101 00120 00221
09 13 11678 01  203 0031 04 00100 00120 00220
09 13 11678 01  203 0031 05 00110 00390 00500
09 13 11678 01  203 0031 06 00080 00560 00640
09 13 11678 01  203 0031 07 00080 00350 00430
09 13 11678 01  203 0031 08 00070 00460 00530
09 13 11678 01  203 0031 09 00040 00330 00370
09 13 11678 01  203 0031 10 00000 00040 00040
09 13 11678 01  203 0031 11 00000 00005 00005
09 13 11678 01  203 0031 13 00000 00004 00004
09 13 11678 01  203 0031 14 00000 00002 00002
09 13 11678 01  203 0031 15 00001 00001 00002
09 13 11678 01  203 0031 19 00000 00001 00001
09 13 11678 01  203 0001 02 00000 00060 00060
09 13 11678 01  203 0001 03 00000 00055 00055
09 13 11678 01  203 0001 04 00000 00020 00020
09 13 11678 01  203 0018 10 00000 00100 00100
09 13 11678 01  203 0018 16 00000 00001 00001
09 13 11678 01  203 0018 18 00000 00001 00001
09 13 11678 01  203 0008 09 00000 00030 00030
09 13 11678 01  203 0008 10 00050 00390 00440
09 13 11678 01  203 0008 11 00080 00170 00250
09 13 11678 01  203 0008 12 00010 00030 00040
09 13 11678 01  203 0008 13 00000 00019 00019
09 13 11678 01  203 0008 14 00001 00015 00016
09 13 11678 01  203 0008 15 00000 00004 00004
09 13 11678 01  203 0008 16 00000 00002 00002
09 13 11678 01  203 0008 18 00000 00001 00001
09 13 11678 01  203 0013 01 00000 00001 00001
09 13 11678 01  203 0013 05 00000 00003 00003
09 13 11678 01  203 0013 06 00000 00040 00040
09 13 11678 01  203 0013 07 00000 00240 00240
09 13 11678 01  203 0013 08 00000 00430 00430
09 13 11678 01  203 0013 09 00000 00500 00500
09 13 11678 01  203 0013 10 00000 00460 00460
09 13 11678 01  203 0013 11 00000 00310 00310
09 13 11678 01  203 0013 12 00000 00164 00164
09 13 11678 01  203 0013 13 00000 00032 00032
09 13 11678 01  203 0013 14 00000 00029 00029
09 13 11678 01  203 0013 15 00000 00029 00029
09 13 11678 01  203 0013 16 00000 00015 00015
09 13 11678 01  203 0013 17 00000 00012 00012
09 13 11678 01  203 0013 18 00000 00008 00008
09 13 11678 01  203 0013 19 00000 00021 00021
09 13 11678 01  203 0013 20 00000 00017 00017
09 13 11678 01  203 0013 21 00000 00004 00004
09 13 11678 01  203 0002 06 00001 00000 00001
09 13 11678 01  203 0002 09 00001 00000 00001
09 13 11678 01  203 0002 10 00003 00000 00003
09 13 11678 01  203 0033 10 00000 00001 00001
09 13 11678 01  203 0033 11 00011 00013 00024
09 13 11678 01  203 0033 12 00162 00126 00288
09 13 11678 01  203 0033 13 00087 00067 00154
09 13 11678 01  203 0033 14 00001 00009 00010
```

```
09 13 11678 01  203 0033 15 00000 00003 00003
09 13 11678 01  203 0063 07 00000 00001 00001
09 13 11678 01  203 0063 08 00000 00001 00001
09 13 11678 01  203 0063 10 00000 00010 00010
09 13 11678 01  203 0063 11 00000 00008 00008
09 13 11678 01  203 0063 12 00000 00003 00003
09 13 11678 01  203 0023 06 00000 00020 00020
09 13 11678 01  203 0023 07 00000 00030 00030
09 13 11678 01  203 0023 08 00000 00020 00020
09 13 11678 01  203 0023 09 00000 00080 00080
09 13 11678 01  203 0023 10 00000 00060 00060
09 13 11678 01  203 0023 11 00000 00060 00060
09 13 11678 01  203 0023 12 00000 00030 00030
09 13 11678 01  203 0023 13 00000 00017 00017
09 13 11678 01  203 0023 14 00000 00023 00023
09 13 11678 01  203 0023 15 00000 00009 00009
09 13 11678 01  203 0023 16 00000 00006 00006
09 13 11678 01  203 0023 18 00000 00001 00001
09 13 11678 01  203 0023 19 00000 00002 00002
09 13 11678 01  203 0009 10 00000 00050 00050
09 13 11678 01  203 0009 11 00000 00050 00050
09 13 11678 01  203 0009 12 00000 00030 00030
09 13 11678 01  203 0009 13 00000 00020 00020
09 13 11678 01  203 0009 14 00000 00022 00022
09 13 11678 01  203 0009 15 00000 00008 00008
09 13 11678 01  203 0009 16 00000 00003 00003
09 13 11678 01  203 0009 17 00000 00001 00001
09 13 11678 01  203 0009 18 00000 00007 00007
09 13 11678 01  203 0009 19 00000 00002 00002
09 13 11678 01  203 0021 14 00000 00001 00001
09 13 11678 01  203 0021 16 00000 00001 00001
09 13 11678 01  203 0021 17 00000 00001 00001
09 13 11678 01  203 0021 18 00000 00007 00007
09 13 11678 01  203 0021 19 00000 00029 00029
09 13 11678 01  203 0021 20 00000 00063 00063
09 13 11678 01  203 0021 22 00001 00013 00014
09 13 11678 01  203 0042 14 00000 00008 00008
09 13 11678 01  203 0042 15 00000 00008 00008
09 13 11678 01  203 0042 16 00000 00008 00008
09 13 11678 01  203 0005 12 00000 00004 00004
09 13 11678 01  203 0005 13 00000 00001 00001
09 13 11678 01  203 0005 14 00000 00001 00001
09 13 11678 01  203 0005 15 00000 00002 00002
09 13 11678 01  203 0005 16 00000 00023 00023
09 13 11678 01  203 0005 17 00000 00031 00031
09 13 11678 01  203 0005 18 00000 00031 00031
09 13 11678 01  203 0005 19 00000 00027 00027
09 13 11678 01  203 0005 20 00002 00018 00020
09 13 11678 01  203 0005 21 00000 00006 00006
09 13 11678 01  203 0027 14 00000 00001 00001
09 13 11678 01  203 0027 15 00000 00001 00001
09 13 11678 01  203 0027 16 00000 00001 00001
09 13 11678 01  203 0027 18 00000 00001 00001
09 13 11678 01  203 0027 19 00002 00000 00002
09 13 11678 01  203 0006 16 00000 00002 00002
09 13 11678 01  203 0006 17 00000 00001 00001
09 13 11678 01  203 0006 20 00000 00002 00002
09 13 11678 01  203 0004 22 00001 00016 00017
```

```
10 01 02679 01   154 0001 01 00000 00011 00011
10 01 02679 01   154 0001 02 00000 00006 00006
10 01 02679 01   154 0001 03 00000 00009 00009
10 01 02679 01   154 0001 04 00000 00007 00007
10 01 02679 01   154 0018 01 00000 00015 00015
10 01 02679 01   154 0018 02 00000 00040 00040
10 01 02679 01   154 0018 03 00000 00111 00111
10 01 02679 01   154 0018 04 00000 00158 00158
10 01 02679 01   154 0018 05 00000 00188 00188
10 01 02679 01   154 0018 06 00000 00117 00117
10 01 02679 01   154 0018 07 00000 00184 00184
10 01 02679 01   154 0018 08 00000 00140 00140
10 01 02679 01   154 0018 09 00000 00010 00010
10 01 02679 01   154 0018 10 00000 00030 00030
10 01 02679 01   154 0008 01 00000 00003 00003
10 01 02679 01   154 0008 02 00001 00000 00001
10 01 02679 01   154 0008 03 00000 00006 00006
10 01 02679 01   154 0008 04 00000 00040 00040
10 01 02679 01   154 0008 05 00015 00147 00162
10 01 02679 01   154 0008 06 00113 00351 00464
10 01 02679 01   154 0008 07 00448 01318 01766
10 01 02679 01   154 0008 08 01050 04550 04700
10 01 02679 01   154 0008 09 01670 05610 07280
10 01 02679 01   154 0008 10 00850 01810 02660
10 01 02679 01   154 0112 06 00000 00001 00001
10 01 02679 01   154 0024 06 00000 00001 00001
10 01 02679 01   154 0024 10 00000 00001 00001
10 01 02679 01   154 0009 10 01370 02130 03500
10 01 02679 01   154 0009 11 03480 04290 07770
10 01 02679 01   154 0009 12 02995 04594 07589
10 01 02679 01   154 0009 13 02655 03635 06290
10 01 02679 01   154 0009 14 01470 02190 03660
10 01 02679 01   154 0009 15 00590 01270 01860
10 01 02679 01   154 0009 16 00015 00295 00310
10 01 02679 01   154 0009 17 00000 00010 00010
10 01 02679 01   154 0009 19 00000 00002 00002
10 01 02679 01   154 0023 10 00000 00165 00165
10 01 02679 01   154 0023 11 00000 00290 00290
10 01 02679 01   154 0023 12 00000 00210 00210
10 01 02679 01   154 0023 13 00000 00170 00170
10 01 02679 01   154 0023 14 00000 00100 00100
10 01 02679 01   154 0023 15 00000 00030 00030
10 01 02679 01   154 0017 10 00000 00003 00003
10 01 02679 01   154 0017 11 00005 00025 00030
10 01 02679 01   154 0017 12 00000 00001 00001
10 01 02679 01   154 0043 11 00000 00085 00085
10 01 02679 01   154 0043 12 00000 00216 00216
10 01 02679 01   154 0043 13 00000 00225 00225
10 01 02679 01   154 0043 14 00000 00365 00365
10 01 02679 01   154 0043 15 00000 00655 00655
10 01 02679 01   154 0043 16 00000 00620 00620
10 01 02679 01   154 0043 17 00000 00020 00020
10 01 02679 01   154 0005 12 00001 00000 00001
10 01 02679 01   154 0005 14 00000 00001 00001
10 01 02679 01   154 0011 15 00007 00150 00157
10 01 02679 01   154 0011 16 00445 01900 02345
10 01 02679 01   154 0011 17 01490 03665 05155
10 01 02679 01   154 0011 18 01340 02625 03965
10 01 02679 01   154 0011 19 01180 01865 03045
10 01 02679 01   154 0011 20 01415 01705 03120
10 01 02679 01   154 0011 21 00000 00008 00008
10 01 02679 01   154 0011 22 00003 00002 00005
10 01 02679 01   154 0021 22 00003 00000 00003
10 01 02679 01   154 0004 22 00000 00002 00002
10 01 02679 01   154 0015 22 00006 00000 00006
10 01 02679 01   154 0014 22 00001 00000 00001
10 02 04677 02   157 0001 01 00000 00008 00008
10 02 04677 02   157 0001 02 00000 00018 00018
10 02 04677 02   157 0001 03 00003 00019 00022
10 02 04677 02   157 0001 04 00000 00009 00009
10 02 04677 02   157 0001 05 00001 00008 00009
```

```
10 02 04677 02   157 0001 06 00001 00003 00004
10 02 04677 02   157 0001 07 00000 00001 00001
10 02 04677 02   157 0008 02 00000 00001 00001
10 02 04677 02   157 0008 06 00000 00001 00001
10 02 04677 02   157 0008 07 00001 00006 00007
10 02 04677 02   157 0008 08 00235 00075 00310
10 02 04677 02   157 0008 09 00870 00210 01080
10 02 04677 02   157 0008 10 01220 00175 01395
10 02 04677 02   157 0008 11 00910 00225 01135
10 02 04677 02   157 0008 12 01135 00260 01395
10 02 04677 02   157 0008 13 00020 00005 00025
10 02 04677 02   157 0009 12 00150 00320 00470
10 02 04677 02   157 0009 13 01635 00310 01945
10 02 04677 02   157 0009 14 01635 00125 01755
10 02 04677 02   157 0009 15 01040 00055 01095
10 02 04677 02   157 0009 16 00415 00045 00460
10 02 04677 02   157 0009 17 00030 00000 00030
10 02 04677 02   157 0011 14 00000 00080 00080
10 02 04677 02   157 0011 15 00020 00300 00320
10 02 04677 02   157 0011 16 00115 00830 00945
10 02 04677 02   157 0011 17 00345 01165 01510
10 02 04677 02   157 0011 18 00425 01610 02035
10 02 04677 02   157 0011 19 00660 00840 01500
10 02 04677 02   157 0011 20 00400 00420 00820
10 02 04677 02   157 0017 07 00000 00001 00001
10 02 04677 02   157 0017 08 00000 00005 00005
10 02 04677 02   157 0043 11 00000 00020 00020
10 02 04677 02   157 0043 12 00000 00075 00075
10 02 04677 02   157 0043 13 00000 00045 00045
10 02 04677 02   157 0043 14 00000 00070 00070
10 02 04677 02   157 0043 15 00000 00060 00060
10 02 04677 02   157 0043 16 00000 00025 00025
10 02 04677 02   157 0043 17 00000 00010 00010
10 02 04677 02   157 0002 02 00000 00001 00001
10 02 04677 02   157 0002 03 00003 00001 00001
10 02 04677 02   157 0002 04 00006 00002 00002
10 02 04677 02   157 0002 06 00000 00001 00001
10 02 04677 02   157 0002 07 00001 00000 00001
10 02 04677 02   157 0013 06 00000 00001 00001
10 02 04677 02   157 0013 07 00000 00004 00004
10 02 04677 02   157 0024 06 00000 00001 00001
10 02 04677 02   157 0024 07 00000 00001 00001
10 02 04677 02   157 0024 09 00000 00005 00005
10 02 04677 02   157 0024 10 00000 00005 00005
10 02 04677 02   157 0005 13 00001 00000 00001
10 02 04677 02   157 0005 14 00004 00002 00006
10 02 04677 02   157 0005 18 00000 00001 00001
10 02 04677 02   157 0010 16 00000 00005 00005
10 02 04677 02   157 0010 17 00000 00015 00015
10 02 04677 02   157 0010 19 00000 00005 00005
10 02 04677 02   157 0035 04 00000 00007 00007
10 02 04677 02   157 0035 05 00000 00006 00006
10 02 04677 02   157 0035 06 00000 00006 00006
10 02 04677 02   157 0035 07 00000 00008 00008
10 02 04677 02   157 0035 08 00000 00010 00010
10 02 04677 02   157 0022 15 00005 00000 00005
10 02 04677 02   157 0003 15 00002 00000 00002
10 02 04677 02   157 0047 02 00001 00000 00001
10 02 04677 02   157 0047 04 00002 00000 00002
10 02 04677 02   157 0047 06 00001 00000 00001
10 02 04677 02   157 0047 07 00001 00000 00001
10 02 04677 02   157 0047 13 00001 00000 00001
10 02 04677 02   157 0094 06 00000 00001 00001
10 03 04677 01   182 0001 01 00000 00017 00017
10 03 04677 01   182 0001 02 00000 00020 00020
10 03 04677 01   182 0001 03 00000 00020 00020
10 03 04677 01   182 0008 01 00001 00038 00039
10 03 04677 01   182 0008 02 00052 00212 00264
10 03 04677 01   182 0008 03 00495 00545 01030
```

```
10 03 04677 01   182 0008 04 00260 00545 00805
10 03 04677 01   182 0008 05 00680 00770 01450
10 03 04677 01   182 0008 06 01675 01035 02710
10 03 04677 01   182 0008 07 02105 00890 02995
10 03 04677 01   182 0008 08 03595 01585 05180
10 03 04677 01   182 0008 09 06265 02405 08665
10 03 04677 01   182 0008 10 00220 00165 00385
10 03 04677 01   182 0008 11 00045 00315 00350
10 03 04677 01   182 0009 09 00030 00215 00245
10 03 04677 01   182 0009 10 01180 03685 04865
10 03 04677 01   182 0009 11 01260 03035 04295
10 03 04677 01   182 0009 12 01985 01880 03865
10 03 04677 01   182 0009 13 00860 01105 01965
10 03 04677 01   182 0009 14 00460 00770 01210
10 03 04677 01   182 0009 15 00245 00575 00810
10 03 04677 01   182 0009 16 00045 00245 00290
10 03 04677 01   182 0009 17 00065 00110 00175
10 03 04677 01   182 0011 17 00040 00255 00295
10 03 04677 01   182 0011 18 00740 00995 01735
10 03 04677 01   182 0011 19 00435 02260 02695
10 03 04677 01   182 0011 20 00390 01870 02160
10 03 04677 01   182 0017 09 00000 00130 00130
10 03 04677 01   182 0017 10 00015 00580 00595
10 03 04677 01   182 0017 11 00000 01665 01665
10 03 04677 01   182 0017 12 00000 00725 00725
10 03 04677 01   182 0017 13 00000 00510 00510
10 03 04677 01   182 0017 14 00000 00165 00165
10 03 04677 01   182 0017 15 00000 00120 00120
10 03 04677 01   182 0024 08 00000 00005 00005
10 03 04677 01   182 0024 09 00010 00015 00025
10 03 04677 01   182 0024 10 00000 00045 00045
10 03 04677 01   182 0005 12 00015 00004 00019
10 03 04677 01   182 0005 13 00029 00005 00034
10 03 04677 01   182 0005 14 00050 00000 00050
10 03 04677 01   182 0005 15 00044 00003 00047
10 03 04677 01   182 0005 16 00028 00003 00031
10 03 04677 01   182 0005 17 00023 00000 00023
10 03 04677 01   182 0005 18 00003 00002 00005
10 03 04677 01   182 0035 02 00000 00001 00001
10 03 04677 01   182 0035 03 00015 00000 00015
10 03 04677 01   182 0035 04 00015 00035 00050
10 03 04677 01   182 0035 06 00000 00005 00005
10 03 04677 01   182 0022 13 00008 00000 00008
10 03 04677 01   182 0022 14 00010 00002 00012
10 03 04677 01   182 0022 15 00003 00000 00003
10 03 04677 01   182 0022 18 00004 00000 00004
10 03 04677 01   182 0003 12 00000 00001 00001
10 03 04677 01   182 0047 08 00001 00000 00001
10 03 04677 01   182 0047 12 00002 00000 00002
10 03 04677 01   182 0037 18 00000 00121 00121
10 03 04677 01   182 0037 19 00000 00041 00041
10 03 04677 01   182 0037 20 00000 00009 00009
10 04 04677 02   180 0001 01 00000 00061 00061
10 04 04677 02   180 0001 02 00000 00068 00068
10 04 04677 02   180 0001 03 00000 00028 00028
10 04 04677 02   180 0001 04 00000 00036 00036
10 04 04677 02   180 0001 05 00000 00005 00005
10 04 04677 02   180 0001 06 00000 00001 00001
10 04 04677 02   180 0008 01 00000 00004 00004
10 04 04677 02   180 0008 02 00000 00001 00001
10 04 04677 02   180 0008 03 00000 00049 00049
10 04 04677 02   180 0008 04 00027 00000 00027
10 04 04677 02   180 0008 05 00165 00320 00485
10 04 04677 02   180 0008 06 00285 00290 00575
10 04 04677 02   180 0008 07 00350 00310 00660
10 04 04677 02   180 0008 08 00940 00410 01350
10 04 04677 02   180 0008 09 00930 00745 01675
10 04 04677 02   180 0008 10 06595 01560 08155
10 04 04677 02   180 0008 11 08380 03050 11430
10 04 04677 02   180 0009 10 00040 00310 00350
10 04 04677 02   180 0009 11 03765 02890 06655
10 04 04677 02   180 0009 12 04620 04155 08775
```

```
10 04 04677 02   180 0009 13 03305 03855 07160
10 04 04677 02   180 0009 14 02720 02240 04960
10 04 04677 02   180 0009 15 02085 01500 03585
10 04 04677 02   180 0009 16 00450 00475 09250
10 04 04677 02   180 0009 17 00010 00070 00080
10 04 04677 02   180 0011 15 00080 00065 00145
10 04 04677 02   180 0011 16 00780 01075 01855
10 04 04677 02   180 0011 17 02000 02155 04155
10 04 04677 02   180 0011 18 02560 02965 05525
10 04 04677 02   180 0011 19 03135 02935 06070
10 04 04677 02   180 0011 20 02065 02170 04235
10 04 04677 02   180 0011 21 00101 00048 00149
10 04 04677 02   180 0011 22 00002 00014 00016
10 04 04677 02   180 0011 22 00002 00001 00003
10 04 04677 02   180 0017 09 00000 00025 00025
10 04 04677 02   180 0017 10 00000 00305 00305
10 04 04677 02   180 0017 11 00000 00490 00490
10 04 04677 02   180 0017 12 00010 00360 00370
10 04 04677 02   180 0017 13 00000 00330 00330
10 04 04677 02   180 0017 14 00000 00670 00670
10 04 04677 02   180 0017 15 00000 00680 00680
10 04 04677 02   180 0017 16 00000 00380 00380
10 04 04677 02   180 0017 17 00000 00150 00150
10 04 04677 02   180 0002 01 00003 00000 00003
10 04 04677 02   180 0002 02 00001 00000 00001
10 04 04677 02   180 0002 03 00002 00000 00002
10 04 04677 02   180 0002 13 00005 00000 00005
10 04 04677 02   180 0013 04 00000 00003 00003
10 04 04677 02   180 0013 07 00000 00001 00001
10 04 04677 02   180 0024 06 00000 00010 00010
10 04 04677 02   180 0024 11 00000 00045 00045
10 04 04677 02   180 0024 12 00000 00020 00020
10 04 04677 02   180 0005 12 00002 00000 00002
10 04 04677 02   180 0005 13 00002 00002 00004
10 04 04677 02   180 0005 14 00002 00001 00003
10 04 04677 02   180 0010 15 00000 00003 00003
10 04 04677 02   180 0010 16 00000 00006 00006
10 04 04677 02   180 0010 17 00000 00007 00007
10 04 04677 02   180 0010 20 00000 00001 00001
10 04 04677 02   180 0064 12 00000 00005 00005
10 04 04677 02   180 0064 13 00000 00010 00010
10 04 04677 02   180 0064 14 00000 00030 00030
10 04 04677 02   180 0064 15 00000 00065 00065
10 04 04677 02   180 0064 16 00000 00025 00025
10 04 04677 02   180 0064 17 00000 00040 00040
10 04 04677 02   180 0019 22 00002 00000 00002
10 04 04677 02   180 0019 22 00002 00000 00002
10 05 10677 02   163 0001 01 00000 00005 00005
10 05 10677 02   163 0001 02 00000 00010 00010
10 05 10677 02   163 0001 03 00000 00008 00008
10 05 10677 02   163 0001 04 00000 00001 00001
10 05 10677 02   163 0001 05 00000 00001 00001
10 05 10677 02   163 0008 08 00330 00412 00742
10 05 10677 02   163 0008 09 01040 00165 01205
10 05 10677 02   163 0008 10 01065 00135 01200
10 05 10677 02   163 0008 11 01145 00180 01325
10 05 10677 02   163 0008 12 00010 00015 00025
10 05 10677 02   163 0009 12 00410 00595 01005
10 05 10677 02   163 0009 13 00730 00625 01355
10 05 10677 02   163 0009 14 00665 00300 00965
10 05 10677 02   163 0009 15 00390 00305 00695
10 05 10677 02   163 0009 16 00075 00175 00245
10 05 10677 02   163 0011 16 00015 00040 00055
10 05 10677 02   163 0011 17 00107 00057 00164
10 05 10677 02   163 0011 18 00385 00150 00535
10 05 10677 02   163 0011 19 00180 00175 00355
10 05 10677 02   163 0011 20 00090 00095 00185
10 05 10677 02   163 0017 08 00000 00005 00005
10 05 10677 02   163 0017 09 00035 00070 00105
10 05 10677 02   163 0017 10 00020 00025 00045
10 05 10677 02   163 0017 11 00090 00165 00255
10 05 10677 02   163 0017 12 00000 00230 00230
10 05 10677 02   163 0017 13 00020 00145 00165
10 05 10677 02   163 0017 14 00000 00125 00125
```

```
10 05  10677 02   163 0017 15 00000 00185 00185
10 05  10677 02   163 0002 02 00003 00000 00003
10 05  10677 02   163 0002 03 00001 00000 00001
10 05  10677 02   163 0002 05 00000 00001 00001
10 05  10677 02   163 0002 07 00003 00000 00003
10 05  10677 02   163 0002 08 00002 00000 00002
10 05  10677 02   163 0002 09 00007 00000 00007
10 05  10677 02   163 0002 11 00004 00000 00004
10 05  10677 02   163 0002 12 00006 00000 00006
10 05  10677 02   163 0013 06 00000 00005 00005
10 05  10677 02   163 0005 13 00001 00000 00001
10 05  10677 02   163 0010 15 00000 00002 00002
10 05  10677 02   163 0010 16 00000 00001 00001
10 05  10677 02   163 0010 17 00000 00002 00002
10 05  10677 02   163 0035 04 00001 00005 00006
10 05  10677 02   163 0035 05 00001 00004 00005
10 05  10677 02   163 0035 06 00000 00002 00002
10 05  10677 02   163 0035 07 00000 00002 00002
10 05  10677 02   163 0035 08 00000 00001 00001
10 05  10677 02   163 0031 05 00000 00008 00008
10 05  10677 02   163 0031 06 00000 00006 00006
10 05  10677 02   163 0031 07 00010 00037 00047
10 05  10677 02   163 0058 01 00000 00003 00003
10 05  10677 02   163 0058 03 00000 00003 00003
10 05  10677 02   163 0058 04 00000 00001 00001
10 06  10677 01   177 0001 01 00000 00009 00009
10 06  10677 01   177 0001 02 00000 00019 00019
10 06  10677 01   177 0001 03 00000 00001 00001
10 06  10677 01   177 0008 01 00020 00048 00068
10 06  10677 01   177 0008 02 00318 00835 01135
10 06  10677 01   177 0008 03 00760 00870 01630
10 06  10677 01   177 0008 04 01045 00925 01970
10 06  10677 01   177 0008 05 00710 00605 01315
10 06  10677 01   177 0008 06 01110 00840 01950
10 06  10677 01   177 0008 07 01085 01450 02535
10 06  10677 01   177 0008 08 00990 02745 03735
10 06  10677 01   177 0008 09 02585 07640 10225
10 06  10677 01   177 0008 10 01680 04905 06585
10 06  10677 01   177 0008 11 00000 00260 00260
10 06  10677 01   177 0009 10 00360 00670 01030
10 06  10677 01   177 0009 11 01085 04070 05155
10 06  10677 01   177 0009 12 01115 04805 05920
10 06  10677 01   177 0009 13 02540 04005 06545
10 06  10677 01   177 0009 14 03145 02535 05680
10 06  10677 01   177 0009 15 01460 00840 02300
10 06  10677 01   177 0009 16 00580 00585 01165
10 06  10677 01   177 0009 17 00025 00145 00170
10 06  10677 01   177 0009 18 00000 00020 00020
10 06  10677 01   177 0011 14 00040 00035 00075
10 06  10677 01   177 0011 15 00025 00010 00035
10 06  10677 01   177 0011 16 00240 00205 00445
10 06  10677 01   177 0011 17 00650 00545 01195
10 06  10677 01   177 0011 18 01185 00780 01965
10 06  10677 01   177 0011 19 00690 00855 01545
10 06  10677 01   177 0011 20 00140 00540 00680
10 06  10677 01   177 0011 21 00001 00000 00001
10 06  10677 01   177 0017 04 00000 00025 00025
10 06  10677 01   177 0017 05 00000 00045 00045
10 06  10677 01   177 0017 06 00000 00050 00050
10 06  10677 01   177 0017 07 00000 00020 00020
10 06  10677 01   177 0017 08 00000 00010 00010
10 06  10677 01   177 0017 09 00000 00015 00015
10 06  10677 01   177 0017 10 00010 00135 00145
10 06  10677 01   177 0017 11 00000 00235 00235
10 06  10677 01   177 0017 12 00000 00050 00050
10 06  10677 01   177 0017 13 00000 00045 00045
10 06  10677 01   177 0017 14 00000 00150 00150
10 06  10677 01   177 0017 15 00000 00105 00105
10 06  10677 01   177 0043 16 00000 00150 00150
10 06  10677 01   177 0043 17 00000 00090 00090
10 06  10677 01   177 0043 18 00000 00015 00015
10 06  10677 01   177 0043 19 00000 00025 00025
10 06  10677 01   177 0005 14 00001 00000 00001
10 06  10677 01   177 0005 16 00004 00001 00005
10 06  10677 01   177 0005 17 00002 00000 00002
```

```
10 06 10677 01  177 0005 18 00001 00000 00001
10 06 10677 01  177 0010 20 00000 00007 00007
10 06 10677 01  177 0064 11 00000 00003 00003
10 06 10677 01  177 0064 14 00000 00002 00002
10 06 10677 01  177 0026 17 00000 00015 00015
10 07 10677 01  157 0001 02 00000 00003 00003
10 07 10677 01  157 0001 03 00000 00001 00001
10 07 10677 01  157 0008 04 00000 00001 00001
10 07 10677 01  157 0008 05 00000 00001 00001
10 07 10677 01  157 0008 06 00000 00007 00007
10 07 10677 01  157 0008 07 00000 00033 00033
10 07 10677 01  157 0008 08 00015 00340 00355
10 07 10677 01  157 0008 09 00490 00515 01005
10 07 10677 01  157 0008 10 00685 00415 01100
10 07 10677 01  157 0008 11 00510 00455 00965
10 07 10677 01  157 0009 11 00070 00045 00115
10 07 10677 01  157 0009 12 00325 00230 00555
10 07 10677 01  157 0009 13 00570 00430 01000
10 07 10677 01  157 0009 14 00425 00165 00590
10 07 10677 01  157 0009 15 00010 00065 00075
10 07 10677 01  157 0011 15 00000 00060 00060
10 07 10677 01  157 0011 16 00035 00185 00220
10 07 10677 01  157 0011 17 00160 00235 00395
10 07 10677 01  157 0011 18 00265 00215 00480
10 07 10677 01  157 0011 19 00195 00075 00270
10 07 10677 01  157 0017 10 00000 00095 00095
10 07 10677 01  157 0017 11 00000 00235 00235
10 07 10677 01  157 0017 12 00000 00155 00155
10 07 10677 01  157 0017 13 00000 00405 00405
10 07 10677 01  157 0017 14 00000 00090 00090
10 07 10677 01  157 0043 15 00000 00035 00035
10 07 10677 01  157 0043 16 00000 00080 00080
10 07 10677 01  157 0043 17 00000 00035 00035
10 07 10677 01  157 0002 06 00001 00001 00002
10 07 10677 01  157 0002 07 00001 00000 00001
10 07 10677 01  157 0013 05 00000 00001 00001
10 07 10677 01  157 0024 07 00000 00002 00002
10 07 10677 01  157 0024 08 00000 00005 00005
10 07 10677 01  157 0005 12 00001 00001 00002
10 07 10677 01  157 0005 13 00003 00000 00003
10 07 10677 01  157 0005 15 00001 00000 00001
10 07 10677 01  157 0075 03 00000 00004 00004
10 07 10677 01  157 0075 06 00000 00005 00005
10 07 10677 01  157 0075 07 00000 00010 00010
10 08 02677 02  162 0001 01 00000 00004 00004
10 08 02677 02  162 0001 02 00000 00043 00043
10 08 02677 02  162 0001 03 00000 00005 00005
10 08 02677 02  162 0001 04 00000 00001 00001
10 08 02677 02  162 0001 05 00000 00001 00001
10 08 02677 02  162 0001 06 00000 00001 00001
10 08 02677 02  162 0008 08 00001 00000 00001
10 08 02677 02  162 0008 09 00013 00000 00013
10 08 02677 02  162 0008 10 00060 00004 00064
10 08 02677 02  162 0008 11 00072 00012 00084
10 08 02677 02  162 0009 11 00004 00000 00004
10 08 02677 02  162 0009 12 00036 00014 00050
10 08 02677 02  162 0009 13 00001 00001 00002
10 08 02677 02  162 0011 17 00003 00001 00004
10 08 02677 02  162 0011 18 00010 00001 00011
10 08 02677 02  162 0011 19 00002 00000 00002
10 08 02677 02  162 0017 09 00002 00004 00006
10 08 02677 02  162 0017 10 00001 00031 00032
10 08 02677 02  162 0043 12 00000 00007 00007
10 08 02677 02  162 0043 13 00000 00018 00018
10 08 02677 02  162 0043 14 00000 00083 00083
10 08 02677 02  162 0043 15 00000 00157 00157
10 08 02677 02  162 0043 16 00000 00189 00189
10 08 02677 02  162 0043 17 00000 00056 00056
10 08 02677 02  162 0043 18 00000 00001 00001
10 08 02677 02  162 0007 01 00000 00002 00002
10 08 02677 02  162 0007 02 00012 00015 00027
```

```
10 08 02677 02   162 0007 03 00000 00003 00003
10 08 02677 02   162 0007 04 00000 00002 00002
10 08 02677 02   162 0007 05 00000 00002 00002
10 08 02677 02   162 0002 01 00005 00000 00005
10 08 02677 02   162 0002 03 00020 00000 00020
10 08 02677 02   162 0002 05 00002 00000 00002
10 08 02677 02   162 0002 06 00002 00000 00002
10 08 02677 02   162 0002 08 00006 00000 00006
10 08 02677 02   162 0002 10 00003 00001 00004
10 08 02677 02   162 0002 11 00001 00000 00001
10 08 02677 02   162 0002 12 00001 00000 00001
10 08 02677 02   162 0002 14 00008 00001 00009
10 08 02677 02   162 0002 15 00009 00000 00009
10 08 02677 02   162 0013 05 00000 00001 00001
10 08 02677 02   162 0024 08 00000 00001 00001
10 08 02677 02   162 0024 09 00000 00002 00001
10 08 02677 02   162 0024 10 00000 00001 00001
10 08 02677 02   162 0010 10 00000 00002 00002
10 08 02677 02   162 0010 11 00000 00001 00001
10 08 02677 02   162 0010 17 00000 00002 00002
10 08 02677 02   162 0010 18 00000 00001 00001
10 08 02677 02   162 0035 02 00002 00002 00004
10 08 02677 02   162 0035 03 00022 00015 00037
10 08 02677 02   162 0035 04 00063 00011 00074
10 08 02677 02   162 0035 05 00047 00007 00054
10 08 02677 02   162 0035 06 00020 00003 00023
10 08 02677 02   162 0035 07 00042 00007 00049
10 08 02677 02   162 0035 08 00039 00006 00045
10 08 02677 02   162 0035 09 00004 00001 00005
10 08 02677 02   162 0035 10 00001 00000 00001
10 08 02677 02   162 0035 11 00000 00001 00001
10 08 02677 02   162 0035 13 00001 00000 00001
10 08 02677 02   162 0022 13 00002 00000 00002
10 08 02677 02   162 0022 16 00002 00000 00002
10 08 02677 02   162 0022 17 00003 00000 00003
10 08 02677 02   162 0022 18 00001 00000 00001
10 08 02677 02   162 0003 14 00001 00000 00001
10 08 02677 02   162 0048 15 00000 00003 00003
10 08 02677 02   162 0048 16 00000 00004 00004
10 08 02677 02   162 0048 17 00000 00002 00002
10 08 02677 02   162 0026 12 00000 00001 00001
10 08 02677 02   162 0026 13 00000 00003 00003
10 08 02677 02   162 0026 14 00000 00022 00022
10 08 02677 02   162 0026 15 00000 00014 00014
10 08 02677 02   162 0026 16 00000 00012 00012
10 08 02677 02   162 0026 17 00000 00002 00002
10 08 02677 02   162 0026 20 00000 00001 00001
10 08 02677 02   162 0029 07 00000 00002 00002
10 08 02677 02   162 0081 10 00000 00001 00001
10 08 02677 02   162 0073 06 00000 00001 00001
10 08 02677 02   162 0073 07 00000 00004 00004
10 08 02677 02   162 0073 08 00000 00013 00013
10 08 02677 02   162 0073 09 00000 00007 00007
10 08 02677 02   162 0073 10 00000 00009 00009
10 08 02677 02   162 0073 13 00000 00002 00002
10 08 02677 02   162 0073 14 00000 00002 00002
10 08 02677 02   162 0019 22 00002 00000 00002
10 08 02677 02   162 0092 14 00000 00002 00002
10 08 02677 02   162 0092 15 00000 00001 00001
10 08 02677 02   162 0057 11 00000 00001 00001
10 08 02677 02   162 0057 12 00000 00009 00009
10 08 02677 02   162 0057 13 00000 00002 00002
10 08 02677 02   162 0057 15 00000 00001 00001
10 08 02677 02   162 0015 22 00001 00000 00001
10 08 02677 02   162 0016 02 00000 00013 00013
10 08 02677 02   162 0016 03 00000 00017 00017
10 08 02677 02   162 0016 04 00000 00005 00005
10 08 02677 02   162 0016 05 00000 00008 00008
```

```
10 08 02677 02   162 0016 06 00000 00001 00001
10 08 02677 02   162 0016 07 00000 00002 00002
10 08 02677 02   162 0016 08 00000 00006 00006
10 08 02677 02   162 0010 01 00000 00001 00001
10 08 02677 02   162 0113 02 00000 00001 00001
10 08 02677 02   162 0089 09 00000 00003 00003
10 08 02677 02   162 0054 10 00000 00003 00003
10 08 02677 02   162 0054 11 00000 00004 00004
10 08 02677 02   162 0054 12 00000 00033 00033
10 08 02677 02   162 0054 13 00000 00010 00010
10 08 02677 02   162 0054 14 00000 00001 00001
10 09 02677 01   167 0001 01 00000 00012 00012
10 09 02677 01   167 0001 02 00000 00003 00003
10 09 02677 01   167 0001 03 00000 00011 00011
10 09 02677 01   167 0001 04 00000 00003 00003
10 09 02677 01   167 0008 07 00000 00001 00001
10 09 02677 01   167 0008 08 00000 00033 00033
10 09 02677 01   167 0008 09 00000 00360 00360
10 09 02677 01   167 0008 10 00005 00490 00495
10 09 02677 01   167 0008 11 00005 00240 00245
10 09 02677 01   167 0008 12 00000 00220 00220
10 09 02677 01   167 0008 13 00000 00210 00210
10 09 02677 01   167 0009 13 00000 00345 00345
10 09 02677 01   167 0009 14 00005 01220 01225
10 09 02677 01   167 0009 15 00040 01505 01545
10 09 02677 01   167 0009 16 00310 00400 00710
10 09 02677 01   167 0009 17 00025 00070 00095
10 09 02677 01   167 0011 17 00055 00150 00205
10 09 02677 01   167 0011 18 00170 00570 00740
10 09 02677 01   167 0011 19 00360 00685 01045
10 09 02677 01   167 0011 20 00275 00230 00705
10 09 02677 01   167 0011 21 00058 00041 00099
10 09 02677 01   167 0017 06 00000 00001 00001
10 09 02677 01   167 0017 08 00000 00068 00068
10 09 02677 01   167 0017 09 00000 00165 00165
10 09 02677 01   167 0017 10 00000 00125 00125
10 09 02677 01   167 0017 11 00000 00025 00025
10 09 02677 01   167 0017 12 00000 00260 00260
10 09 02677 01   167 0017 13 00000 00210 00210
10 09 02677 01   167 0017 14 00000 00065 00065
10 09 02677 01   167 0017 15 00000 00260 00260
10 09 02677 01   167 0017 16 00000 00085 00085
10 09 02677 01   167 0017 17 00000 00015 00015
10 09 02677 01   167 0002 03 00001 00000 00001
10 09 02677 01   167 0002 04 00002 00001 00003
10 09 02677 01   167 0002 06 00001 00000 00001
10 09 02677 01   167 0013 02 00000 00002 00002
10 09 02677 01   167 0013 04 00000 00006 00006
10 09 02677 01   167 0013 05 00004 00031 00035
10 09 02677 01   167 0013 06 00001 00016 00017
10 09 02677 01   167 0013 07 00001 00003 00004
10 09 02677 01   167 0013 08 00000 00003 00003
10 09 02677 01   167 0024 04 00000 00002 00002
10 09 02677 01   167 0024 05 00000 00002 00002
10 09 02677 01   167 0024 06 00000 00021 00021
10 09 02677 01   167 0024 07 00000 00025 00025
10 09 02677 01   167 0024 08 00000 00017 00017
10 09 02677 01   167 0024 11 00000 00011 00011
10 09 02677 01   167 0024 12 00000 00065 00065
10 09 02677 01   167 0024 13 00000 00030 00030
10 09 02677 01   167 0024 14 00000 00005 00005
10 09 02677 01   167 0024 15 00000 00010 00010
10 09 02677 01   167 0005 10 00000 00001 00001
10 09 02677 01   167 0005 11 00002 00000 00002
10 09 02677 01   167 0005 12 00023 00002 00025
10 09 02677 01   167 0005 13 00023 00000 00023
10 09 02677 01   167 0005 14 00026 00000 00026
10 09 02677 01   167 0005 15 00012 00001 00013
10 09 02677 01   167 0005 16 00005 00000 00005
10 09 02677 01   167 0031 02 00000 00003 00003
10 09 02677 01   167 0031 03 00000 00009 00009
10 09 02677 01   167 0031 04 00001 00011 00012
10 09 02677 01   167 0031 05 00000 00032 00032
```

```
10 09 02677 01   167 0031 06 00009 00053 00062
10 09 02677 01   167 0031 07 00018 00098 00116
10 09 02677 01   167 0031 08 00065 00066 00131
10 09 02677 01   167 0022 14 00000 00001 00001
10 09 02677 01   167 0022 15 00007 00000 00007
10 09 02677 01   167 0022 16 00004 00000 00004
10 09 02677 01   167 0085 18 00000 00001 00001
10 10 02677 01   164 0001 01 00003 00013 00016
10 10 02677 01   164 0001 02 00006 00005 00011
10 10 02677 01   164 0001 03 00000 00003 00003
10 10 02677 01   164 0008 01 00001 00000 00001
10 10 02677 01   164 0008 03 00011 00000 00011
10 10 02677 01   164 0008 04 00487 00035 00522
10 10 02677 01   164 0008 05 01317 00065 01382
10 10 02677 01   164 0008 06 01265 00095 01360
10 10 02677 01   164 0008 07 01775 00235 02010
10 10 02677 01   164 0008 08 02050 00265 02315
10 10 02677 01   164 0008 09 00120 00030 00150
10 10 02677 01   164 0008 10 00030 00015 00045
10 10 02677 01   164 0008 11 00005 00000 00005
10 10 02677 01   164 0009 08 00125 00030 00155
10 10 02677 01   164 0009 09 02120 00135 02255
10 10 02677 01   164 0009 10 02895 00145 03040
10 10 02677 01   164 0009 11 02425 00105 02530
10 10 02677 01   164 0009 12 01310 00125 01435
10 10 02677 01   164 0009 13 00675 00055 00730
10 10 02677 01   164 0009 14 00185 00010 00195
10 10 02677 01   164 0009 15 00010 00000 00010
10 10 02677 01   164 0011 13 00025 00020 00045
10 10 02677 01   164 0011 14 00825 00070 00895
10 10 02677 01   164 0011 15 02390 00155 02545
10 10 02677 01   164 0011 16 02235 00130 02365
10 10 02677 01   164 0011 17 01155 00275 01430
10 10 02677 01   164 0011 18 00510 00110 00620
10 10 02677 01   164 0011 19 00025 00035 00060
10 10 02677 01   164 0011 20 00000 00005 00005
10 10 02677 01   164 0011 21 00003 00000 00003
10 10 02677 01   164 0017 04 00000 00002 00002
10 10 02677 01   164 0017 05 00035 00045 00080
10 10 02677 01   164 0017 06 00075 00110 00185
10 10 02677 01   164 0017 07 00155 00230 00385
10 10 02677 01   164 0017 08 00115 00990 01105
10 10 02677 01   164 0017 09 00000 00510 00510
10 10 02677 01   164 0017 10 00000 00285 00285
10 10 02677 01   164 0017 17 00000 00005 00005
10 10 02677 01   164 0017 18 00000 00005 00005
10 10 02677 01   164 0017 19 00000 00010 00010
10 10 02677 01   164 0043 11 00000 00260 00260
10 10 02677 01   164 0043 12 00000 00400 00400
10 10 02677 01   164 0043 13 00000 00325 00325
10 10 02677 01   164 0043 14 00000 00120 00120
10 10 02677 01   164 0043 15 00000 00020 00020
10 10 02677 01   164 0007 04 00000 00003 00003
10 10 02677 01   164 0002 02 00003 00000 00003
10 10 02677 01   164 0002 03 00003 00000 00003
10 10 02677 01   164 0002 04 00014 00000 00014
10 10 02677 01   164 0002 06 00000 00004 00004
10 10 02677 01   164 0024 03 00007 00021 00028
10 10 02677 01   164 0024 04 00013 00005 00018
10 10 02677 01   164 0024 05 00052 00010 00062
10 10 02677 01   164 0024 06 00005 00015 00020
10 10 02677 01   164 0024 09 00000 00007 00007
10 10 02677 01   164 0005 11 00004 00000 00004
10 10 02677 01   164 0005 12 00004 00000 00004
10 10 02677 01   164 0005 13 00003 00000 00003
10 10 02677 01   164 0005 14 00003 00000 00003
10 10 02677 01   164 0005 15 00003 00000 00003
10 10 02677 01   164 0005 16 00001 00000 00001
10 10 02677 01   164 0010 04 00004 00000 00004
10 10 02677 01   164 0010 05 00008 00000 00008
10 10 02677 01   164 0010 06 00002 00000 00002
10 10 02677 01   164 0010 07 00001 00000 00001
10 10 02677 01   164 0010 08 00000 00003 00003
```

```
10 10 02677 01   164 0010 09 00001 00000 00001
10 10 02677 01   164 0010 10 00001 00008 00009
10 10 02677 01   164 0010 11 00001 00000 00001
10 10 02677 01   164 0010 13 00000 00001 00001
10 10 02677 01   164 0010 17 00000 00004 00004
10 10 02677 01   164 0051 01 00000 00009 00009
10 10 02677 01   164 0051 02 00000 00115 00115
10 10 02677 01   164 0051 03 00000 00109 00109
10 10 02677 01   164 0051 04 00000 00120 00120
10 10 02677 01   164 0051 05 00000 00042 00042
10 10 02677 01   164 0051 06 00000 00010 00010
10 10 02677 01   164 0051 07 00000 00015 00015
10 10 02677 01   164 0035 02 00002 00001 00003
10 10 02677 01   164 0035 03 00000 00009 00009
10 10 02677 01   164 0035 04 00005 00005 00010
10 10 02677 01   164 0035 05 00005 00000 00005
10 10 02677 01   164 0031 03 00000 00001 00001
10 10 02677 01   164 0065 02 00018 00022 00032
10 10 02677 01   164 0065 03 00023 00015 00048
10 10 02677 01   164 0031 04 00007 00001 00008
10 10 02677 01   164 0022 10 00002 00000 00002
10 10 02677 01   164 0003 12 00001 00000 00001
10 10 02677 01   164 0003 14 00002 00000 00002
10 10 02677 01   164 0026 11 00000 00024 00024
10 10 02677 01   164 0026 12 00000 00045 00045
10 10 02677 01   164 0026 13 00000 00085 00085
10 10 02677 01   164 0026 14 00000 00060 00060
10 10 02677 01   164 0026 15 00000 00030 00030
10 10 02677 01   164 0058 04 00001 00000 00001
10 10 02677 01   164 0081 05 00000 00005 00005
10 10 02677 01   164 0016 01 00012 00014 00026
10 10 02677 01   164 0016 02 00000 00001 00001
10 10 02677 01   164 0054 05 00000 00005 00005
10 10 02677 01   164 0085 03 00000 00006 00006
10 11 11678 01   136 0001 01 00000 00009 00009
10 11 11678 01   136 0001 02 00000 00006 00006
10 11 11678 01   136 0001 03 00000 00002 00002
10 11 11678 01   136 0001 04 00000 00008 00008
10 11 11678 01   136 0001 05 00000 00009 00009
10 11 11678 01   136 0001 06 00000 00003 00003
10 11 11678 01   136 0008 06 00000 00001 00001
10 11 11678 01   136 0008 07 00000 00001 00001
10 11 11678 01   136 0008 08 00001 00030 00031
10 11 11678 01   136 0008 09 00028 00047 00075
10 11 11678 01   136 0008 10 00023 00059 00082
10 11 11678 01   136 0008 11 00012 00045 00057
10 11 11678 01   136 0009 11 00000 00002 00002
10 11 11678 01   136 0009 12 00004 00075 00079
10 11 11678 01   136 0009 13 00005 00047 00052
10 11 11678 01   136 0009 14 00021 00117 00138
10 11 11678 01   136 0011 14 00000 00004 00004
10 11 11678 01   136 0011 15 00002 00042 00046
10 11 11678 01   136 0011 16 00004 00261 00265
10 11 11678 01   136 0011 17 00000 00183 00183
10 11 11678 01   136 0011 18 00000 00276 00276
10 11 11678 01   136 0011 19 00000 00136 00136
10 11 11678 01   136 0011 20 00002 00277 00279
10 11 11678 01   136 0017 11 00000 00002 00002
10 11 11678 01   136 0017 13 00000 00001 00001
10 11 11678 01   136 0002 01 00003 00000 00003
10 11 11678 01   136 0002 02 00002 00000 00002
10 11 11678 01   136 0002 05 00004 00000 00004
10 11 11678 01   136 0013 03 00000 00001 00001
10 11 11678 01   136 0013 07 00000 00002 00002
10 11 11678 01   136 0013 08 00000 00001 00001
10 11 11678 01   136 0024 09 00000 00001 00001
10 11 11678 01   136 0024 10 00000 00001 00001
10 11 11678 01   136 0024 11 00000 00001 00001
10 11 11678 01   136 0005 13 00000 00001 00001
10 11 11678 01   136 0005 15 00000 00001 00001
10 11 11678 01   136 0047 12 00001 00000 00001
```

```
10 11 11678 01   136 0075 11 00000 00002 00002
10 11 11678 01   136 0073 08 00000 00002 00002
10 11 11678 01   136 0073 09 00000 00002 00002
10 11 11678 01   136 0073 10 00000 00003 00003
10 11 11678 01   136 0073 11 00000 00017 00017
10 11 11678 01   136 0066 14 00000 00001 00001
10 11 11678 01   136 0066 16 00000 00001 00001
10 12 11678 02   130 0001 01 00000 00001 00001
10 12 11678 02   130 0001 03 00000 00003 00003
10 12 11678 02   130 0001 05 00000 00002 00002
10 12 11678 02   130 0001 06 00000 00001 00001
10 12 11678 02   130 0008 06 00000 00001 00001
10 12 11678 02   130 0008 07 00000 00003 00003
10 12 11678 02   130 0008 11 00000 00003 00003
10 12 11678 02   130 0008 12 00001 00004 00005
10 12 11678 02   130 0009 13 00000 00002 00002
10 12 11678 02   130 0009 14 00000 00004 00004
10 12 11678 02   130 0009 15 00000 00001 00001
10 12 11678 02   130 0009 16 00000 00001 00001
10 12 11678 02   130 0009 18 00000 00005 00005
10 12 11678 02   130 0009 19 00000 00011 00011
10 12 11678 02   130 0009 20 00000 00002 00002
10 12 11678 02   130 0011 19 00000 00003 00003
10 12 11678 02   130 0011 20 00000 00010 00010
10 12 11678 02   130 0005 12 00000 00001 00001
10 12 11678 02   130 0005 13 00000 00001 00001
10 12 11678 02   130 0005 15 00002 00000 00002
10 12 11678 02   130 0005 17 00002 00000 00002
10 12 11678 02   130 0035 08 00000 00002 00002
10 12 11678 02   130 0035 09 00000 00001 00001
10 12 11678 02   130 0035 10 00000 00001 00001
10 12 11678 02   130 0035 11 00000 00002 00002
10 12 11678 02   130 0031 08 00000 00001 00001
10 12 11678 02   130 0031 09 00000 00004 00004
10 12 11678 02   130 0031 10 00000 00001 00001
10 12 11678 02   130 0031 11 00000 00002 00002
10 12 11678 02   130 0031 12 00000 00002 00002
10 12 11678 02   130 0090 02 00000 00001 00001
10 13 11678 02   140 0017 12 00000 00004 00004
10 13 11678 02   140 0017 14 00000 00002 00002
10 13 11678 02   140 0017 15 00000 00003 00003
10 13 11678 02   140 0017 16 00000 00003 00003
10 13 11678 02   140 0017 18 00000 00001 00001
10 13 11678 02   140 0013 05 00000 00001 00001
10 13 11678 02   140 0005 13 00001 00002 00003
10 13 11678 02   140 0005 15 00002 00001 00003
10 13 11678 02   140 0005 17 00000 00001 00001
10 13 11678 02   140 0029 03 00000 00003 00003
10 13 11678 02   140 0029 04 00000 00003 00003
10 13 11678 02   140 0029 05 00000 00016 00016
10 13 11678 02   140 0029 06 00000 00024 00024
10 13 11678 02   140 0029 07 00000 00026 00026
10 13 11678 02   140 0029 08 00000 00048 00048
10 13 11678 02   140 0029 09 00000 00102 00102
10 13 11678 02   140 0029 10 00000 00027 00027
10 13 11678 02   140 0029 11 00000 00009 00009
10 13 11678 02   140 0081 10 00000 00004 00004
10 13 11678 02   140 0081 12 00000 00001 00001
10 13 11678 02   140 0066 07 00000 00004 00004
10 13 11678 02   140 0066 10 00000 00001 00001
10 13 11678 02   140 0066 11 00000 00001 00001
10 13 11678 02   140 0016 01 00000 00002 00002
10 13 11678 02   140 0016 02 00000 00004 00004
10 13 11678 02   140 0016 03 00000 00009 00009
10 13 11678 02   140 0016 04 00000 00004 00004
10 13 11678 02   140 0016 05 00000 00001 00001
10 13 11678 02   140 0010 11 00000 00002 00002
10 13 11678 02   140 0010 12 00000 00002 00002
10 13 11678 02   140 0010 13 00000 00001 00001
10 13 11678 02   140 0010 14 00000 00001 00001
10 13 11678 02   140 0010 15 00000 00001 00001
10 13 11678 02   140 0114 12 00000 00002 00002
```

```
10 13 11678 02  140 0089 16 00000 00001 00001
10 14 11678 01  165 0001 01 00000 00001 00001
10 14 11678 01  165 0001 02 00000 00001 00001
10 14 11678 01  165 0001 03 00000 00001 00001
10 14 11678 01  165 0008 09 00002 00000 00002
10 14 11678 01  165 0008 10 00020 00003 00023
10 14 11678 01  165 0008 11 00005 00001 00006
10 14 11678 01  165 0009 12 00016 00005 00021
10 14 11678 01  165 0009 13 00012 00007 00019
10 14 11678 01  165 0009 14 00000 00002 00002
10 14 11678 01  165 0011 15 00000 00023 00023
10 14 11678 01  165 0011 16 00002 00040 00042
10 14 11678 01  165 0011 17 00001 00120 00121
10 14 11678 01  165 0011 18 00000 00123 00123
10 14 11678 01  165 0011 19 00000 00028 00028
10 14 11678 01  165 0011 20 00000 00018 00018
10 14 11678 01  165 0017 10 00000 00001 00001
10 14 11678 01  165 0017 11 00000 00024 00024
10 14 11678 01  165 0017 12 00000 00028 00028
10 14 11678 01  165 0017 13 00000 00023 00023
10 14 11678 01  165 0017 14 00000 00002 00001
10 14 11678 01  165 0002 01 00005 00000 00005
10 14 11678 01  165 0002 02 00001 00000 00001
10 14 11678 01  165 0002 04 00000 00002 00002
10 14 11678 01  165 0002 05 00006 00004 00010
10 14 11678 01  165 0002 06 00002 00001 00003
10 14 11678 01  165 0002 07 00001 00000 00001
10 14 11678 01  165 0002 08 00000 00001 00001
10 14 11678 01  165 0002 09 00001 00001 00002
10 14 11678 01  165 0002 10 00010 00001 00010
10 14 11678 01  165 0002 11 00004 00013 00017
10 14 11678 01  165 0002 12 00001 00007 00008
10 14 11678 01  165 0024 10 00000 00002 00002
10 14 11678 01  165 0005 12 00000 00001 00001
10 14 11678 01  165 0005 14 00001 00000 00001
10 14 11678 01  165 0010 16 00000 00001 00001
10 14 11678 01  165 0010 18 00000 00004 00004
10 14 11678 01  165 0010 19 00006 00004 00010
10 14 11678 01  165 0010 20 00002 00005 00007
10 14 11678 01  165 0051 02 00000 00001 00001
10 14 11678 01  165 0051 03 00000 00001 00001
10 14 11678 01  165 0051 04 00000 00001 00001
10 14 11678 01  165 0051 05 00000 00001 00001
10 14 11678 01  165 0051 06 00000 00002 00002
10 14 11678 01  165 0035 01 00004 00001 00005
10 14 11678 01  165 0035 02 00067 00010 00077
10 14 11678 01  165 0035 03 00137 00033 00170
10 14 11678 01  165 0035 04 00175 00034 00209
10 14 11678 01  165 0035 05 00078 00034 00102
10 14 11678 01  165 0035 06 00100 00050 00150
10 14 11678 01  165 0035 07 00037 00048 00085
10 14 11678 01  165 0035 08 00053 00121 00174
10 14 11678 01  165 0035 09 00022 00028 00050
10 14 11678 01  165 0035 10 00000 00003 00003
10 14 11678 01  165 0035 19 00001 00000 00001
10 14 11678 01  165 0022 12 00000 00002 00002
10 14 11678 01  165 0022 13 00010 00002 00012
10 14 11678 01  165 0022 14 00005 00000 00005
10 14 11678 01  165 0022 15 00001 00000 00001
10 14 11678 01  165 0022 19 00001 00000 00001
10 14 11678 01  165 0064 12 00000 00001 00001
10 14 11678 01  165 0064 13 00000 00002 00002
10 14 11678 01  165 0064 14 00000 00001 00001
10 14 11678 01  165 0029 07 00000 00002 00001
10 14 11678 01  165 0029 08 00000 00013 00013
10 14 11678 01  165 0029 09 00000 00030 00030
10 14 11678 01  165 0029 10 00000 00027 00027
10 14 11678 01  165 0029 12 00000 00001 00001
10 14 11678 01  165 0092 15 00000 00006 00006
10 14 11678 01  165 0092 16 00000 00003 00003
10 14 11678 01  165 0015 22 00001 00000 00001
```

```
10  15  11678  02   146  0001  01  00000  00003  00003
10  15  11678  02   146  0001  02  00000  00014  00014
10  15  11678  02   146  0001  03  00000  00003  00003
10  15  11678  02   146  0001  04  00000  00001  00001
10  15  11678  02   146  0001  05  00000  00003  00003
10  15  11678  02   146  0001  06  00000  00004  00004
10  15  11678  02   146  0001  07  00000  00005  00005
10  15  11678  02   146  0001  08  00000  00002  00002
10  15  11678  02   146  0008  08  00000  00133  00133
10  15  11678  02   146  0008  09  00315  00205  00520
10  15  11678  02   146  0008  10  00445  00195  00640
10  15  11678  02   146  0008  11  00230  00100  00330
10  15  11678  02   146  0009  11  00000  00020  00020
10  15  11678  02   146  0009  12  00150  00045  00195
10  15  11678  02   146  0009  13  00000  00077  00077
10  15  11678  02   146  0009  14  00000  00142  00142
10  15  11678  02   146  0011  16  00000  00002  00002
10  15  11678  02   146  0011  17  00000  00007  00007
10  15  11678  02   146  0011  18  00000  00013  00013
10  15  11678  02   146  0011  19  00005  00012  00017
10  15  11678  02   146  0011  20  00000  00002  00002
10  15  11678  02   146  0017  08  00009  00005  00014
10  15  11678  02   146  0017  09  00045  00025  00070
10  15  11678  02   146  0017  10  00100  00035  00135
10  15  11678  02   146  0017  11  00020  00110  00130
10  15  11678  02   146  0017  12  00025  00015  00040
10  15  11678  02   146  0017  13  00000  00011  00011
10  15  11678  02   146  0043  15  00000  00067  00067
10  15  11678  02   146  0043  16  00000  00087  00087
10  15  11678  02   146  0043  17  00000  00058  00058
10  15  11678  02   146  0043  18  00000  00033  00033
10  15  11678  02   146  0043  19  00000  00005  00005
10  15  11678  02   146  0002  01  00003  00000  00003
10  15  11678  02   146  0002  02  00026  00000  00026
10  15  11678  02   146  0002  03  00007  00000  00007
10  15  11678  02   146  0002  04  00014  00000  00014
10  15  11678  02   146  0002  05  00003  00000  00003
10  15  11678  02   146  0002  06  00001  00000  00001
10  15  11678  02   146  0002  07  00003  00000  00003
10  15  11678  02   146  0002  08  00006  00000  00006
10  15  11678  02   146  0002  09  00005  00000  00005
10  15  11678  02   146  0024  05  00000  00003  00003
10  15  11678  02   146  0024  07  00000  00013  00013
10  15  11678  02   146  0024  08  00000  00031  00031
10  15  11678  02   146  0024  09  00000  00030  00030
10  15  11678  02   146  0024  10  00000  00020  00020
10  15  11678  02   146  0005  13  00002  00000  00002
10  15  11678  02   146  0005  14  00001  00000  00001
10  15  11678  02   146  0010  16  00000  00005  00005
10  15  11678  02   146  0010  17  00000  00008  00008
10  15  11678  02   146  0010  18  00000  00003  00003
10  15  11678  02   146  0010  19  00000  00002  00002
10  15  11678  02   146  0051  02  00002  00010  00012
10  15  11678  02   146  0051  03  00000  00014  00014
10  15  11678  02   146  0051  04  00000  00013  00013
10  15  11678  02   146  0051  05  00000  00013  00013
10  15  11678  02   146  0051  06  00000  00010  00010
10  15  11678  02   146  0051  07  00000  00006  00006
10  15  11678  02   146  0051  08  00000  00002  00002
10  15  11678  02   146  0035  02  00000  00002  00002
10  15  11678  02   146  0035  03  00000  00002  00002
10  15  11678  02   146  0035  04  00000  00004  00004
10  15  11678  02   146  0035  05  00000  00008  00008
10  15  11678  02   146  0035  06  00000  00014  00014
10  15  11678  02   146  0035  07  00002  00022  00024
10  15  11678  02   146  0035  08  00000  00001  00001
10  15  11678  02   146  0065  07  00000  00002  00002
10  15  11678  02   146  0065  08  00000  00003  00003
10  15  11678  02   146  0047  10  00001  00000  00001
10  15  11678  02   146  0029  06  00000  00001  00001
10  15  11678  02   146  0029  08  00000  00005  00005
10  15  11678  02   146  0029  09  00000  00005  00005
```

```
10 15 11678 02  146 0066 13 00000 00002 00002
10 15 11678 02  146 0066 15 00000 00020 00020
10 15 11678 02  146 0066 16 00000 00004 00004
10 15 11678 02  146 0066 17 00000 00002 00002
10 15 11678 02  146 0066 18 00000 00001 00001
10 16 11677 01  143 0001 01 00000 00037 00037
10 16 11677 01  143 0001 02 00000 00017 00017
10 16 11677 01  143 0001 03 00000 00008 00008
10 16 11677 01  143 0008 03 00000 00003 00003
10 16 11677 01  143 0008 04 00000 00004 00004
10 16 11677 01  143 0008 05 00000 00012 00012
10 16 11677 01  143 0008 06 00000 00014 00014
10 16 11677 01  143 0008 07 00000 00007 00007
10 16 11677 01  143 0008 08 00000 00016 00016
10 16 11677 01  143 0008 09 00030 00100 00130
10 16 11677 01  143 0008 10 00675 00115 00790
10 16 11677 01  143 0008 11 00745 00100 00845
10 16 11677 01  143 0008 12 00025 00040 00065
10 16 11677 01  143 0009 11 00010 00025 00035
10 16 11677 01  143 0009 12 00315 00215 00530
10 16 11677 01  143 0009 13 00055 00045 00100
10 16 11677 01  143 0009 14 00035 00010 00045
10 16 11677 01  143 0009 15 00010 00000 00010
10 16 11677 01  143 0011 15 00055 00015 00070
10 16 11677 01  143 0011 16 00125 00085 00210
10 16 11677 01  143 0011 17 00090 00035 00115
10 16 11677 01  143 0011 18 00090 00070 00160
10 16 11677 01  143 0011 19 00026 00003 00029
10 16 11677 01  143 0011 20 00012 00003 00015
10 16 11677 01  143 0017 09 00000 00005 00005
10 16 11677 01  143 0017 10 00000 00007 00007
10 16 11677 01  143 0017 11 00020 00070 00090
10 16 11677 01  143 0017 12 00000 00195 00195
10 16 11677 01  143 0017 13 00000 00070 00070
10 16 11677 01  143 0017 14 00000 00010 00010
10 16 11677 01  143 0017 15 00000 00050 00050
10 16 11677 01  143 0002 02 00005 00000 00005
10 16 11677 01  143 0002 03 00002 00000 00002
10 16 11677 01  143 0002 04 00021 00000 00021
10 16 11677 01  143 0002 05 00006 00000 00006
10 16 11677 01  143 0002 07 00009 00000 00009
10 16 11677 01  143 0002 08 00003 00000 00003
10 16 11677 01  143 0002 09 00001 00000 00001
10 16 11677 01  143 0013 07 00000 00008 00008
10 16 11677 01  143 0013 08 00000 00016 00016
10 16 11677 01  143 0013 09 00000 00008 00008
10 16 11677 01  143 0013 10 00000 00020 00020
10 16 11677 01  143 0024 05 00000 00003 00003
10 16 11677 01  143 0024 06 00000 00003 00003
10 16 11677 01  143 0005 11 00001 00000 00001
10 16 11677 01  143 0005 12 00000 00002 00002
10 16 11677 01  143 0005 13 00000 00006 00006
10 16 11677 01  143 0005 14 00002 00000 00002
10 16 11677 01  143 0010 20 00000 00017 00017
10 16 11677 01  143 0051 01 00000 00002 00002
10 16 11677 01  143 0051 02 00000 00011 00011
10 16 11677 01  143 0051 03 00000 00009 00009
10 16 11677 01  143 0051 04 00000 00016 00016
10 16 11677 01  143 0051 05 00000 00004 00004
10 16 11677 01  143 0051 06 00000 00003 00003
10 16 11677 01  143 0051 07 00000 00001 00001
10 16 11677 01  143 0051 08 00000 00001 00001
10 16 11677 01  143 0035 03 00000 00005 00005
10 16 11677 01  143 0035 04 00000 00002 00002
10 16 11677 01  143 0035 05 00001 00001 00002
10 16 11677 01  143 0035 06 00000 00003 00003
10 16 11677 01  143 0035 08 00000 00001 00001
10 16 11677 01  143 0022 12 00003 00000 00003
10 16 11677 01  143 0048 16 00000 00007 00007
10 16 11677 01  143 0048 17 00000 00006 00006
10 16 11677 01  143 0066 14 00000 00001 00001
10 16 11677 01  143 0066 15 00000 00016 00016
10 16 11677 01  143 0066 18 00000 00001 00001
10 16 11677 01  143 0056 02 00000 00001 00001
```